

Cursor Agent Operator Mode

Fresh machine
agent-chat flow

Start with the GitHub source on a fresh machine. Cursor uses project rules, skills, and adapter assets rather than a hidden Codex-style plugin. Each project still owns its lanes, roadmap, memory, tasks, handoffs, and system map.

Fresh
Use repo URL and branch.

Existing
Detect project assets.

Local test
Pin the V3 branch source.

1 Install Cursor Assets

Give Cursor Agent the source repo when the machine or project is new.

Fresh machine: initialize Agent Operator Kit from <https://github.com/Agent-Operator-Kit/operator-kit.git>. Use main for stable, or codex/v3-integration for V3 testing. Install Cursor rules, skills, and project assets, then report changed files before any dispatch.

2 Create Project Foundation

Do this inside the target repo or scoped project root before execution.

Use the operator-workflow skill. Set up Operator for this project. If this is a new scoped workspace, propose code/app plus operator. Inspect first, report the plan, and stop before dispatch.

3 Project Foundation Must Report

Scoped layout
code/app plus operator, or detected repo root.

Lanes
Owner lanes, worktrees, branches, and file boundaries.

Architecture
Repos, modules, contracts, risks, and dependency edges.

System map
Generated or refreshed map before planning.

Role catalog
Roles, approved patterns, validation recipes, gates.

Validation
Build, test, lint, smoke, and review commands.

Memory
Project facts, task facts, and retrieval readiness.

Roadmap
Inbox, RM-* status, blockers, and setup gaps.

4 Recommended Agent Order

Agent	Use when	Ask for
Incubate	Idea is rough, risky, or not yet a project.	Frame thesis, customer, wedge, risks, next experiment, promotion brief.
Design agent	Product shape, UX, UI system, or visual task quality matters.	Design-system assumptions, UX review, UI task packet, design lane guidance.
Feedback	You are testing screens, mobile builds, annotations, or raw observations.	Evidence capture and classified FB-* intake, not implementation.
Planner	Feedback needs priority, grouping, roadmap, or lane-ready decisions.	RM-* roadmap items, now/next/later, owner lane, acceptance criteria.
Operator	Work is ready for setup, lane orchestration, execution, or integration loop.	Status, dispatch preflight, task packets, collect, review, memory updates.

5 Observe And Execute Loop

Ask Cursor to stay in the operator skill once a project is bound.

Use the operator skill for this project. Check status, blockers, lanes, memory, roadmap, and setup gaps.

Create the confirmed task packet with acceptance criteria. Do not dispatch until I confirm.

Dispatch the approved task, collect the handoff, inspect changed files, and recommend whether it is ready to integrate.

6 Check, Update, Disable

Use this after install, after branch changes, or when Cursor rules drift.

Use the operator-workflow skill. Check whether Cursor Operator assets and project-local Operator files are current. Report project config, lane health, system map, memory, roadmap, and update path. Preview updates first and preserve project-specific state.

Stop using Operator by default for now.