703650 VO Parallel Systems WS2019/2020
MPI - Message Passing Interface

Philipp Gschwandtner

Overview

- general concepts about MPI
  - characteristics
  - program model
  - startup
- point-to-point communication
- collective communication
- practical example

Motivation for Using MPI: Data Distribution



Message Passing Interface (MPI)

- message passing library for distributed memory parallelism
- de-facto standard for C/C++ and Fortran
- maintained by the MPI Forum
  - initial release in 1994 (version 1.0)
  - updates in 1997 (2.0), 2012 (3.0), 2015 (3.1) and 202x (4.0)
  - specification updates slow, aim at stability and high TRL
    - “On Dec 6th 2017, the MPI forum voted for new voting rules (effective Dec 6th, 2017).”

MPI Implementations

- OpenMPI
  - open source
  - merge of multiple previous MPI implementations
  - default on many systems
- MPICH
  - also open source
  - basis for many vendor implementations such as Intel, IBM, Cray, Microsoft, …
    - default on many systems
- do not confuse implementation versions with specification versions!
- do not confuse implementation adherence with specification adherence!

Main Characteristics

- offers specific tools for
  - sending and receiving messages
  - waiting and synchronization
  - identification of individual processes
  - …
- additional convenience tools for
  - partitioning and distributing data
  - organizing processes in structures
  - large-scale I/O operations
  - …

Main Characteristics cont’d

- a lot of user responsibility
  - explicit parallelism and communication
  - program correctness
  - performance optimization
    - (non-)blocking
    - (a)synchronous

- a lot of advantages
  - available everywhere
  - several implementations
  - portable to many architectures
  - very high performance

Recap: MIMD: MPMD



Recap: MIMD: SPMD



MPMD through SPMD

- many MPI implementations support only SPMD
- SPMD can emulate MPMD

```
int main() {
    // get id information
    int CPU = ...;
    if(CPU==0) {
        ... // program A
    } else {
        ... // program B
    }
}
```

Parallelism Requires Two Mechanisms

- a mechanism for spawning processes
  - multiple ways of achieving this
  - we won’t look at this in too much detail
  - simply rely on `mpiexec` to do the work for you

- a mechanism for sending and receiving messages
  - many, many ways of exchanging messages
  - we will definitely look at this in a lot of detail
  - tons of functionality to choose from, as we’ll see in a bit

Compiler and Execution Wrapper

- `mpicc` / `mpic++` for compiling
  - OpenMPI: `--showme` prints compiler flags
  - passes all additional compiler flags to backend compiler (e.g. `mpicc -g`)
- `mpiexec` for running
  - formerly `mpirun`, but `mpiexec` is standardized

Startup Procedure of an MPI Application

SGE job submission

- allocates resources
- sets environment
- calls mpiexec

mpiexec

- reads SGE environment
- connects to nodes
- spawns processes

MPI function calls

- identify ranks
- exchange messages
- synchronize callers

Hello World in MPI

```c
#include <mpi.h>
#include <stdio.h>

int main(int argc, char** argv) {
    MPI_Init(&argc, &argv); // initialize the MPI environment
    int size;
    MPI_Comm_size(MPI_COMM_WORLD, &size); // get the number of ranks
    int rank;
    MPI_Comm_rank(MPI_COMM_WORLD, &rank); // get the rank of the caller
    printf("Hello world from rank %d of %d\n", rank, size);
    MPI_Finalize(); // cleanup
}
```

Setup and Teardown

- `int MPI_Init( int* argc, char*** argv )`
  - must be called by every process before calling any other MPI function
  - initializes the MPI library
- `int MPI_Finalize( void )`
  - must be the last MPI function called by every process
  - user must ensure completion of all (locally) pending communication
  - performs library cleanup

Who am I Talking to?

- in MPI-speak, processes are known as “*ranks*”
  - usually numbered from 0 to N-1
  - own rank can be queried with
    `int MPI_Comm_rank( MPI_Comm comm, int* rank )`
  - number of ranks can be queried with
    `int MPI_Comm_size( MPI_Comm comm, int* size)`
- almost all MPI semantics are relative to a “*communicator*” or “*group*”
  - identifies a set of ranks
  - `MPI_COMM_WORLD` means everyone, always available
  - new communicators and groups that hold subsets of ranks can be created
  - when developing a library, always create your own communicator!

Point-to-Point Communication

Point-to-Point Communication

- `MPI_Send(…)/MPI_Recv(…)`
  - single sender, single receiver (*“point-to-point”*)
- simplest form of communication available
  - not necessarily the best
- multiple different types
  - (a)synchronous
  - (non-)blocking



Basic Send/Receive Example

```
int number;
if (rank == 0) {
    number = -1;
    MPI_Send(&number, 1, MPI_INT, 1, 42, MPI_COMM_WORLD);
} else if (rank == 1) {
    MPI_Recv(&number, 1, MPI_INT, 0, 42, MPI_COMM_WORLD, MPI_STATUS_IGNORE);
    printf(“Rank 1: Received %d from rank 0\n", number);
}
```

MPI_Send

- `int MPI_Send(const void* buf, int count, MPI_Datatype datatype, int dest, int tag, MPI_Comm comm)`
  - `buf`: source buffer to send data from
  - `count`: number of data elements to send
  - `datatype`: type of data to send
  - `dest`: destination rank
  - `tag`: user-defined message type or category
  - `comm`: communicator

- `MPI_Send(&number, 1, MPI_INT, 1, 42, MPI_COMM_WORLD);`

MPI_Recv

- `int MPI_Recv(void* buf, int count, MPI_Datatype datatype, int source, int tag, MPI_Comm comm, MPI_Status* status)`
  - `buf`: destination buffer to save data to
  - `count`: number of data elements to send
  - `datatype`: type of data to receive
  - `source`: source rank
  - `tag`: user-defined message type or category
  - `comm`: communicator
  - `status`: holds additional information (e.g. rank of sender or tag of message)

- `MPI_Recv(&number, 1, MPI_INT, 0, 42, MPI_COMM_WORLD, MPI_STATUS_IGNORE);`

Predefined MPI Constants

- datatypes
  - MPI_INT, MPI_FLOAT, MPI_DOUBLE, MPI_BYTE, …
- wildcards & misc
  - MPI_ANY_SOURCE
  - MPI_ANY_TAG
  - MPI_COMM_WORLD
  - MPI_STATUS_IGNORE
  - …

(Non-)Blocking and (A)Synchronous Communication

- distinguish two important properties
  - When does the MPI function call return?
    - Can I overwrite the send buffer?
    - When is all the data in the receive buffer?
  - When does the corresponding message transfer happen?
    - Do I need to wait for the receiver to get the entire message?
    - Do I need to wait for the receiver to begin receiving?

```c
if (rank == 0) {
    MPI_Send(&number, ...);
} else if (rank == 1) {
    MPI_Recv(&number, ...);
}
```

(Non-)Blocking and (A)Synchronous Communication cont'd



Blocking vs. Non-Blocking Communication

- blocking point-to-point: `MPI_Send()` and `MPI_Recv()`
  - allows to re-use send buffer after send call returns
  - allows to read receive buffer after receive call returns

```
if (rank == 0) {
    MPI_Send(&number, ...);
    // re-use number here
} else if (rank == 1) {
    MPI_Recv(&number, ...);
    // use number here
}
```

Blocking vs. Non-Blocking Communication cont'd

- non-blocking point-to-point: `MPI_Isend()` and `MPI_Irecv()`
  - send and receive return almost Immediately
  - `MPI_Wait()` calls block until buffers can be read/re-used

```
MPI_Request request;
if (rank == 0) {
  MPI_Isend(&number, ..., &request);
  MPI_Wait(&request, MPI_STATUS_IGNORE);
  // re-use number here
} else if (rank == 1) {
  MPI_Irecv(&number, ..., &request);
  MPI_Wait(&request, MPI_STATUS_IGNORE);
  // re-use number here
}
```

(A)Synchronous Send Modes

- `MPI_Ssend()` – synchronous mode (WhatsApp: ✓✓)
  - will wait for matching receive
- `MPI_Bsend()` – buffered mode (WhatsApp: ✓)
  - will buffer, won't wait for a matching receive
- `MPI_Rsend()` – ready mode (WhatsApp: "contact online")
  - requires an already posted, matching receive
- `MPI_Send()` – standard mode
  - may buffer
  - may or may not wait for matching receive

- and there are also non-blocking variants for ALL of them…

Message Order Preservation

- messages do NOT overtake each other if
  - same communicator
  - same source rank
  - same destination rank
- regardless of blocking or synchronization mode
- mandated by MPI specification



Collective Communication

Collective Communication

- convenience function for frequently-used programming patterns (e.g. distributing data)
  - can involve several ranks at the same time, not just 2
  - must be called by ALL ranks in the communicator
  - must be called in-order by all ranks (no interleaving of multiple collective communication calls!)
  - is blocking until local operation has finished
  - is globally finished when all participating ranks are finished
  - available as blocking and non-blocking variants (but cannot be mixed!)

MPI_Scatter/MPI_Scatterv

- sends chunks of data to multiple ranks, including root itself
- simple way of partitioning and distributing data
  - not necessarily the best
- MPI_Scatterv() allows varying counts of elements to be distributed to each rank



MPI_Scatter

- `int MPI_Scatter(const void* sendbuf, int sendcount, MPI_Datatype sendtype, void* recvbuf, int recvcount, MPI_Datatype recvtype, int root, MPI_Comm comm)`
  - `sendbuf`: source buffer to send data from
  - `sendcount`: number of data elements to send to each rank
  - `sendtype`: type of data to send
  - `recvbuf`: destination buffer to save data to
  - `recvcount`: number of data elements to receive at each rank
  - `recvtype`: type of data to receive
  - `root`: rank of the sender
  - `comm`: communicator

Scatter Example

```
int globaldata[4];
int localdata;

if(rank==0) {
    for(int i = 0; i < 4; i++) {
        globaldata[i] = ...
    }
}

MPI_Scatter(globaldata, 1, MPI_INT, &localdata, 1, MPI_INT, 0,
  MPI_COMM_WORLD);
```

MPI_Gather/MPI_Gatherv

- sends chunks of data from multiple ranks, including root itself, to root
- simple way of collecting data
  - not necessarily the best
- MPI_Gatherv() allows varying counts of elements to be collected from each rank



MPI_Bcast

- broadcast operation
- sends copies of data to multiple ranks



Emulating Broadcast with Point-to-Point?

```c
MPI_Bcast(&buf, 1, MPI_INT, 0, MPI_COMM_WORLD);
// ################# OR, instead: #################
if (rank == 0) {
    for (int i = 0; i < size; i++) {
        if (i != rank) {
            MPI_Send(&buf, 1, MPI_INT, i, 0, MPI_COMM_WORLD);
        }
    }
} else {
    MPI_Recv(&buf, 1, MPI_INT, 0, 0, MPI_COMM_WORLD, MPI_STATUS_IGNORE);
}
```

Collective Communication Patterns

- chosen automatically at runtime by MPI implementation
- can depend on multiple parameters, including
  - type of operation (e.g. broadcast)
  - number and location of ranks
  - size and structure of data
  - hardware capabilities



sequential algorithm
O(num_ranks)



tree-based algorithm
$O(\log_2(\text{num\_ranks}))$



hardware operation
O(1)

Barrier

- `int MPI_Barrier(MPI_Comm comm)`
  - `comm`: communicator
- causes all ranks to wait until everyone reached the barrier
  - normally not needed: explicit data communication inherently synchronizes
  - often used for debugging and profiling (don’t forget to remove!)

MPI_Reduce

- aggregate data from multiple ranks, including root itself, to root
  - e.g. MPI_SUM

- requires associative reduction operation $\circ$ such that e.g.
$$(x_0 \circ x_1) \circ (x_2 \circ x_3) = \big((x_0 \circ x_1) \circ x_2\big) \circ x_3$$

- be careful with floating point types!



MPI_Reduce cont'd

- `int MPI_Reduce(const void* sendbuf, void* recvbuf, int count, MPI_Datatype datatype, MPI_Op op, int root, MPI_Comm comm)`
  - `sendbuf`: source buffer to reduce data from
  - `recvbuf`: destination buffer to reduce data into
  - `count`: number of data elements in source and destination buffers
  - `datatype`: type of data to reduce
  - `op`: reduction operation
  - `root`: rank of the sender
  - `comm`: communicator

Available Reduction Operations

- several pre-defined
  - `MPI_MAX, MPI_MIN`
  - `MPI_SUM, MPI_PROD`
  - `MPI_LAND, MPI_LOR, MPI_LXOR`
  - `MPI_BAND, MPI_BOR, MPI_BXOR`
  - `MPI_MAXLOC, MPI_MINLOC`
- also user-defined ops are possible
  - must be associative
  - requires a specific function signature
  - requires to register an MPI handle

Additonal MPI Functions

- `MPI_Wtime`
  - returns time in seconds since an arbitrary time in the past (**W**all clock time)
- `MPI_Sendrecv`
  - convenience wrapper for blocking send and receive
- `MPI_Allreduce/MPI_Allgather/…`
  - same as non-all versions, but result is available everywhere (performance impact!)
- `MPI_Scan/MPI_Exscan`
  - inclusive and exclusive prefix reductions
- `MPI_Wait/MPI_Test`
  - blocking/non-blocking check whether pending operation completed
- `MPI_Probe/MPI_Iprobe`
  - blocking/non-blocking check for new message without actually receiving it

Example Code: Naïve Matrix Multiplication




```c
#include <mpi.h>
#include <stdio.h>
#include <stdlib.h>

#define SIZE 4

int A[SIZE][SIZE];
int B[SIZE][SIZE];
int C[SIZE][SIZE];

void fill_matrix(int m[SIZE][SIZE]);
void print_matrix(int m[SIZE][SIZE]);
```

Example Code: Naïve Matrix Multiplication cont’d

```c
int myrank, numProcs;

MPI_Init(&argc, &argv);
MPI_Comm_rank(MPI_COMM_WORLD, &myrank);
MPI_Comm_size(MPI_COMM_WORLD, &numProcs);
// if matrix size not divisible
if(SIZE % numProcs != 0) {
    MPI_Finalize();
    return EXIT_FAILURE;
}
// root generates input data
if(myrank == 0) {
    fill_matrix(A);
    fill_matrix(B);
}
```

```c
// compute boundaries of local computation
int from = myrank*SIZE/numProcs;
int to = (myrank+1)*SIZE/numProcs;
// send entire matrix B to everyone
MPI_Bcast(B, SIZE*SIZE, MPI_INT, 0,
  MPI_COMM_WORLD);
// distribute rows of A to everyone
MPI_Scatter(A, SIZE*SIZE/numProcs, MPI_INT,
  A[from], SIZE*SIZE/numProcs, MPI_INT, 0,
  MPI_COMM_WORLD);
```

Example Code: Naïve Matrix Multiplication cont'd

```
// local computation of every rank
for(int i = from; i < to; i++) {
    for(int j = 0; j < SIZE; j++) {
        C[i][j] = 0;
        for(int k = 0; k < SIZE; k++) {
            C[i][j] += A[i][k] * B[k][j];
        }
    }
}
```

```
// gather result rows back to root
MPI_Gather(C[from], SIZE*SIZE/numProcs,
  MPI_INT, C, SIZE*SIZE/numProcs, MPI_INT, 0,
  MPI_COMM_WORLD);

if(myrank == 0) { print_matrix(C); }

MPI_Finalize();

return EXIT_SUCCESS;
```

Submitting to a Cluster (SGE & SLURM)

```
#!/bin/bash

# submission queue
#$ -q std.q
# change to current directory
#$ -cwd
# name of the job
#$ -N my_test_job
# redirect output stream to this file.
#$ -o output.dat
# join the output and error stream
#$ -j yes
# Specify parallel environment
#$ -pe openmpi-2perhost 8

mpiexec -n 8 /path/to/application
```

```
#!/bin/bash

#SBATCH -p std.q
#SBATCH --job-name my_test_job
#SBATCH -o output.dat
#SBATCH -N 8
#SBATCH --ntasks-per-node 2

srun /path/to/application
# or
mpiexec -n 8 /path/to/application
```

Summary

- general concepts about MPI
  - characteristics
  - program model
  - startup
- point-to-point communication
- collective communication
- practical example (matrix multiplication)