Computer Science 571 Exam#1 Prof. Papa

Thursday, October 6, 2016, 6:00pm - 7:20pm


Name:

Student Id Number:

- 1. This is a closed book exam.
- 2. Please answer all questions.
- 3. Place all answers on the exam and return the entire exam

HTTP QUESTIONS [20 PTS]

Below is the web page www.microsoft.com. Following that is part of the exchange of messages between the browser and the server, obtained by running Live HTTP Headers. Answer the questions that follow. NOTICE: NO PARTIAL CREDIT on any of the questions.



(1) http://microsoft.com/

GET / HTTP/1.1

Host: microsoft.com

```
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10.11; rv:43.0)
Gecko/20100101 Firefox/43.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: en-US, en; q=0.5
Accept-Encoding: gzip, deflate
DNT: 1
Connection: keep-alive
HTTP/1.1 301 Moved Permanently
Content-Type: text/html; charset=UTF-8
Location: http://www.microsoft.com/
Server: Microsoft-IIS/8.5
X-Powered-By: ASP.NET
Date: Sat, 01 Oct 2016 19:55:43 GMT
Content-Length: 148
_____
(2) http://www.microsoft.com/
GET / HTTP/1.1
Host: www.microsoft.com
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10.11; rv:43.0)
Gecko/20100101 Firefox/43.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: en-US, en; q=0.5
Accept-Encoding: gzip, deflate
DNT: 1
Connection: keep-alive
HTTP/1.1 302 Moved Temporarily
Server: AkamaiGHost 0
Content-Length: 0
Location: http://www.microsoft.com/en-us/
Date: Sat, 01 Oct 2016 19:55:44 GMT
Connection: keep-alive
X-CCC: US
X-CID: 2
_____
(3) http://www.microsoft.com/en-us/
GET /en-us/ HTTP/1.1
Host: www.microsoft.com
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10.11; rv:43.0)
Gecko/20100101 Firefox/43.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: en-US, en; q=0.5
Accept-Encoding: gzip, deflate
DNT: 1
Connection: keep-alive
HTTP/1.1 200 OK
Cache-Control: no-cache, no-store
Pragma: no-cache
Content-Type: text/html
Expires: -1
Server: Microsoft-IIS/8.0 -
CorrelationVector: w/wiET7pBEKkMsHf.1.1
X-AspNet-Version: 4.0.30319
```

```
X-Powered-By: ASP.NET
access-control-allow-headers: Origin, X-Requested-With, Content-Type,
access-control-allow-methods: GET, POST, PUT, DELETE, OPTIONS
access-control-allow-credentials: true
X-Frame-Options: SAMEORIGIN
Vary: Accept-Encoding
Content-Encoding: gzip
Date: Sat, 01 Oct 2016 19:55:45 GMT
Content-Length: 16412
Connection: keep-alive
X-CCC: US
X-CID: 2
_____
(4) https://cdn.optimizely.com/js/6212760188.js
GET /js/6212760188.js HTTP/1.1
Host: cdn.optimizely.com
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10.11; rv:43.0)
Gecko/20100101 Firefox/43.0
Accept: */*
Accept-Language: en-US, en; q=0.5
Accept-Encoding: gzip, deflate
DNT: 1
Cookie: cdn=http%3a%2f%2fedgecast%3ahs%40na
Connection: keep-alive
HTTP/1.1 200 OK
Content-Encoding: gzip
Accept-Ranges: bytes
Cache-Control: max-age=120
Content-Type: text/javascript
Date: Sat, 01 Oct 2016 19:55:45 GMT
Etaq: "02e0973efd4a0abdaeaef617855e82b0"
Last-Modified: Fri, 30 Sep 2016 22:00:48 GMT
Server: ECS (oxr/83AA)
Set-Cookie: cdn=http%3a%2f%2fedgecast%3ahs%40na; path=/;
domain=.optimizely.com
Timing-Allow-Origin: *
Vary: Accept-Encoding
x-amz-meta-revision: 939
X-Cache: HIT
Content-Length: 46965
(5) http://ajax.aspnetcdn.com/ajax/jQuery/jquery-1.7.2.min.js
GET /ajax/jQuery/jquery-1.7.2.min.js HTTP/1.1
Host: ajax.aspnetcdn.com
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10.11; rv:43.0)
Gecko/20100101 Firefox/43.0
Accept: */*
Accept-Language: en-US, en; q=0.5
Accept-Encoding: gzip, deflate
DNT: 1
Connection: keep-alive
HTTP/1.1 200 OK
```

```
Content-Encoding: gzip
Accept-Ranges: bytes
Access-Control-Allow-Origin: *
Cache-Control: public, max-age=28778572
Content-Type: application/x-javascript
Date: Sat, 01 Oct 2016 19:55:45 GMT
Etag: "08be15d9b7cd1:0"
Last-Modified: Wed, 21 Mar 2012 19:46:54 GMT
Server: ECAcc (oxr/8372)
Vary: Accept-Encoding
VTag: 791105556000000000
X-Cache: HIT
X-CCC: US
X-CID: 2
X-Powered-By: ASP.NET, ARR/2.5, ASP.NET
Content-Length: 42690
(6) http://c.s-microsoft.com/en-us/CMSStyles/style.csx?k=82f5f57f-a81c-
5468-be33-6bcc6578cbaa 20d3f19f-9acc-5455-5927-c0990d073641 0a295c26-
3eb3-4234-019c-1bfc9e5a6b62
GET /en-us/CMSStyles/style.csx?k=82f5f57f-a81c-5468-be33-
6bcc6578cbaa 20d3f19f-9acc-5455-5927-c0990d073641 0a295c26-3eb3-4234-
019c-1bfc9e5a6b62 HTTP/1.1
Host: c.s-microsoft.com
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10.11; rv:43.0)
Gecko/20100101 Firefox/43.0
Accept: text/css, */*; q=0.1
Accept-Language: en-US, en; q=0.5
Accept-Encoding: gzip, deflate
Connection: keep-alive
HTTP/1.1 200 OK
Content-Type: text/css
Etag: "W6rYhhZZBgFHVq7VS01RuQ=="
Server: Microsoft-IIS/8.0
X-AspNet-Version: 4.0.30319
X-Powered-By: ASP.NET
access-control-allow-headers: Origin, X-Requested-With, Content-Type,
Accept
access-control-allow-methods: GET, POST, PUT, DELETE, OPTIONS
access-control-allow-credentials: true
P3P: CP="ALL IND DSP COR ADM CONO CUR CUSo IVAo IVDo PSA PSD TAI TELO
OUR SAMO CNT COM INT NAV ONL PHY PRE PUR UNI"
X-Frame-Options: SAMEORIGIN
Vary: Accept-Encoding
Content-Encoding: gzip
Cache-Control: private, max-age=243784
Expires: Tue, 04 Oct 2016 15:38:49 GMT
Date: Sat, 01 Oct 2016 19:55:45 GMT
Content-Length: 7845
Connection: keep-alive
_____
(7) https://c.s-microsoft.com/en-
in/CMSImages/HPFeb15 social Twitter.png?version=8cd2eefc-dabe-c03f-
8302-0f5c5956a70d
```

```
GET /en-in/CMSImages/HPFeb15 social Twitter.png?version=8cd2eefc-dabe-
c03f-8302-0f5c5956a70d HTTP/1.1
Host: c.s-microsoft.com
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10.11; rv:43.0)
Gecko/20100101 Firefox/43.0
Accept: image/png, image/*; g=0.8, */*; g=0.5
Accept-Language: en-US, en; q=0.5
Accept-Encoding: gzip, deflate
DNT: 1
Connection: keep-alive
HTTP/2.0 200 OK
Content-Type: image/png
Etag: "IGmsUtXaZlEOxcE7+cxDKw=="
Server: Microsoft-IIS/8.0
X-AspNet-Version: 4.0.30319
X-Powered-By: ASP.NET
access-control-allow-headers: Origin, X-Requested-With, Content-Type,
access-control-allow-methods: GET, POST, PUT, DELETE, OPTIONS
access-control-allow-credentials: true
X-Frame-Options: SAMEORIGIN
Content-Length: 252
Cache-Control: private, max-age=444895
Expires: Thu, 06 Oct 2016 23:30:40 GMT
Date: Sat, 01 Oct 2016 19:55:45 GMT
X-Firefox-Spdy: h2
(8) http://img-prod-cms-rt-microsoft-
com.akamaized.net/cms/api/am/imageFileData/REGxSu?ver=6d63
GET /cms/api/am/imageFileData/REGxSu?ver=6d63 HTTP/1.1
Host: img-prod-cms-rt-microsoft-com.akamaized.net
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10.11; rv:43.0)
Gecko/20100101 Firefox/43.0
Accept: image/png, image/*; q=0.8, */*; q=0.5
Accept-Language: en-US, en; q=0.5
Accept-Encoding: gzip, deflate
DNT: 1
Connection: keep-alive
HTTP/1.1 200 OK
Content-Type: image/jpeg
Content-Location: http://img-prod-cms-rt-microsoft-
com.akamaized.net/cms/api/am/imageFileData/REGxSu?ver=6d63
Last-Modified: Tue, 27 Sep 2016 15:38:09 GMT
Server: Microsoft-IIS/8.5
Access-Control-Allow-Origin: *
X-Source-Length: 9782
X-Datacenter: centralus
X-ActivityId: df613390-346f-4f6d-9bf9-d2f460b206ca
X-Instance: Resizer.Web IN 3
X-Deployment: dead43a81c7541a2946372259a12ad24
Timing-Allow-Origin: *
X-AspNet-Version: 4.0.30319
X-Powered-By: ASP.NET
```

```
Content-Length: 9782
Cache-Control: public, max-age=70904
Expires: Sun, 02 Oct 2016 15:37:29 GMT
Date: Sat, 01 Oct 2016 19:55:45 GMT
Connection: keep-alive
______
(9) https://www.microsoft.com/en-us/silentauth
GET /en-us/silentauth HTTP/1.1
Host: www.microsoft.com
User-Agent: Mozilla/5.0 (Macintosh; Intel Mac OS X 10.11; rv:43.0)
Gecko/20100101 Firefox/43.0
Accept: text/html,application/xhtml+xml,application/xml;q=0.9,*/*;q=0.8
Accept-Language: en-US, en; q=0.5
Accept-Encoding: gzip, deflate
Connection: keep-alive
HTTP/2.0 302 Found
Content-Length: 0
Location:
https://login.live.com:443/login.srf?wa=wsignin1.0&rpsnv=13&checkda=1&c
t=1475351747&rver=6.7.6643.0&wp=MBI&wreply=https%3a%2f%2fwww.microsoft.
com%2fen-us%2fsilentauth%3fsilentauth%3dmsa&1c=1033&id=74335&aadredir=1
Server: Microsoft-IIS/8.5
P3P: CP="ALL IND DSP COR ADM CONO CUR CUSo IVAo IVDo PSA PSD TAI TELO
OUR SAMO CNT COM INT NAV ONL PHY PRE PUR UNI"
X-Powered-By: ASP.NET, ARR/2.5, ASP.NET
access-control-allow-headers: Origin, X-Requested-With, Content-Type,
Accept
access-control-allow-methods: GET, POST, PUT, DELETE, OPTIONS
access-control-allow-credentials: true
X-Frame-Options: SAMEORIGIN
Expires: Sat, 01 Oct 2016 19:55:47 GMT
Cache-Control: max-age=0, no-cache, no-store
Pragma: no-cache
Date: Sat, 01 Oct 2016 19:55:47 GMT
Set-Cookie: MS-CV=w/wiET7pBEKkMsHf.3; domain=.microsoft.com;
expires=Sun, 02-Oct-2016 19:55:47 GMT; path=/
X-CCC: US
X-CID: 2
X-Firefox-Spdy: h2
                   _____
```

Q1. What is the name of the web server that returns the Microsoft home page HTML?

Microsoft Us/8.0

Q2. How big in "bytes" is the www.microsoft.com home page?

Q3. What CDN or CDNs deliver the JavaScript used in www.microsoft.com?

Q4. List any transactions that are "compressed".
Q5. How many redirects are executed before the Microsoft homepage is displayed?
Q6. List all servers used in these transactions?
Q7. List four (4) headers used to improve browser cache performance?
Q8. Transaction (7) includes the header X-Firefox-Spdy. What is Spdy?
Q9. What type of compression is supported by the Firefox browser used in these transactions?
Q10. How long after the execution of these transactions will the Twitter image need to be refreshed, if requested again?
APACHE SERVER and PHP5 QUESTIONS [10 PTS]
The Apache 2 build and installation involved 3 basic steps. Briefly explain the purpose of each step:
Q1/configure
A1.
Q2. make
A2.
Q3. make install
A3.

The Apache 2 configuration and customization steps involve 2 basic "Editing" steps. Briefly explain the "purpose" of each step (Q4 & Q5):

Q4. Edit httpd.conf configuration file

Listen 54321

- **A4.** Purpose:
- Q5. Edit httpd-mpm.conf configuration file

- **A5.** Purpose:
- **Q6.** What are the 4 basic steps in the PHP installation?

A6.

Q7. What is the purpose of these lines to be added to the http.conf file?

A7.

Q8. What is libphp5.so in this line that is automatically added to httpd.conf?

```
LoadModule php5_module modules/libphp5.so
```

A8.

Q9. What are the commands to start and stop Apache?

A9.

Q10. List 3 possible uses of Apache log files.

	-		n	
Λ	1	П	П	

LYNDA.COM QUESTIONS [10 PTS]
Q1. What is the purpose of the error log file in Apache? List two (2).
A1.
Q2. What is the purpose of the access log file in Apache?
A2.
Q3. what is the Three-Way-handshake?
A3.
Q4. HTTP uses what protocol as the Transport layer protocol?
A4.
Q5. What does the autofocus attribute indicate?
A5.
Q6. What would be a good reason for a FORM developer to turn off autocomplete for a given input?
A6.
Q7. What is the purpose of the pattern attribute?
A7.

Q8. Indicate 4 different JavaScript functions for selecting DOM elements.

A8.

Q9. What is an XML Schema?

A9.

Q10: Is there a ways using DTDs to say that an element can only appear four times in another element?

A10.

JAVASCRIPT REGULAR EXPRESSIONS QUESTIONS [10 PTS]

JavaScript 1.5 introduced a new notation for Regular Expressions using the ?= notation. Please explain the meaning of each of the following four (4) regular expressions:

A1.

Q2.
$$?=.*[a-z]$$

A2.

Q3.
$$?=.*[A-Z]$$

A3.

A4.

Q5. What is the following code testing for?

XML/DOM QUESTIONS [20 pts]

The example below traverses ALL available "book" tags and loops through all child nodes of each
book> tag and displays their name and values, producing the following output:

```
title: Everyday Italian author: Giada De Laurentiis year: 2005
```

Complete the <u>missing code that performs the loop, and produces the output.</u> Notice that loadxmlstring.js contains the function loadXMLString() that returns back the Document Object.

```
<html>
<head>
<script src="loadxmlstring.js"></script>
</head>
<body>
<script>
text="<book>";
text=text+"<title>Everyday Italian</title>";
text=text+"<author>Giada De Laurentiis</author>";
text=text+"<year>2005</year>";
text=text+"</book>";
xmlDoc=loadXMLString(text);
```

```
</script> </body> </html>
```

CSS QUESTIONS [10 PTS]

Below are lines extracted from the CSS sheet of microsoft.com. For each line answer the question. Each question is worth two points.

```
html, body, div, p, table, td, form, img, h1, h2, h3, h4,
h5, h6, input { font-family: Tahoma, Verdana, Segoe, sans-
serif; padding: 0px; margin: 0px; border: 0px transparent
none; background-position: left top; background-repeat: no-
repeat; }
```

Q1. Explain the purpose of the line above

A1.

```
a:active, a:hover { color: #4E7DC2; text-decoration:
underline; }
```

Q2. Explain the purpose of the line above

A2.

```
#page { margin-left: auto; margin-right: auto; width:
934px; position: relative; top: 0px; }
```

Q3. Explain the purpose of the line above

A3.

```
.patent { font-size: 82%; font-family: Tahoma; margin: 0px
17px 10px 0px; color: #AECADE; clear: both; }
```

Q4. On the line above, what is "patent"?

A4.

```
#superNav { position: absolute; top: 49px; right: 15px;
width: 192px; z-index: 70; }
```

Q5. On the line above, what is "superNav"?

A5.

PHP QUESTIONS [20 PTS]

Q1 [4 points]. Consider the following PHP Program. Complete the missing code.

Answer:

Answer:

Q2 [12 points]. For each of the following examples code, enter the expected output that would be displayed in a browser. Notice that print() in PHP outputs one or more strings. The print() function is not actually a function, so you are not required to use parentheses with it. The print() function is slightly slower than echo().

```
<?php
// Show all errors
error_reporting(E_ALL);

$arr = array('fruit' => 'apple', 'veggie' => 'carrot');

//
print $arr['fruit'];
print $arr['veggie'];

Answer:

//
define('fruit', 'veggie');
//
print $arr['fruit'];
print $arr['fruit'];
print $arr[fruit];
```

```
print "Hello $arr[fruit]";
Answer:
// braces surrounding arrays within strings allows constants
// to be interpreted
print "Hello {$arr[fruit]}";
print "Hello {$arr['fruit']}";
Answer:
print "Hello $ GET['foo']";
Answer:
//
print "Hello " . $arr['fruit'];
Answer:
?>
Q3 [4 points]. Consider the following files.
order.html:
<html><body>
<h4>Tizag Art Supply Order Form</h4>
<form action="process.php" method="post">
<select name="item">
<option>Paint
<option>Brushes
<option>Erasers
</select>
Quantity: <input name="quantity" type="text" />
<input type="submit" />
</form>
</body></html>
```