Course map: pass 2 of 4 — Name



SESSION 2 · NAME THE SHAPE

Agentic Unit anatomy



Replace internals without rewriting callers

The AU owns a bounded capability with Agent ID; callers compose against the public promise, not the implementation.

Capability card as public promise



Instructions shape capability behaviour



SESSION 2 · NAME THE SHAPE

A capability is promised; a tool is used

Both AUs and tools register in the same registry. They differ in kind (au vs tool) and in how they are fulfilled. The AU/MCP rule: AUs expose A2A outward; AUs consume MCP (or AOA-bridged tools) inward.

CAPABILITY

Promised outward

Something the AU can be selected to do

A2A · AU-to-AU work boundary

← PROMISE OUT

AGENTIC UNIT

Public contract
Private implementation
Governed Agent ID

→ REACH IN

TOOL / CONTEXT

Used inward

A deterministic resource the AU can reach for

MCP · AU-to-tool boundary

DISCOVER
Discover capabilities through cards in the registry.

CONSTRAIN
Constrain tools by Agent ID, scope, and policy.

TRACE
Trace the selected capability and its tool calls.

Intent plus registry context becomes a plan



Governability comes from Agent ID, stable contracts, observable behaviour, explicit judgement boundaries, and replaceable capabilities.

Trace, responsibility, and evaluation signals



Planner proposes; orchestrator runs



SESSION 2 · NAME THE SHAPE

The course system you will operate



Parser → evaluator → reporter



Same evaluator, different promises

The estate grows by registration, not by cloning a second architecture.

SESSION1

evaluator-cv

WHAT CHANGES

CV-fit card, instructions, inputs, outputs

WHAT STAYS STABLE

evaluator runtime · Agent ID · trace boundary

SESSION2

evaluator-cv
evaluator-promote
evaluator-wiki-query

WHAT CHANGES

two knowledge promises + wiki-store dependency

WHAT STAYS STABLE

evaluator service · codebase · Agent ID

One implementation, several governed capabilities — consumers still compose against each card.

Stretch: edit instructions.md or swap the provider and watch the public metadata move.

Lab: run one shape in two domains

Pairs: driver + navigator. Keep Studio open; compare Registry + responsibility walk at each checkpoint.

1 CV FIT

DO

./scripts/session1-up.sh; run Jordan Okafor against Senior Data Engineer

OBSERVE

three AU promises · document tool · end-to-end trace

2 EXPAND THE ESTATE

DO

./scripts/session2-up.sh

OBSERVE

wiki parser + wiki store · two new evaluator promises

3 KNOWLEDGE

DO

ingest agent-registry-lessons.txt; open Graph; ask about observed quality

OBSERVE

promotion decision · stored passages · cited answer

Compare: What changed by domain? What stayed recognisably the same?

Stretch: edit one instructions.md file or swap the provider and watch registration metadata move.

SESSION 2 · NAME THE SHAPE

You can now name and reuse the shape

Question	What you now know	Evidence
1 Where is the boundary?	Shared code can sit behind separate governed identities.	CV and wiki parser Agent IDs
2 What is the public promise?	One runtime can publish several distinct contracts.	three evaluator registry rows
3 What changes by domain?	Cards, instructions, tools, inputs, and outputs.	CV fit → ingest → ask
4 What makes reuse governable?	Registry + trace show who acted, how, and with what evidence.	two responsibility walks

Handoff

Next: recognise the same responsibility split inside frameworks, standards, and platforms.