

Customer survey & requirements register

Prepared fictional example · R1

Created by Customer intake / salesperson · Reviewed by Pending field-by-field engineering confirmation

Used by Requirements, design, manufacturing, risk, pricing and PM handoff

Project, stakeholders & decision process — What is the project / RFQ reference? DEMO-RFQ-2026-09 [Stated · review required]

[Source survey-submission line 1](#)

Project, stakeholders & decision process — What problem should the hopper solve? Provide a stationary buffer above an existing downstream process [Stated · review required]

[Source survey-submission line 2](#)

Project, stakeholders & decision process — How will the customer judge success? Controlled gravity discharge, reviewed interface, accessible inspection and agreed acceptance checks [Stated · review required]

[Source survey-submission line 3](#)

Project, stakeholders & decision process — New installation, replacement or expansion? New hopper connected to existing equipment [Stated · review required]

[Source survey-submission line 4](#)

Project, stakeholders & decision process — New or returning customer? Returning fictional client; prior jobs H-101 and H-102 [Stated · review required]

[Source survey-submission line 5](#)

Project, stakeholders & decision process — Where will the equipment operate? Cedar Rapids, Iowa · fictional facility; exact site not supplied [Needs confirmation]

[Source survey-submission line 6](#)

Project, stakeholders & decision process — Who owns the requirements and clarifications? Fictional purchasing coordinator role; requests one bundled clarification email [Stated · review required]

[Source survey-submission line 7](#)

Project, stakeholders & decision process — Who approves the mechanical interface and material choices? Customer mechanical engineer role confirms interface; shop engineer owns fabrication design review [Stated · review required]

[Source survey-submission line 8](#)

Project, stakeholders & decision process — Who confirms operating and cleaning needs? Customer shift supervisor role confirms fill/discharge cycle, access and cleaning procedure [Stated · review required]

[Source survey-submission line 9](#)

Project, stakeholders & decision process — Who approves budget and purchase order? Customer purchasing manager role [Stated · review required]

[Source survey-submission line 10](#)

Project, stakeholders & decision process — Which requirement / drawing revision governs? Initial RFQ; drawing approval required before release [Needs confirmation]
[Source survey-submission line 11](#)

Project, stakeholders & decision process — What approvals are needed before manufacture? Sales confirms requirements → engineer approves design → PM confirms sequence → Ops clears release → purchasing reviews acceptance recheck [Stated · review required]
[Source survey-submission line 12](#)

Handled product & test evidence — What product and grades will be handled? Dry seed [Stated · review required]
[Source survey-submission line 13](#)

Handled product & test evidence — What alternate products or seasonal variations occur? One nominated product per hopper; customer approval required before changing product or grade [Needs confirmation]
[Source survey-submission line 14](#)

Handled product & test evidence — Loose bulk density and test method (kg/m³)? Prepared customer planning estimate: 650 kg/m³; no sample test supplied, engineering must confirm [Needs confirmation]
[Source survey-submission line 15](#)

Handled product & test evidence — Compacted bulk density (kg/m³)? Unknown — confirm worst-case stored density [Needs confirmation]
[Source survey-submission line 16](#)

Handled product & test evidence — Particle size distribution, fines and maximum lump (mm)? Unknown — obtain representative sample / sieve analysis [Needs confirmation]
[Source survey-submission line 17](#)

Handled product & test evidence — Particle shape and fragility? Unknown — confirm breakage tolerance and sharp particles [Needs confirmation]
[Source survey-submission line 18](#)

Handled product & test evidence — Minimum / normal / maximum moisture (% by mass)? Unknown — measure product and seasonal extremes [Needs confirmation]
[Source survey-submission line 19](#)

Handled product & test evidence — Product temperature range (°C)? Ambient product stated; numerical limits unconfirmed [Needs confirmation]
[Source survey-submission line 20](#)

Handled product & test evidence — Measured angle of repose and test conditions (degrees)? Unknown — sample test required; not a hopper wall angle [Needs confirmation]
[Source survey-submission line 21](#)

Handled product & test evidence — Wall friction / flow-function test available? Unknown — no validated flow test supplied [Needs confirmation]
[Source survey-submission line 22](#)

Handled product & test evidence — Abrasiveness and expected wear life? Unknown — confirm sample and service conditions [Needs confirmation]

Source survey-submission line 23

Handled product & test evidence — Chemical compatibility, salts or corrosive contaminants? Unknown — obtain composition and compatibility evidence [Needs confirmation]

Source survey-submission line 24

Handled product & test evidence — Hygroscopicity, caking or moisture sensitivity? Unknown — confirm storage and moisture behavior [Needs confirmation]

Source survey-submission line 25

Handled product & test evidence — Known bridging, rat-holing or compaction history? Unknown — ask operations and review flow testing [Needs confirmation]

Source survey-submission line 26

Handled product & test evidence — Foreign objects, tramp metal or contaminants? Unknown — define upstream screening and rejection policy [Needs confirmation]

Source survey-submission line 27

Handled product & test evidence — Product SDS, technical data and sample references? Not supplied; request current customer-selected documents [Needs confirmation]

Source survey-submission line 28

Capacity, throughput & operating cycle — Required nominal hopper volume (m^3)? 3 m^3 [Stated · review required]

Source survey-submission line 29

Capacity, throughput & operating cycle — Required working / usable volume and freeboard (m^3 / %)? Prepared working-volume target: 2.7 m^3 with 10% planning freeboard; final geometry unverified [Needs confirmation]

Source survey-submission line 30

Capacity, throughput & operating cycle — Maximum stored mass and overload case (kg)? Planning full-volume product mass: 1950 kg, calculated in Python from assumed density; not a rated structural load [Needs confirmation]

Source survey-submission line 31

Capacity, throughput & operating cycle — Required normal / peak discharge rate (kg/h)? Customer target: 2,000 kg/h normal, 3,000 kg/h peak; no validated flow performance [Stated · review required]

Source survey-submission line 32

Capacity, throughput & operating cycle — Typical / maximum batch size (kg or m^3)? Customer planning batch: 1,000 kg; peak surge to be confirmed [Stated · review required]

Source survey-submission line 33

Capacity, throughput & operating cycle — Incoming fill rate and peak surge (kg/h)? Prepared customer target: 4,000 kg/h; upstream rating unverified [Needs confirmation]

Source survey-submission line 34

Capacity, throughput & operating cycle — How often is the hopper filled? Prepared example: two to four batch fills per shift; customer confirmation needed [Stated · review required]

Source survey-submission line 35

Capacity, throughput & operating cycle — Operating hours per day and days per week? Prepared customer plan: 8 hours/day, 5 days/week; seasonal overtime by separate agreement [Stated · review required]
[Source survey-submission line 36](#)

Capacity, throughput & operating cycle — Continuous or intermittent duty; starts per hour? Intermittent batch loading and gravity drawdown; planned 4–8 cycles per shift [Stated · review required]
[Source survey-submission line 37](#)

Capacity, throughput & operating cycle — Maximum residence / hold time (hours)? Customer target: empty by end of shift; overnight hold only with reviewed storage procedure [Stated · review required]
[Source survey-submission line 38](#)

Capacity, throughput & operating cycle — Required minimum controllable flow or turndown? Manual gate used for isolation; downstream conveyor controls rate, no calibrated turndown guarantee requested [Stated · review required]
[Source survey-submission line 39](#)

Capacity, throughput & operating cycle — Future capacity increase or alternate use? No larger future payload requested; reserve layout space only, subject to site drawing [Stated · review required]
[Source survey-submission line 40](#)

Envelope, geometry & mechanical interfaces — Maximum length × width × height (mm)? Customer layout target: 2,200 × 2,200 × 3,600 mm maximum; site survey pending [Needs confirmation]
[Source survey-submission line 41](#)

Envelope, geometry & mechanical interfaces — Required shape and geometry constraints? Stationary hopper concept; final geometry requires engineering [Needs confirmation]
[Source survey-submission line 42](#)

Envelope, geometry & mechanical interfaces — Fill opening size, shape and flange (mm)? Unknown — confirm upstream fill interface [Needs confirmation]
[Source survey-submission line 43](#)

Envelope, geometry & mechanical interfaces — Inlet centerline, offset and orientation (mm / degrees)? Customer preference: centered vertical fill; final offsets follow the signed interface layout [Stated · review required]
[Source survey-submission line 44](#)

Envelope, geometry & mechanical interfaces — Outlet clear opening and flange specification (mm)? 200 mm manual gate + custom adapter [Stated · review required]
[Source survey-submission line 45](#)

Envelope, geometry & mechanical interfaces — Discharge elevation above finished floor (mm)? Customer target: 1,200 mm above finished floor; conveyor interface must confirm [Needs confirmation]
[Source survey-submission line 46](#)

Envelope, geometry & mechanical interfaces — Bolt pattern, hole size, flange thickness and standard (mm)? Unknown — customer interface drawing required [Needs confirmation]
[Source survey-submission line 47](#)

Envelope, geometry & mechanical interfaces — Is a custom transition / adapter required? Custom adapter to existing conveyor; customer drawing C-101 R1 required [Stated · review required]
[Source survey-submission line 48](#)

Envelope, geometry & mechanical interfaces — Required wall angle and flow-test basis (degrees)? Unknown — engineer selects from product flow evidence [Needs confirmation]
[Source survey-submission line 49](#)

Envelope, geometry & mechanical interfaces — Plate thickness / gauge by panel (mm)? Unknown — engineer determines from loads and fabrication rules [Needs confirmation]
[Source survey-submission line 50](#)

Envelope, geometry & mechanical interfaces — Which upstream equipment connects, and who owns it? Customer-owned bag / bulk transfer equipment; no load may be transferred without an approved interface design [Stated · review required]
[Source survey-submission line 51](#)

Envelope, geometry & mechanical interfaces — Upstream static / impact / vibration loads (N / kN)? Unknown — equipment supplier data required [Needs confirmation]
[Source survey-submission line 52](#)

Envelope, geometry & mechanical interfaces — Which downstream equipment connects? Existing customer process equipment; remains outside quote scope [Stated · review required]
[Source survey-submission line 53](#)

Envelope, geometry & mechanical interfaces — Downstream reactions, misalignment and thermal movement? Unknown — interface load envelope required [Needs confirmation]
[Source survey-submission line 54](#)

Envelope, geometry & mechanical interfaces — Maintenance access and removal envelope (mm)? Customer planning target: 900 mm clear service aisle on one side; actual safe access requires site review [Needs confirmation]
[Source survey-submission line 55](#)

Envelope, geometry & mechanical interfaces — Dimensioned layout / drawing numbers and revisions? Prepared layout request L-01 R0; fabrication must wait for a dimensioned approved revision [Stated · review required]
[Source survey-submission line 56](#)

Construction, finishes & fabrication — Specified contact material / grade? Painted carbon steel [Stated · review required]
[Source survey-submission line 57](#)

Construction, finishes & fabrication — Frame and non-contact material / grade? Engineer-reviewed frame material per prepared design [Stated · review required]
[Source survey-submission line 58](#)

Construction, finishes & fabrication — Contact surface finish / roughness requirement (Ra μ m)? Not specified — confirm before fabrication [Needs confirmation]
[Source survey-submission line 59](#)

Construction, finishes & fabrication — External paint, galvanizing or passivation requirements? Finish follows prepared material selection; coating specification pending [Needs confirmation]
[Source survey-submission line 60](#)

Construction, finishes & fabrication — Coating chemistry, thickness and color (μm / RAL)? Unknown — obtain customer-approved finish specification [Needs confirmation]
[Source survey-submission line 61](#)

Construction, finishes & fabrication — Weld standard, quality level and weld map? Unknown — qualified engineer / welding coordinator to define [Needs confirmation]
[Source survey-submission line 62](#)

Construction, finishes & fabrication — Continuous welds, flush grinding or crevice limits? Unknown — hygiene and product requirements to determine [Needs confirmation]
[Source survey-submission line 63](#)

Construction, finishes & fabrication — Visual / NDT method, extent and acceptance criteria? Unknown — agree inspection plan before release [Needs confirmation]
[Source survey-submission line 64](#)

Construction, finishes & fabrication — Material traceability / mill certificates required? Customer to confirm certificate level and retention [Needs confirmation]
[Source survey-submission line 65](#)

Construction, finishes & fabrication — Dimensional, flatness and alignment tolerances (mm)? Unknown — approved drawings to specify [Needs confirmation]
[Source survey-submission line 66](#)

Construction, finishes & fabrication — Seal / gasket material and compatibility evidence? Prepared seal candidate; exact compatibility requires review [Needs confirmation]
[Source survey-submission line 67](#)

Construction, finishes & fabrication — Fastener grade, finish, size and locking method? Drawing-controlled; prepared M8 allowance is not a released specification [Stated · review required]
[Source survey-submission line 68](#)

Construction, finishes & fabrication — Replaceable wear liners or sacrificial parts? Not included; confirm abrasion and wear-life requirements [Stated · review required]
[Source survey-submission line 69](#)

Construction, finishes & fabrication — Cover, lid, inspection hatch and weather sealing? Open top + service access [Stated · review required]
[Source survey-submission line 70](#)

Construction, finishes & fabrication — Support frame, mounting and anchorage arrangement? Anchored stationary frame [Stated · review required]
[Source survey-submission line 71](#)

Construction, finishes & fabrication — Lifting / handling points and certified lift requirements? Unknown — engineered handling plan required [Needs confirmation]
[Source survey-submission line 72](#)

Discharge, gate & flow aids — Gravity, screw, belt, rotary valve or other discharge? Gravity discharge only in the prepared scope [Stated · review required]

[Source survey-submission line 73](#)

Discharge, gate & flow aids — Gate type and isolation function? Hand-operated slide gate for start/stop isolation; lockable handle requested for maintenance review [Stated · review required]

[Source survey-submission line 74](#)

Discharge, gate & flow aids — Manual / pneumatic / electric actuation? Manual; powered actuators excluded [Stated · review required]

[Source survey-submission line 75](#)

Discharge, gate & flow aids — Required fail-safe position and lockout provisions? Not applicable to manual actuator; lockout details require review [Stated · review required]

[Source survey-submission line 76](#)

Discharge, gate & flow aids — Permitted product / dust leakage? Unknown — define acceptance criteria [Needs confirmation]

[Source survey-submission line 77](#)

Discharge, gate & flow aids — Vibrators, air pads, agitators or other flow aids? Excluded; need requires additional engineering scope [Needs confirmation]

[Source survey-submission line 78](#)

Discharge, gate & flow aids — How should bridging or blocked discharge be handled? Stop feed, isolate connected equipment and follow an approved maintenance procedure; no worker entry assumed [Stated · review required]

[Source survey-submission line 79](#)

Discharge, gate & flow aids — Cleanout / service opening and access arrangements? Reviewed access required; no entry procedure approved [Stated · review required]

[Source survey-submission line 80](#)

Discharge, gate & flow aids — Screens, magnets or metal detection required? Customer retains upstream screening; screen specification and maintenance remain customer responsibilities [Stated · review required]

[Source survey-submission line 81](#)

Discharge, gate & flow aids — Required dosing accuracy and test basis (%)? No dosing tolerance requested; downstream customer equipment performs metering [Stated · review required]

[Source survey-submission line 82](#)

Site, environmental conditions & utilities — Indoor / outdoor and exposure details? Customer states dry indoor use; no washdown. Existing conveyor remains outside scope. [Stated · review required]

[Source survey-submission line 83](#)

Site, environmental conditions & utilities — Ambient minimum / maximum (°C)? Unknown — customer provides design extremes [Needs confirmation]

[Source survey-submission line 84](#)

Site, environmental conditions & utilities — Humidity range / condensation exposure (% RH)? Unknown — do not infer from city or geography [Needs confirmation]
[Source survey-submission line 85](#)

Site, environmental conditions & utilities — Rain, snow, ice, washdown or flood exposure? Customer states dry indoor service; no rain or washdown [Stated · review required]
[Source survey-submission line 86](#)

Site, environmental conditions & utilities — Wind / seismic design criteria and governing code? Unknown — site-specific structural review required [Needs confirmation]
[Source survey-submission line 87](#)

Site, environmental conditions & utilities — Floor / foundation capacity and anchorage details? Customer scope; engineer must verify imposed loads [Stated · review required]
[Source survey-submission line 88](#)

Site, environmental conditions & utilities — Salt, fertilizer, chemical vapor or corrosive atmosphere? Unknown — customer to identify exposures [Needs confirmation]
[Source survey-submission line 89](#)

Site, environmental conditions & utilities — Door, aisle, crane and rigging access (mm / kg)? Customer requests delivery as a completed assembly if access permits; doorway and lift envelope still need measurement [Stated · review required]
[Source survey-submission line 90](#)

Site, environmental conditions & utilities — Headroom, overhead services and lifting restrictions? Unknown — measured site layout required [Needs confirmation]
[Source survey-submission line 91](#)

Site, environmental conditions & utilities — Voltage, phase, frequency and available power? No powered equipment included; future utilities unconfirmed [Needs confirmation]
[Source survey-submission line 92](#)

Site, environmental conditions & utilities — Air pressure, quality and capacity (bar / L/min)? Not required by manual scope; confirm if options added [Stated · review required]
[Source survey-submission line 93](#)

Site, environmental conditions & utilities — Cleaning water and drainage availability? Unknown — operations to confirm [Needs confirmation]
[Source survey-submission line 94](#)

Site, environmental conditions & utilities — Who installs, anchors and connects the hopper? Customer-appointed installer; installation excluded [Stated · review required]
[Source survey-submission line 95](#)

Site, environmental conditions & utilities — Who commissions and trains operators? Customer and qualified installer; scope to be agreed [Needs confirmation]
[Source survey-submission line 96](#)

Safety, dust & regulatory review — Combustible / respirable dust assessment available? Unknown — customer hazard assessment and representative testing required [Needs confirmation]

[Source survey-submission line 97](#)

Safety, dust & regulatory review — Measured Kst / St class with report reference (bar·m/s)? Unknown — no sample-specific test result supplied [Needs confirmation]

[Source survey-submission line 98](#)

Safety, dust & regulatory review — Pmax, minimum ignition energy and test references? Unknown — qualified specialist to determine required testing [Needs confirmation]

[Source survey-submission line 99](#)

Safety, dust & regulatory review — Oxidizer or reactive-material classification? Unknown — verify current SDS; oxidizers need specialist review [Needs confirmation]

[Source survey-submission line 100](#)

Safety, dust & regulatory review — Hazardous-area / electrical classification? Unknown — customer and qualified specialist must establish [Needs confirmation]

[Source survey-submission line 101](#)

Safety, dust & regulatory review — Vent, suppression or isolation design responsibility? Outside prepared scope; specialist hazard review determines needs [Stated · review required]

[Source survey-submission line 102](#)

Safety, dust & regulatory review — Dust extraction interface and performance requirements? Unknown — customer / specialist system scope [Needs confirmation]

[Source survey-submission line 103](#)

Safety, dust & regulatory review — Worker exposure controls and industrial hygiene evidence? Unknown — site-specific assessment required [Needs confirmation]

[Source survey-submission line 104](#)

Safety, dust & regulatory review — Bonding, grounding and static control requirements? Unknown — qualified design review required [Needs confirmation]

[Source survey-submission line 105](#)

Safety, dust & regulatory review — Moving parts, pinch points and access guards? Manual gate pinch points and interfaces require risk review [Stated · review required]

[Source survey-submission line 106](#)

Safety, dust & regulatory review — Platforms, ladders, fall protection or confined-space issues? No platform / entry system included; site review required [Stated · review required]

[Source survey-submission line 107](#)

Safety, dust & regulatory review — Isolation, lockout and maintenance responsibilities? Customer-approved procedure required before operation [Needs confirmation]

[Source survey-submission line 108](#)

Safety, dust & regulatory review — Which codes, standards and jurisdiction apply? Unknown — engineer identifies applicable requirements; no certification implied [Needs confirmation]

[Source survey-submission line 109](#)

Safety, dust & regulatory review — Permits, third-party inspection or certification required? Unknown — customer / engineer to identify [Needs confirmation]
[Source survey-submission line 110](#)

Safety, dust & regulatory review — Who signs off unresolved safety / feasibility conditions? Qualified engineer and responsible customer role; cannot be priced away [Stated · review required]
[Source survey-submission line 111](#)

Cleaning, hygiene & product changeover — Dry brush, vacuum, wet wash or CIP? Dry cleaning only; no washdown per stated request [Stated · review required]
[Source survey-submission line 112](#)

Cleaning, hygiene & product changeover — Frequency and allowable downtime? Prepared operations plan: dry inspection at each shift end; isolate before cleaning [Stated · review required]
[Source survey-submission line 113](#)

Cleaning, hygiene & product changeover — Agent, concentration, pH and SDS reference? No wet-cleaning chemistry in stated scope [Stated · review required]
[Source survey-submission line 114](#)

Cleaning, hygiene & product changeover — Cleaning temperature / pressure (°C / bar)? Unknown — procedure limits required [Needs confirmation]
[Source survey-submission line 115](#)

Cleaning, hygiene & product changeover — Drying method and residual moisture acceptance? Unknown — confirm before returning to service [Needs confirmation]
[Source survey-submission line 116](#)

Cleaning, hygiene & product changeover — Food / feed contact, hygienic or sanitary design requirements? No certification asserted; customer to define applicable obligations [Stated · review required]
[Source survey-submission line 117](#)

Cleaning, hygiene & product changeover — Allergen / cross-contamination controls required? Unknown — product and site hazard review required [Needs confirmation]
[Source survey-submission line 118](#)

Cleaning, hygiene & product changeover — Product changeover sequence and acceptance criteria? Single product in prepared scope; isolate and clean before any separately reviewed product change [Stated · review required]
[Source survey-submission line 119](#)

Cleaning, hygiene & product changeover — Maximum residue and cleanliness validation method? Unknown — customer defines measurable acceptance [Needs confirmation]
[Source survey-submission line 120](#)

Cleaning, hygiene & product changeover — How are contact surfaces inspected and accessed? Customer asks for external visual access to outlet and contact surfaces; detailed access design unapproved [Stated · review required]
[Source survey-submission line 121](#)

Instrumentation, controls & integration — High / low level sensors or viewing indicators? Excluded; optional requirement to be reviewed [Stated · review required]
[Source survey-submission line 122](#)

Instrumentation, controls & integration — Load cells, weighing accuracy and calibration? Excluded from prepared scope [Stated · review required]
[Source survey-submission line 123](#)

Instrumentation, controls & integration — PLC, local controls, I/O and communications? No controls supplied in manual scope [Stated · review required]
[Source survey-submission line 124](#)

Instrumentation, controls & integration — Upstream / downstream permissives and interlocks? Customer system responsibility; interface review required [Stated · review required]
[Source survey-submission line 125](#)

Instrumentation, controls & integration — Emergency-stop integration and safety architecture? No powered controls included; site risk assessment governs [Stated · review required]
[Source survey-submission line 126](#)

Instrumentation, controls & integration — Cable trays, penetrations and protection rating? Not applicable to base manual scope [Stated · review required]
[Source survey-submission line 127](#)

Instrumentation, controls & integration — Required alarms and operator notifications? Not included; define if powered options are requested [Stated · review required]
[Source survey-submission line 128](#)

Instrumentation, controls & integration — Data logging, remote access or cybersecurity needs? No connected device or remote access in base scope [Stated · review required]
[Source survey-submission line 129](#)

Inspection, testing & acceptance — Required inspection and test plan / hold points? Customer requests dimensional and visual weld checks before finish, gate function after assembly and final photo record [Stated · review required]
[Source survey-submission line 130](#)

Inspection, testing & acceptance — Factory acceptance test method and witness requirements? Customer requests five unloaded manual gate cycles plus dimensional checks; test acceptance criteria to be signed [Stated · review required]
[Source survey-submission line 131](#)

Inspection, testing & acceptance — Site acceptance test and performance demonstration? Customer / installer scope to be agreed [Needs confirmation]
[Source survey-submission line 132](#)

Inspection, testing & acceptance — Measurable throughput / flow / leakage acceptance criteria? Unknown — cannot warrant performance without agreed tests [Needs confirmation]
[Source survey-submission line 133](#)

Inspection, testing & acceptance — Proof-load / structural validation requirements? Unknown — qualified engineer to specify; no test load assumed [Needs confirmation]
[Source survey-submission line 134](#)

Inspection, testing & acceptance — Coating, finish and weld acceptance criteria? Unknown — specification required [Needs confirmation]
[Source survey-submission line 135](#)

Inspection, testing & acceptance — Customer inspection, notice period and attendance? Customer accepts remote review of final photographs for this example; request 2 business days notice of hold point [Stated · review required]
[Source survey-submission line 136](#)

Inspection, testing & acceptance — Deviation approval and nonconformance process? Shop records deviation, stops affected work and seeks written engineer / customer disposition [Stated · review required]
[Source survey-submission line 137](#)

Inspection, testing & acceptance — Serial numbering and component traceability? Assembly serial and job number on nameplate; link material certificates and final inspection to that job record [Stated · review required]
[Source survey-submission line 138](#)

Inspection, testing & acceptance — Who signs the completed acceptance record? Customer technical role signs documented acceptance; purchasing confirms commercial receipt separately [Stated · review required]
[Source survey-submission line 139](#)

Schedule, shipping & site handoff — Quote due date and urgency? Prepared customer request: budgetary response within 3 business days after clarifications; not a shop promise [Stated · review required]
[Source survey-submission line 140](#)

Schedule, shipping & site handoff — Required on-site date and installation window? Not committed; requested date recorded separately [Needs confirmation]
[Source survey-submission line 141](#)

Schedule, shipping & site handoff — Which milestones can move and by how much? Unknown — customer priority discussion required [Needs confirmation]
[Source survey-submission line 142](#)

Schedule, shipping & site handoff — Customer drawing approval turnaround (business days)? Prepared customer planning allowance: 2 business days to review each drawing issue [Stated · review required]
[Source survey-submission line 143](#)

Schedule, shipping & site handoff — Partial shipments or batch release allowed? Customer preference: complete assemblies delivered together; partial shipment needs written agreement [Stated · review required]
[Source survey-submission line 144](#)

Schedule, shipping & site handoff — Carrier, shipment mode and responsibility? Customer-arranged flatbed / enclosed freight as agreed after final envelope and mass are known; freight excluded [Stated · review required]
[Source survey-submission line 145](#)

Schedule, shipping & site handoff — Shipping envelope, weight and road restrictions? Unknown until reviewed design / shipping plan [Needs confirmation]

[Source survey-submission line 146](#)

Schedule, shipping & site handoff — Crating, wrapping, corrosion protection and storage duration? Customer asks for protected flanges, secured gate, wrapped loose parts and a packing list; final crate design unapproved [Stated · review required]

[Source survey-submission line 147](#)

Schedule, shipping & site handoff — Who supplies loading, rigging and unloading equipment? Shop loads by agreed lift plan; customer provides suitable unloading equipment and site rigging team [Stated · review required]

[Source survey-submission line 148](#)

Schedule, shipping & site handoff — Transit damage inspection and claims process? Customer records condition on arrival, photographs damage and raises carrier exceptions before receipt signoff [Stated · review required]

[Source survey-submission line 149](#)

Schedule, shipping & site handoff — Site storage duration and weather protection? Customer plans covered short-term storage under two weeks; drying and corrosion protection remain subject to finish review [Stated · review required]

[Source survey-submission line 150](#)

Schedule, shipping & site handoff — Project-system job setup and handoff owner? PM receives approved BOM, build plan and conditions after acceptance [Stated · review required]

[Source survey-submission line 151](#)

Commercial scope, options & risk tolerance — Budget range / currency and approval status? USD; customer asks for a base-scope price and separately identified options, no approved budget ceiling supplied [Stated · review required]

[Source survey-submission line 152](#)

Commercial scope, options & risk tolerance — Fixed price, allowance, budget estimate or time-and-materials? Prepared estimate pending explicit review; no automatic commercial commitment [Needs confirmation]

[Source survey-submission line 153](#)

Commercial scope, options & risk tolerance — Deposit, milestones and final payment? Prepared terms: 50% deposit; balance before dispatch [Stated · review required]

[Source survey-submission line 154](#)

Commercial scope, options & risk tolerance — Required price-validity period (days)? Prepared quote validity: 14 days [Stated · review required]

[Source survey-submission line 155](#)

Commercial scope, options & risk tolerance — Freight, tax and duties inclusions / exclusions? Freight and tax excluded; no tax determination [Stated · review required]

[Source survey-submission line 156](#)

Commercial scope, options & risk tolerance — Customer-supplied items and exclusions? Foundations, anchors, powered downstream equipment, installation, certification and production release [Stated · review required]

[Source survey-submission line 157](#)

Commercial scope, options & risk tolerance — Warranty expectations and exclusions? Not specified; agree written commercial terms [Needs confirmation]
[Source survey-submission line 158](#)

Commercial scope, options & risk tolerance — Startup / recommended spares and service support? Customer requests an optional spare gate-seal kit and fastener list; not included in base quote [Stated · review required]
[Source survey-submission line 159](#)

Commercial scope, options & risk tolerance — Insurance preference and responsibility split? Discuss project policy versus minimal cover; premium TBD, no policy quoted [Stated · review required]
[Source survey-submission line 160](#)

Commercial scope, options & risk tolerance — How are requirement changes approved and priced? Sales records change request and price/schedule impact; customer and engineer approve a new revision before affected work [Stated · review required]
[Source survey-submission line 161](#)

Commercial scope, options & risk tolerance — PO requirements, vendor onboarding and release conditions? Fictional purchasing team issues PO referencing quote revision and approved drawings; no actual order in demo [Stated · review required]
[Source survey-submission line 162](#)

Commercial scope, options & risk tolerance — Cancellation, suspension and restocking expectations? Not specified; agree written terms [Needs confirmation]
[Source survey-submission line 163](#)

Documents, evidence & unresolved questions — Customer drawings / CAD file references and revisions? Prepared response C-101 R1 available after explicit clarification review [Stated · review required]
[Source survey-submission line 164](#)

Documents, evidence & unresolved questions — Site photographs, scan or survey reference? Prepared evidence request: front/side site photos, outlet interface close-up and clearance sketch; no actual site photos supplied [Stated · review required]
[Source survey-submission line 165](#)

Documents, evidence & unresolved questions — Density, flow and dust-test report references? Not supplied; no verified sample test claimed [Needs confirmation]
[Source survey-submission line 166](#)

Documents, evidence & unresolved questions — Structural, load or hazard report references? Pending qualified engineering review [Needs confirmation]
[Source survey-submission line 167](#)

Documents, evidence & unresolved questions — Cleaning procedure / compatibility report reference? Not supplied at initial intake [Needs confirmation]
[Source survey-submission line 168](#)

Documents, evidence & unresolved questions — Approved supplier / component datasheet references? Prepared fictional supplier offers; exact product review required [Stated · review required]
[Source survey-submission line 169](#)

Documents, evidence & unresolved questions — Required drawing, manual, certificate and spare-parts documents? Dimensioned general arrangement, interface drawing, BOM, manufacturing plan, inspection checklist, material records where agreed and maintenance notes [Stated · review required]

[Source survey-submission line 170](#)

Documents, evidence & unresolved questions — What must be clarified before baseline approval? Confirm the mating opening and bolt pattern from the customer drawing. [Stated · review required]

[Source survey-submission line 171](#)

Documents, evidence & unresolved questions — Which assumptions need explicit customer confirmation? All prepared values are fictional examples; unknowns are not approvals [Needs confirmation]

[Source survey-submission line 172](#)

Documents, evidence & unresolved questions — Has the customer confirmed this requirements revision? No — explicit simulated summary send and human review remain separate [Stated · review required]

[Source survey-submission line 173](#)