

# **AWS EC2 Route Table Disruption**

## **Standard Operating Procedure (SOP)**

### **Overview**

This SOP outlines the process for programmatically adding an Internet Gateway to an EC2 route table in AWS using Python. It includes the validation steps, the creation of the route, and post-configuration tasks

### **Platform**

AWS

### **Code Language**

Python

### **Required Dependencies**

- boto3
- AWS SDK for Python

### **Credentials Required**

- AWS\_ACCESS\_KEY\_ID
- AWS\_SECRET\_ACCESS\_KEY
- AWS\_REGION

### **Input Parameters**

1. instance\_id
  - Type: String
  - Description: The EC2 instance ID to associated with the Internet gateway.
  - Required: true
  - Default: null
  - Validation Rules:
    - Must be a valid instance ID.

## **Logic Flow**

### **1. Pre-Creation Validation**

- Validate AWS credentials
- Validate EC2 instance ID
- Validate Route Table ID
- Validate Internet Gateway ID
- Validate Destination CIDR Block
  - Ensure the destination CIDR block is correctly formatted (e.g., 0.0.0.0/0 for all traffic)

### **2. Post-Creation Configuration**

- Verify Route Addition
- Log Action

### **3. Error Handling Scenarios**

- Invalid Route Table ID
- Invalid Internet Gateway
- Insufficient Permissions

## **Success Criteria**

- The route is successfully added to the route table.
- The route directs traffic (e.g., 0.0.0.0/0) to the Internet Gateway.
- Action is logged for auditing purposes.
- The route appears in the Route Table's list of routes.

## **Monitoring Considerations**

- Verify Route Addition
- Audit Logs
- Monitor Network Traffic

## Tags

- Aws
- route-table
- internet-gateway
- networking
- ec2