




LIFE DX  
VERIFY™

AMP COC MET OPI PCP THC

Interpret Results  
C=Control T=Test Neg(-) Pos(+) Invalid  
100730Mlife Rev A



0000000336



V20230127

PATIENT NAME

Gabriel  
Jean Simon

D.O.B.  
11/27/1985

Date & Time of Collection

11/28/2023

DO NOT USE

PN

LO

RCUD1.06.0001

2305010F

mLife Classic

Oral Fluid Drug Test

AMP-COC-MET-OPI-PCP-THC

California

USA

COMMERCIAL  
DRIVER LICENSE



DL D5409981

CLASS A

EXP 11/27/2024

END TX

LN JEANSIMON  
FN GABRIEL CHARLES JR  
923 BOAR CIR  
FREMONT, CA 94539

DOB 11/27/1985

RSTR NONE

11271985

Manufactured

LIFE DX

511 North Washington  
Marshall, TX 75670  
(833)654-3339  
support@mlifedx.com  
www.mlifedx.com

SEX: M  
HGT 5'-07"  
WGT 170 lb  
DD 02/11/2020 63227/BBFD/24

EYES BRN  
ISS  
03/02/2020



LIFE DX  
VERIFY™

AMP

COC

MET

OPI

PCP

THC



## Interpret Results

C=Control T=Test

100/300 ng/mL Test

Neg(-) Pos(+) Invalid

C	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
T	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>