

s3k | connection overview




Saved standing condition
Module links bundle actual edges; within-module edges are in expanded panels/tables.
Arrow: saved excitatory category. Open circle: saved inhibitory category.
Neuron colours: RG blue; PF green; motor salmon; afferent purple.
Dashed pentagons: boundary references, not additional neurons.
Edge numbers: gmax (uS). Full fields and IDs accompany each panel.

s3k | bilateral RG


Saved standing condition | RG neurons and their actual incoming boundary connections.
Arrow: saved excitatory category. Open circle: saved inhibitory category.
Neuron colours: RG blue; PF green; motor salmon; afferent purple.
Dashed pentagons: boundary references, not additional neurons.
Edge numbers: gmax (uS). Full fields and IDs accompany each panel.






Saved standing condition | Selected left knee motor/afferent circuits and incoming boundary references.
Arrow: saved excitatory category. Open circle: saved inhibitory category.
Neuron colours: RG blue; PF green; motor salmon; afferent purple.
Dashed pentagons: boundary references, not additional neurons.
Edge numbers: gmax (uS). Full fields and IDs accompany each panel.

w2lvar | connection overview




Saved standing condition
Module links bundle actual edges; within-module edges are in expanded panels/tables.
Arrow: saved excitatory category. Open circle: saved inhibitory category.
Neuron colours: RG blue; PF green; motor salmon; afferent purple.
Dashed pentagons: boundary references, not additional neurons.
Edge numbers: gmax (uS). Full fields and IDs accompany each panel.


w2var | left knee reflex
Sound standing condition | Extracted left knee noise-efficient circuits and mooning boundary references.
Arrow: sound oscillatory category. Open circle: speed inhibitory category.
Triangle: pain sensory. Square: motor. Diamond: reflex.
Dashed pathways: functional differences. All additional neurons.
Edge opacity shows only. Full node and edge labels are preserved.
N vastus medialis
BSN semitend.
BSN rectus f.
F vastus medialis
BSN semitend.
N vastus medialis
BSN semitend.
BSN rectus f.
F vastus medialis
BSN semitend.
BSN sac.lum.
BSN sac.lum.
BSN sac.lum


syn6 | connection overview


Saved standing condition
Module links bundle actual edges; within-module edges are in expanded panels/tables.
Arrow: saved excitatory category. Open circle: saved inhibitory category.
Neuron colours: RG blue; PF green; motor salmon; afferent purple.
Dashed pentagons: boundary references, not additional neurons.
Edge numbers: gmax (uS). Full fields and IDs accompany each panel.



syn6 | bilateral RG


Saved standing condition | RG neurons and their actual incoming boundary connections.
Arrow: saved excitatory category. Open circle: saved inhibitory category.
Neuron colours: RG blue; PF green; motor salmon; afferent purple.
Dashed pentagons: boundary references, not additional neurons.
Edge numbers: gmax (uS). Full fields and IDs accompany each panel.




syn6 | left knee reflex
Saved standing condition | Selected left knee motor/afferent circuits and incoming boundary references.
Arrow: saved excitatory category. Open circle: saved inhibitory category.
Neuron colours: RG blue; PF green; motor salmon; afferent purple.
Dashed pentagons: boundary references, not additional neurons.
Edge numbers: gmax (uS). Full fields and IDs accompany each panel.
IBIN bifemih l
IBIN semimem l
IBIN semiten l
IaIN semiten l
IaIN bifemih l
Ia vastus medialis l
IaIN semimem l
Ib vastus medialis l
Ib vas lat l
Ib rect fem l
Ib vas int l
IBIN vas lat l
Ib BFSH l
IBIN rect fem l
IBIN vas int l
IBIN vastus medialis l
II vastus medialis l
IaIN vas int l
IaIN vas lat l
IaIN rect fem l
Ia BFSH l
IaIN vastus medialis l
II BFSH l
IBEXC knee ext l
IBIN BFSH l
PF S3 l
IIIN vastus medialis l
IIIN rect fem l
PF S5 l
IIIN vas int l
IIIN vas lat l
PF S6 l
PF S1 l
PF S4 l
IIX vastus medialis l
IaIN BFSH l
IIX BFSH l
PF S2 l
IIIN semimem l
IIIN semiten l
IIIN bifemih l
IIIN BFSH l
MN BFSH l
MN vastus medialis l


W2L704_80 | connection overview

Saved W2L hybrid condition; source neuron interfaces shown, not 704 individual somas
Module links bundle actual edges; within-module edges are in expanded panels/tables.
Arrow: saved excitatory category. Open circle: saved inhibitory category.
Neuron colours: RG blue; PF green; motor salmon; afferent purple.
Dashed pentagons: boundary references, not additional neurons.
Edge numbers: gmax (uS). Full fields and IDs accompany each panel.



W2L704_80 | bilateral RG

Saved W2L hybrid condition; source neuron interfaces shown, not 704 individual somas | RG neurons and their actual incoming boundary connections.
Arrow: saved excitatory category. Open circle: saved inhibitory category.
Neuron colours: RG blue; PF green; motor salmon; afferent purple.
Dashed pentagons: boundary references, not additional neurons.
Edge numbers: gmax (uS). Full fields and IDs accompany each panel.




W2L704_80 | left knee reflex

Saved W2L hybrid condition; source neuron interfaces shown, not 704 individual somas | Selected left knee motor/afferent circuits and incoming boundary references.
Arrow: saved excitatory category. Open circle: saved inhibitory category.
Neuron colours: RG blue; PF green; motor salmon; afferent purple.
Dashed pentagons: boundary references, not additional neurons.
Edge numbers: gmax (uS). Full fields and IDs accompany each panel.




Rat134 | connection overview

Curated134 receptor-geometry baseline; refinement12 gains not installed
Module links bundle actual edges; within-module edges are in expanded panels/tables.
Arrow: saved excitatory category. Open circle: saved inhibitory category.
Neuron colours: RG blue; PF green; motor salmon; afferent purple.
Dashed pentagons: boundary references, not additional neurons.
Edge numbers: gmax (uS). Full fields and IDs accompany each panel.




Rat134 | LH RG hipPF



Curated134 | native source graph; arrows/circles classified at target rest. Boundary afferents retained.
Arrow: saved excitatory category. Open circle: saved inhibitory category.
Neuron colours: RG blue; PF green; motor salmon; afferent purple.
Dashed pentagons: boundary references, not additional neurons.
Edge numbers: gmax (uS). Full fields and IDs accompany each panel.


Rat134 | RH RG hipPF



Curated134 | native source graph; arrows/circles classified at target rest. Boundary afferents retained.
Arrow: saved excitatory category. Open circle: saved inhibitory category.
Neuron colours: RG blue; PF green; motor salmon; afferent purple.
Dashed pentagons: boundary references, not additional neurons.
Edge numbers: gmax (uS). Full fields and IDs accompany each panel.


Reduced Deng14 | full 14-neuron circuit

Fixed-h direct ODE reference, 350ms h; no physical afferents or whole-body connection.
Arrow/circle classification is relative to resting Vm. ODE gains retained.
Arrow: saved excitatory category. Open circle: saved inhibitory category.
Neuron colours: RG blue; PF green; motor salmon; afferent purple.
Dashed pentagons: boundary references, not additional neurons.
Edge numbers: gmax (uS). Full fields and IDs accompany each panel.




RF/HAM four-cell PF | left


Recorded Session1 editor projection, not a newly asserted current circuit.
RF/HAM retained separately from sartorius/gracilis; supplied excitation/inhibition categories.
Arrow: saved excitatory category. Open circle: saved inhibitory category.
Neuron colours: RG blue; PF green; motor salmon; afferent purple.
Dashed pentagons: boundary references, not additional neurons.
Edge numbers: gmax (uS). Full fields and IDs accompany each panel.



RF/HAM four-cell PF | right


Recorded Session1 editor projection, not a newly asserted current circuit.
RF/HAM retained separately from sartorius/gracilis; supplied excitation/inhibition categories.
Arrow: saved excitatory category. Open circle: saved inhibitory category.
Neuron colours: RG blue; PF green; motor salmon; afferent purple.
Dashed pentagons: boundary references, not additional neurons.
Edge numbers: gmax (uS). Full fields and IDs accompany each panel.





TimingZeroSFA | source population interfaces; each RG contains16 spiking somas.
Chemical edges use spike-derived proxy voltage; these are NOT event synapses.
Zero extra SFA; h tau multiplier0.9496883348174533; 0.2ms internal clock.
Arrow: saved excitatory category. Open circle: saved inhibitory category.
Neuron colours: RG blue; PF green; motor salmon; afferent purple.
Dashed pentagons: boundary references, not additional neurons.
Edge numbers: gmax (uS). Full fields and IDs accompany each panel.

CAD262 | the two neural pressure-controlled routes



Support085 mixed condition | only bilateral vas_med pair is expanded here.
Dashed blue arrows: engineering signal conversion. Pair POST current=0.
52 other routes retain external hybrid allocation and documented force floor.
Measured upward support87.3372%BW; guidance retained; not an all-BPA controller.
Arrow: saved excitatory category. Open circle: saved inhibitory category.
Neuron colours: RG blue; PF green; motor salmon; afferent purple.
Dashed pentagons: boundary references, not additional neurons.
Edge numbers: gmax (uS). Full fields and IDs accompany each panel.