
side r: cycle mean NMF synergy coefficients (n=1 complete stride)
stance
swing
normalized PF voltage
1.0
0.8
0.6
0.4
0.2
0.0
S1
S2
S3
S4
S5
S6
S7
S8
0
20
40
60
80
100
stance-rescaled gait phase (%)
NMF spatial gains (extracted synergies; functional labels provisional)
S1 hip ext. / biartic. knee flx.
S2 knee ext. / ankle DF
S3 posterior chain / ankle PF
S4 hip flex. + frontal stabilization
S5 trunk-pelvis / ankle DF / hip abd.
S6 hip ext. / knee flx. residual
S7
S8
glut_med1_r
glut_med2_r
glut_med3_r
glut_min1_r
glut_min2_r
glut_min3_r
semimem_r
semiten_r
bifemlh_r
bifemsh_r
sar_r
add_long_r
add_brev_r
add_mag1_r
add_mag2_r
add_mag3_r
tfl_r
pect_r
grac_r
glut_max1_r
glut_max2_r
glut_max3_r
iliacus_r
psoas_r
rect_fem_r
vas_med_r
vas_int_r
vas_lat_r
med_gas_r
lat_gas_r
soleus_r
tib_post_r
flex_dig_r
flex_hal_r
tib_ant_r
per_brev_r
per_long_r
per_tert_r
ext_dig_r
ext_hal_r
ercspn_r
intobl_r
extobl_r
activation gain
1.0
0.8
0.6
0.4
0.2
0.0