

## ADHD Week 2 - Completion Quiz

**Warning:** The hard deadline has passed. You can attempt it, but **you will not get credit for it.** You are welcome to try it as a learning exercise.

☐ In accordance with the Coursera Honor Code, I (Matthew Kramer) certify that the answers here are my own work.

### Question 1

Stimulant medications for ADHD are available in which forms? (Select all that apply)

- ☐ A. Liquid
- ☐ B. Injection
- ☐ C. Inhaler
- ☐ D. Skin patch
- ☐ E. Pill or capsule

### Question 2

TRUE OR FALSE: Diet high in sugar worsens and may cause ADHD.

- ☐ True
- ☐ False

### Question 3

If a parent has ADHD, what percent chance will his/her child have ADHD?

- ☐ A. 10%

- ☐ B. 20%
- ☐ C. 45%
- ☐ D. 75%
- ☐ E. 95%

## Question 4

Which childhood medical conditions rarely can increase risk for ADHD? (Select all that apply)

- ☐ A. Viral gastroenteritis
- ☐ B. Acute lymphoblastic leukemia (ALL)
- ☐ C. Recurrent urinary tract infections
- ☐ D. Phenylketonuria (PKU)
- ☐ E. Torn anterior cruciate ligament (ACL)

## Question 5

TRUE OR FALSE: Genes and environmental factors both play a role in the development of ADHD.

- ☐ True
- ☐ False

## Question 6

From the homework reading, what are the two most commonly reported side effects of stimulant medications?

- ☐ A. Headache and vision change
- ☐ B. Anxiety and dry mouth
- ☐ C. Decreased appetite and sleep disturbance
- ☐ D. Change in urine color and irritability

- ☐ E. Shortness of breath with exertion and seizures

## Question 7

TRUE OR FALSE: Maternal alcohol drinking during pregnancy more than doubles the odds of the child developing ADHD.

- ☐ True
- ☐ False

☐ In accordance with the Coursera Honor Code, I (Matthew Kramer) certify that the answers here are my own work.

Submit Answers

Save Answers

You cannot submit your work until you agree to the Honor Code. Thanks!

