End-to-end time (ms) vs Reveal — attrCount=5 bbs-plus (mobile) 6000 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) 5000 bbs2023-digitalbazaar raspberry (raspberry pi) time (ms) bbs2023-pairing-crypto (desktop) 4000 bbs2023-pairing-crypto (mobile) bbs2023-pairing-crypto raspberry (raspberry pi) 3000 ison-bbs-plus (desktop) json-bbs-plus raspberry (raspberry pi) jwt-legacy (mobile) 2000 jwt-legacy raspberry (raspberry pi) jwtlegacy (desktop) 1000 0 -

0.6

Reveal ratio


8.0

0.9


0.2


0.3

0.4




End-to-end time (ms) vs Reveal — attrCount=7 bbs-plus (mobile) 7000 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) 6000 bbs2023-digitalbazaar\_raspberry (raspberry pi) 5000 bbs2023-pairing-crypto (desktop) bbs2023-pairing-crypto (mobile) 4000 bbs2023-pairing-crypto raspberry (raspberry pi) End-to-end ison-bbs-plus (desktop) 3000 json-bbs-plus raspberry (raspberry pi) jwt-legacy (mobile) 2000 jwt-legacy raspberry (raspberry pi) jwtlegacy (desktop) 1000 0 -0.2 0.3 0.4 0.6 8.0 0.9 Reveal ratio








End-to-end time (ms) vs Reveal — attrCount=10 bbs-plus (mobile) 8000 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) bbs2023-digitalbazaar raspberry (raspberry pi) 6000 bbs2023-pairing-crypto (desktop) time bbs2023-pairing-crypto (mobile) bbs2023-pairing-crypto raspberry (raspberry pi) End-to-end ison-bbs-plus (desktop) 4000 json-bbs-plus raspberry (raspberry pi) jwt-legacy (mobile) jwt-legacy raspberry (raspberry pi) 2000 jwtlegacy (desktop) 0 0.2 0.3 0.4 0.6 8.0 0.9


Reveal ratio











Issuer CPU (ms) vs Reveal — attrCount=5 bbs-plus (mobile) 1000 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) bbs2023-digitalbazaar raspberry (raspberry pi) 800 bbs2023-pairing-crypto (desktop) CPU (ms) bbs2023-pairing-crypto (mobile) 600 bbs2023-pairing-crypto raspberry (raspberry pi) ison-bbs-plus (desktop) ssuer json-bbs-plus raspberry (raspberry pi) 400 jwt-legacy (mobile) jwt-legacy raspberry (raspberry pi) 200 jwtlegacy (desktop) 0

0.6

Reveal ratio


0.8


0.9

0.2

0.3


0.4








Issuer CPU (ms) vs Reveal — attrCount=8 bbs-plus (mobile) 1000 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) 800 bbs2023-digitalbazaar raspberry (raspberry pi) bbs2023-pairing-crypto (desktop) bbs2023-pairing-crypto (mobile) 600 bbs2023-pairing-crypto raspberry (raspberry pi) ssuer json-bbs-plus (desktop) 400 ison-bbs-plus raspberry (raspberry pi) jwt-legacy (mobile) 200 jwt-legacy raspberry (raspberry pi) jwtlegacy (desktop) 0 -0.2 0.3 0.4 0.6 8.0 0.9 1.0


Reveal ratio




















Issuer time (ms) vs Reveal — attrCount=5 bbs-plus (mobile) 800 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) bbs2023-digitalbazaar raspberry (raspberry pi) bbs2023-pairing-crypto (desktop) 600 ssuer time (ms) bbs2023-pairing-crypto (mobile) bbs2023-pairing-crypto raspberry (raspberry pi) ison-bbs-plus (desktop) 400 json-bbs-plus raspberry (raspberry pi) jwt-legacy (mobile) jwt-legacy raspberry (raspberry pi) 200 jwtlegacy (desktop) 0 0.2 0.5 0.6 0.8 0.40.70.9


Reveal ratio


Issuer time (ms) vs Reveal — attrCount=6 bbs-plus (mobile) 800 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) bbs2023-digitalbazaar raspberry (raspberry pi) lssuer time (ms) 600 bbs2023-pairing-crypto (desktop) bbs2023-pairing-crypto (mobile) bbs2023-pairing-crypto raspberry (raspberry pi) 400 json-bbs-plus (desktop) ison-bbs-plus raspberry (raspberry pi) jwt-legacy (mobile) 200 jwt-legacy raspberry (raspberry pi) jwtlegacy (desktop) 0 0.2 0.5 0.8 0.40.6 0.7 0.9Reveal ratio



























Presentation payload (bytes) vs Reveal — attrCount=5 bbs-plus (mobile) 1050 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) Presentation payload (bytes 1000 bbs2023-digitalbazaar raspberry (raspberry pi) bbs2023-pairing-crypto (desktop) 950 bbs2023-pairing-crypto (mobile) bbs2023-pairing-crypto raspberry (raspberry pi) 900 ison-bbs-plus (desktop) 850 json-bbs-plus raspberry (raspberry pi) jwt-legacy (mobile) 800 jwt-legacy raspberry (raspberry pi) jwtlegacy (desktop) 750 700 0.2 0.3 0.4 0.5 0.6 0.8 0.9 0.7Reveal ratio





Presentation payload (bytes) vs Reveal — attrCount=7 bbs-plus (mobile) 1300 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) payload (bytes bbs2023-digitalbazaar raspberry (raspberry pi) 1200 bbs2023-pairing-crypto (desktop) bbs2023-pairing-crypto (mobile) 1100 bbs2023-pairing-crypto raspberry (raspberry pi) ison-bbs-plus (desktop) Presentation 1000 json-bbs-plus raspberry (raspberry pi) jwt-legacy (mobile) 900 jwt-legacy raspberry (raspberry pi) jwtlegacy (desktop) 800 0.2 0.3 0.4 0.5 0.6 0.8 0.9 0.7Reveal ratio






















































Verifier CPU (ms) vs Reveal — attrCount=5 1600 bbs-plus (mobile) bbs2023-digitalbazaar (desktop) 1400 bbs2023-digitalbazaar (mobile) bbs2023-digitalbazaar raspberry (raspberry pi) 1200 bbs2023-pairing-crypto (desktop) 1000 bbs2023-pairing-crypto (mobile) **Verifier CPU** bbs2023-pairing-crypto raspberry (raspberry pi) 800 ison-bbs-plus (desktop) json-bbs-plus raspberry (raspberry pi) 600 jwt-legacy (mobile) 400 jwt-legacy raspberry (raspberry pi) jwtlegacy (desktop) 200 0 0.2 0.3 0.4 0.6 8.0 0.9 1.0

Reveal ratio




Verifier CPU (ms) vs Reveal — attrCount=7 1750 bbs-plus (mobile) bbs2023-digitalbazaar (desktop) 1500 bbs2023-digitalbazaar (mobile) bbs2023-digitalbazaar\_raspberry (raspberry pi) 1250 bbs2023-pairing-crypto (desktop) Verifier CPU (ms) bbs2023-pairing-crypto (mobile) 1000 bbs2023-pairing-crypto raspberry (raspberry pi) ison-bbs-plus (desktop) 750 json-bbs-plus raspberry (raspberry pi) jwt-legacy (mobile) 500 jwt-legacy raspberry (raspberry pi) jwtlegacy (desktop) 250 0 0.2 0.3 0.4 0.6 0.8 0.9 1.0

Reveal ratio

Verifier CPU (ms) vs Reveal — attrCount=8 bbs-plus (mobile) 1750 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) 1500 bbs2023-digitalbazaar raspberry (raspberry pi) bbs2023-pairing-crypto (desktop) 1250 bbs2023-pairing-crypto (mobile) 1000 bbs2023-pairing-crypto raspberry (raspberry pi) ison-bbs-plus (desktop) Verifier 750 json-bbs-plus raspberry (raspberry pi) jwt-legacy (mobile) 500 jwt-legacy raspberry (raspberry pi) jwtlegacy (desktop) 250 0 0.2 0.3 0.4 0.6 0.8 0.9 1.0

Reveal ratio



Verifier CPU (ms) vs Reveal — attrCount=10 bbs-plus (mobile) 2000 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) bbs2023-digitalbazaar raspberry (raspberry pi) 1500 bbs2023-pairing-crypto (desktop) bbs2023-pairing-crypto (mobile) bbs2023-pairing-crypto raspberry (raspberry pi) 1000 ison-bbs-plus (desktop) **/erifier** json-bbs-plus raspberry (raspberry pi) jwt-legacy (mobile) jwt-legacy raspberry (raspberry pi) 500 iwtlegacy (desktop) 0

0.6

Reveal ratio


8.0


0.9


0.2


0.3


0.4















Verifier time (ms) vs Reveal — attrCount=5 bbs-plus (mobile) 1400 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) 1200 bbs2023-digitalbazaar raspberry (raspberry pi) bbs2023-pairing-crypto (desktop) Verifier time (ms 1000 bbs2023-pairing-crypto (mobile) bbs2023-pairing-crypto raspberry (raspberry pi) 800 ison-bbs-plus (desktop) 600 json-bbs-plus raspberry (raspberry pi) jwt-legacy (mobile) 400 jwt-legacy raspberry (raspberry pi) jwtlegacy (desktop) 200 0 0.2 0.3 0.4 0.6 8.0 0.9 1.0 Reveal ratio





Verifier time (ms) vs Reveal — attrCount=7 bbs-plus (mobile) 1500 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) bbs2023-digitalbazaar raspberry (raspberry pi) 1250 bbs2023-pairing-crypto (desktop) Verifier time (ms) bbs2023-pairing-crypto (mobile) 1000 bbs2023-pairing-crypto raspberry (raspberry pi) ison-bbs-plus (desktop) 750 json-bbs-plus raspberry (raspberry pi) jwt-legacy (mobile) 500 jwt-legacy raspberry (raspberry pi) jwtlegacy (desktop) 250 0 0.2 0.3 0.4 0.6 8.0 0.9 1.0 Reveal ratio























## Wallet CPU (ms) vs Reveal — attrCount=5



## Wallet CPU (ms) vs Reveal — attrCount=6





Wallet CPU (ms) vs Reveal — attrCount=8 bbs-plus (mobile) 5000 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) 4000 bbs2023-digitalbazaar\_raspberry (raspberry pi) bbs2023-pairing-crypto (desktop) bbs2023-pairing-crypto (mobile) 3000 bbs2023-pairing-crypto raspberry (raspberry pi) ison-bbs-plus (desktop) 2000 json-bbs-plus raspberry (raspberry pi) jwt-legacy (mobile) jwt-legacy raspberry (raspberry pi) 1000 jwtlegacy (desktop) 0

0.6

Reveal ratio

8.0


0.9


0.2


0.3


0.4


## Wallet CPU (ms) vs Reveal — attrCount=9




















Wallet time (ms) vs Reveal — attrCount=5 bbs-plus (mobile) 4000 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) bbs2023-digitalbazaar raspberry (raspberry pi) 3000 bbs2023-pairing-crypto (desktop) time (ms) bbs2023-pairing-crypto (mobile) bbs2023-pairing-crypto raspberry (raspberry pi) 2000 ison-bbs-plus (desktop) Wallet json-bbs-plus\_raspberry (raspberry pi) jwt-legacy (mobile) jwt-legacy raspberry (raspberry pi) 1000 jwtlegacy (desktop) 0 0.2 0.3 0.4 0.6 8.0 0.9 Reveal ratio




Wallet time (ms) vs Reveal — attrCount=7 bbs-plus (mobile) bbs2023-digitalbazaar (desktop) 4000 bbs2023-digitalbazaar (mobile) bbs2023-digitalbazaar raspberry (raspberry pi) bbs2023-pairing-crypto (desktop) Wallet time (ms) 3000 bbs2023-pairing-crypto (mobile) bbs2023-pairing-crypto raspberry (raspberry pi) ison-bbs-plus (desktop) 2000 json-bbs-plus raspberry (raspberry pi) jwt-legacy (mobile) jwt-legacy raspberry (raspberry pi) 1000 jwtlegacy (desktop) 0 0.2 0.3 0.4 0.6 8.0 0.9 Reveal ratio








Wallet time (ms) vs Reveal — attrCount=10 bbs-plus (mobile) bbs2023-digitalbazaar (desktop) 5000 bbs2023-digitalbazaar (mobile) bbs2023-digitalbazaar raspberry (raspberry pi) 4000 bbs2023-pairing-crypto (desktop) Wallet time (ms bbs2023-pairing-crypto (mobile) 3000 bbs2023-pairing-crypto raspberry (raspberry pi) ison-bbs-plus (desktop) json-bbs-plus raspberry (raspberry pi) 2000 jwt-legacy (mobile) jwt-legacy raspberry (raspberry pi) 1000 jwtlegacy (desktop) 0 -0.2 0.3 0.4 0.6 8.0 0.9


Reveal ratio













End-to-end time (ms) vs AttrCount — reveal=0.20





End-to-end time (ms) vs AttrCount — reveal=0.40 bbs-plus (mobile) 8000 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) bbs2023-digitalbazaar raspberry (raspberry pi) 6000 bbs2023-pairing-crypto (desktop) time bbs2023-pairing-crypto (mobile) bbs2023-pairing-crypto raspberry (raspberry pi) End-to-end ison-bbs-plus (desktop) 4000 json-bbs-plus raspberry (raspberry pi) jwt-legacy (mobile) jwt-legacy raspberry (raspberry pi) 2000 iwtlegacy (desktop) 0 -


attrCount

End-to-end time (ms) vs AttrCount — reveal=0.50













Issuer CPU (ms) vs AttrCount — reveal=0.20





Issuer CPU (ms) vs AttrCount — reveal=0.40






























Presentation payload (bytes) vs AttrCount — reveal=0.20 1200 bbs-plus (mobile) Presentation payload (bytes 1100 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) bbs2023-digitalbazaar raspberry (raspberry pi) 1000 bbs2023-pairing-crypto (desktop) bbs2023-pairing-crypto (mobile) bbs2023-pairing-crypto raspberry (raspberry pi) 900 ison-bbs-plus (desktop) json-bbs-plus\_raspberry (raspberry pi) jwt-legacy (mobile) 800 jwt-legacy raspberry (raspberry pi) jwtlegacy (desktop) attrCount

Presentation payload (bytes) vs AttrCount — reveal=0.40 1300 bbs-plus (mobile) bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) (bytes) 1200 bbs2023-digitalbazaar raspberry (raspberry pi) bbs2023-pairing-crypto (desktop) Presentation payload 1100 bbs2023-pairing-crypto (mobile) bbs2023-pairing-crypto raspberry (raspberry pi) ison-bbs-plus (desktop) 1000 json-bbs-plus raspberry (raspberry pi) jwt-legacy (mobile) 900 jwt-legacy raspberry (raspberry pi) jwtlegacy (desktop) 800 10 attrCount

Presentation payload (bytes) vs AttrCount — reveal=0.50 bbs-plus (mobile) 10000 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) bbs2023-pairing-crypto (desktop) 8000 bbs2023-pairing-crypto (mobile) payload bbs2023-pairing-crypto raspberry (raspberry pi) ison-bbs-plus (desktop) 6000 json-bbs-plus raspberry (raspberry pi) Presentation jwt-legacy (mobile) jwt-legacy raspberry (raspberry pi) 4000 jwtlegacy (desktop) 2000 20 30 40 50 60 70 80 90 100 attrCount

Presentation payload (bytes) vs AttrCount — reveal=0.60 bbs-plus (mobile) 1400 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) 1300 bbs2023-digitalbazaar raspberry (raspberry pi) bbs2023-pairing-crypto (desktop) 1200 bbs2023-pairing-crypto (mobile) bbs2023-pairing-crypto raspberry (raspberry pi) 1100 ison-bbs-plus (desktop) Presentation json-bbs-plus raspberry (raspberry pi) 1000 jwt-legacy (mobile) jwt-legacy raspberry (raspberry pi) 900 iwtlegacy (desktop) 800 700 10 attrCount

Presentation payload (bytes) vs AttrCount — reveal=0.80 1600 bbs-plus (mobile) bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) Presentation payload (bytes bbs2023-digitalbazaar raspberry (raspberry pi) 1400 bbs2023-pairing-crypto (desktop) bbs2023-pairing-crypto (mobile) 1200 bbs2023-pairing-crypto raspberry (raspberry pi) ison-bbs-plus (desktop) json-bbs-plus raspberry (raspberry pi) 1000 jwt-legacy (mobile) jwt-legacy raspberry (raspberry pi) jwtlegacy (desktop) 800 10 attrCount




VC size (bytes) vs AttrCount — reveal=0.20 bbs-plus (mobile) 1800 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) bbs2023-digitalbazaar raspberry (raspberry pi) 1600 bbs2023-pairing-crypto (desktop) bbs2023-pairing-crypto (mobile) bbs2023-pairing-crypto raspberry (raspberry pi) 1400 ison-bbs-plus (desktop) json-bbs-plus raspberry (raspberry pi) jwt-legacy (mobile) 1200 jwt-legacy raspberry (raspberry pi) jwtlegacy (desktop) 1000

10

VC size (bytes) vs AttrCount — reveal=0.40 bbs-plus (mobile) 1800 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) bbs2023-digitalbazaar raspberry (raspberry pi) 1600 bbs2023-pairing-crypto (desktop) bbs2023-pairing-crypto (mobile) bbs2023-pairing-crypto raspberry (raspberry pi) 1400 ison-bbs-plus (desktop) json-bbs-plus raspberry (raspberry pi) jwt-legacy (mobile) 1200 jwt-legacy raspberry (raspberry pi) jwtlegacy (desktop) 1000

10

VC size (bytes) vs AttrCount — reveal=0.50




VC size (bytes) vs AttrCount — reveal=0.60 bbs-plus (mobile) 1800 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) bbs2023-digitalbazaar raspberry (raspberry pi) 1600 bbs2023-pairing-crypto (desktop) bbs2023-pairing-crypto (mobile) bbs2023-pairing-crypto raspberry (raspberry pi) 1400 ison-bbs-plus (desktop) json-bbs-plus raspberry (raspberry pi) jwt-legacy (mobile) 1200 jwt-legacy raspberry (raspberry pi) jwtlegacy (desktop) 1000 10


VC size (bytes) vs AttrCount — reveal=0.80 bbs-plus (mobile) 1800 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) bbs2023-digitalbazaar raspberry (raspberry pi) 1600 bbs2023-pairing-crypto (desktop) bbs2023-pairing-crypto (mobile) bbs2023-pairing-crypto raspberry (raspberry pi) 1400 ison-bbs-plus (desktop) json-bbs-plus raspberry (raspberry pi) jwt-legacy (mobile) 1200 jwt-legacy raspberry (raspberry pi) jwtlegacy (desktop) 1000


10


VC size (bytes) vs AttrCount — reveal=1.00 bbs-plus (mobile) 1800 bbs2023-digitalbazaar (desktop) bbs2023-digitalbazaar (mobile) bbs2023-digitalbazaar raspberry (raspberry pi) 1600 bbs2023-pairing-crypto (desktop) bbs2023-pairing-crypto (mobile) bbs2023-pairing-crypto raspberry (raspberry pi) 1400 ison-bbs-plus (desktop) json-bbs-plus raspberry (raspberry pi) jwt-legacy (mobile) 1200 jwt-legacy raspberry (raspberry pi) jwtlegacy (desktop) 1000


10




















Verifier time (ms) vs AttrCount — reveal=0.50 2000 bbs-plus (mobile) bbs2023-digitalbazaar (desktop) 1750 bbs2023-digitalbazaar (mobile) bbs2023-pairing-crypto (desktop) 1500 bbs2023-pairing-crypto (mobile) Verifier time (ms) 1250 bbs2023-pairing-crypto raspberry (raspberry pi) json-bbs-plus (desktop) 1000 json-bbs-plus raspberry (raspberry pi) jwt-legacy (mobile) 750 jwt-legacy raspberry (raspberry pi) jwtlegacy (desktop) 500 250 0 -20 30 40 50 60 70 80 90 100

attrCount

