

SCALE FOR PROJECT PISCINE OCAML (/PROJECTS/PISCINE-OCAML) / DAY 02 (/PROJECTS/PISCINE-OCAML-DAY-02)

Introduction

For the good of this evaluation, we ask you to:

- Stay mannerly, polite, respectful and constructive during this evaluation. The trust between you and the 42 community depends on it.
- Bring out to the graded student (or team) any mistake she or he might did.
- Accept that there might be differences of interpretation of the subject or the rules between you and the graded student (or team). Stay open minded and grade as honestly as possible.

Guidelines

- You must grade only what is present and the graded student's (or team) repository.
- You must stop grading at the first failed exercise, but you are encouraged to continue testing and discussing the following exercises.

Attachments

📎 Subject (<https://cdn.intra.42.fr/pdf/pdf/2702/d02.en.pdf>)

Preview!!!

Preliminaries

This section is dedicated to setup the evaluation and to test the prerequisites. It doesn't rewards points, but if something is wrong at this step or at any point of the evaluation, the grade is 0, and an appropriate flag might be checked if needed.

Respect of the rules

- The graded student (or team) work is present on her or his repository.
- The graded student (or team) is able to explain her or his work at any time of the evaluation.
- The general rules and the possible day-specific rules are respected at any time of the evaluation.

☒ Yes

☐ No

OCaml piscine D02

- For each exercise, you must compile the exercise using `ocamlpt` and run the generated executable. If the compilation fails or warns, or an exception is thrown at runtime, the exercise is failed. - Whether the graded student provided tests or not, you must test her or his work extensively and asses if the work is done or not. - Remember to check function names, TYPES, behaviours and outputs. - Never test overflows for today. - One more time, you HAVE to check the type of the functions since it's essential today

Ex00, Do you even compress bro?

Test the program with at least the following lists:

```
encode ["a","a","a","b","b","b"]
```

```
encode []
```

```
encode [(3, 2); (3, 2); (4, 3)]
```

☒ Yes

☐ No

Ex01, Crossover

Test the program with at least the following lists :

```
crossover [1;2;3] [1;2;3]
```

```
crossover ["toto","tata","titi"] ["toto","tata","tutu"]  
crossover ["toto","tata","titi"] []  
crossover [] ["toto","tata","titi"]
```

☒ Yes

☐ No

Ex02, Fifty Strings of Gray

Test the Gray sequences generation program with at least the following values : 0, 1, 2, 3, 4 and 5.

Also if the student has used the list concatenation operator (@), It's considered as cheating so -42.

☒ Yes

☐ No

Ex03, One and one and one is three

Test the function with the following values.

sequence 1 = "1"

sequence -1 = ""

sequence 6 = "312211"

sequence 8 = "1113213211"

☒ Yes

☐ No

Ex04, DNA -> Nucleotides

Check the following facts :

- phosphate and deoxyribose types are both string type aliases.

- nucleobase type is a variant composed of A, T, C, G, and None.

- nucleotide type is a record type or a triplet composed of one of every types above (e.g. 1 phosphate, 1 deoxyribose and 1 nucleobase).

Also check the generate_nucleotide function. It should return a nucleotide type from a char as a parameter.

☒ Yes

☐ No

Ex05, DNA -> Helix

- Check the function generate_helix (1 pts)
- Check the function helix_to_string (1 pts)
- Check the function complementary_helix (for example ATCG should output TAGC) (3pts)



Rate it from 0 (failed) through 5 (excellent)

Ex06, DNA -> Messenger RNA

Check the function generate_rna. The ATCG helix must produce an UAGC rna.

✓ Yes

✗ No

Ex07, DNA -> Ribosome

Check the function generate_base_triplets. it should return a nucleotide triplet list from an rna as parameter. If the number of nucleotides in the rna is not a factor of 3, the triplet should be forced filled with None elements (Or anything that can represent the Great Interstellar Void).

Check the decode_arn function. It should return a protein (a list of aminoacids) from an element of type rna as parameter. Use a couple different arn sequences of your choice to test this using the string_of_protein function.

✓ Yes

✗ No

Ex08, DNA -> The Complete Process of Protein Creation

This one is a gift, check that the function is functioning as intended. Life is amazing isn't it ? For example the parameter "TACTACATCTAC" should output something like Met-Met-STOP in the

end.

Also check that each step is explained thoroughly and clearly outputed.

Remember that the decoding function *MUST* stop the process at the first STOP occurrence.

☒ Yes

☐ No

Ratings

Don't forget to check the flag corresponding to the defense

☒ Ok

☐ Empty work

☐ Incomplete work

☐ No author file

☐ Invalid compilation

☐ Norme

☐ Cheat

☐ Crash

☐ Forbidden function

Conclusion

Leave a comment on this evaluation