(https://profile.intra.42.fr)

# SCALE FOR PROJECT COLLE 02
# (/PROJECTS/BOOTCAMP-COLLE-02)

## Guidelines

Before inspecting and grading each exercise, make sure to read and apply preliminaries.

## Attachments

⬜ Subject (https://cdn.intra.42.fr/pdf/pdf/699/4a2e1aec439aaece31ddc1f7fcbb23c6-colle02.en.pdf)

## Preliminaries

*If cheating is suspected, the evaluation stops here. Tick the "Cheat" correction box at the top of this Scale page. You then have to let us know about it by opening a ticket on meta.intrav2.42.fr. In this ticket, you should indicate the Bootcamp day as well as the cheating student's login. => FYI : cheating means the student who is suspected cannot explain of recreate their own code, or he's used elements specifically forbidden in the subject or that go against school policies. Please do this calmy, wisely and with caution.*

**Simple preliminaries**

- Nothing submitted (or wrong file or directory) : 0, evaluation is over.
- As soon as you come accross an exercise that isn't fully fonctional, evaluation stops. The following exercises won't be evaluated.

⊘ Yes                                    ✕ No

## Features

*Check the Norm for each exercise before running tests. A Norm error means the student isn't rigorous enough. And like any error, it means 0. Norminator prevails when it comes to files or headers evaluation in C and only in C (that excludes makefile and shell script).*

**Features testing**

Does the program work the way it should ? It must handle all 5 colles, multi-colles and errors.

```
$> echo "Ai-je une chance d'avoir plus de 0 ?" | ./colle-2
aucune

$> echo "o--o\n| |\n| |\no--o"
o--o | | | | o--o

$> echo "o--o\n| |\n| |\no--o" | ./colle-2
[colle-00] [4] [4]

$> ./colle-01 3 4 | ./colle-2
[colle-01] [3] [4]

$> ./colle-02 1 1
A

$> ./colle-03 1 1
A

$> ./colle-04 1 1
A

$> echo "A" | ./colle-2
[colle-02] [1] [1] || [colle-03] [1] [1] || [colle-04] [1] [1]

$>
```

⊘ Yes                                          ✕ No

---

**Makefile**

The Makefile musn't relink.

If the Makefile recompiles when doing two successive 'make', tick No.
If the Makefile doesn't recompile the second time, tick Yes.

⊘ Yes                                          ✕ No

---

# Bonus

**Formes bonus**

This part can be filled ONLY for those who've collected all points for features and the Makefile. At the examiner's own discretion.

If there isn't any test file proving a bonus works, that bonus is invalid by default !

Add one grade per addictional shape :
- rectangle
- square
- triangle
- lozenge

**Rate it from 0 (failed) through 5 (excellent)**

## Other complicated shapes

This part can be filled ONLY for those who've collected all points for features and the Makefile. At the examiner's own discretion.

If there isn't any test file proving a bonus works, that bonus is invalid by default !

Add one grade per addictional shape :
- sastantua
- reversed rectangle
- reversed square
- reversed triangle
- reversed losange
- reversed circle

**Rate it from 0 (failed) through 5 (excellent)**

# Ratings

**Don't forget to check the flag corresponding to the defense**

🚫 Forbidden function

Preview!!!

# Conclusion

**Leave a comment on this evaluation**

General term of use of the site
(https://signin.intra.42.fr/legal/terms/6)

Privacy policy
(https://signin.intra.42.fr/legal/terms/5)

Legal notices
(https://signin.intra.42.fr/legal/terms/3)

Declaration on the use of cookies
(https://signin.intra.42.fr/legal/terms/2)

Terms of use for video surveillance
(https://signin.intra.42.fr/legal/terms/1)

(https://sig