

| Feature | | | Scenario | | | | Step | | | |
|--|----------|---|----------|---|---|---|------|---|---|--|
| Name | Duration | T | P | F | S | T | P | F | S | |
| To view the restful-booker booking details | 2.118 s | 1 | 1 | 0 | 0 | 4 | 4 | 0 | 0 | |

| Tag | Scenario | | | Feature | | | | |
|--------------------|----------|---|---|---------|---|---|---|---|
| Name | T | P | F | S | T | P | F | S |
| @bookerAPI | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @123 | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @viewAllBookingIDs | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |
| @viewBooking | 1 | 1 | 0 | 0 | 1 | 1 | 0 | 0 |

FEATURES SUMMARY -- 4



| # | Feature Name | T | P | F | S | Duration |
|---|--|---|---|---|---|----------|
| 1 | To view the restful-booker booking details | 1 | 1 | 0 | 0 | 2.118 s |

SCENARIOS SUMMARY -- 5 --




| # | Feature Name | Scenario Name | T | P | F | S | Duration |
|---|------------------------------------|-----------------------------|---|---|---|---|----------|
| 1 | To view the restful-booker booking | To view all the booking IDs | 4 | 4 | 0 | 0 | 2.115 s |
| | <u>details</u> | | | | | | |

DETAILED SECTION -- 6 --

To view the restful-booker booking details

| PASSED | DURATION - 2.118 s | Scenarios | | Steps | |
|-----------------|---------------------|-----------|---|-----------|---|
| | | Total - 1 | | Total - 4 | |
| /8:46:12.604 PM | // 8:46:14.722 PM / | Pass - 1 | 1 | Pass - 4 | 4 |
| | | Fail - 0 | | Fail - 0 | 7 |
| | | Skip - 0 | | Skip - 0 | |
| | | | | | |

To view all the booking IDs



| # | Step / Hook Details | Status | Duration |
|---|---|--------|----------|
| 1 | Given user has access to endpoint "/booking" | PASSED | 0.007 s |
| 2 | When user makes a request to view booking IDs | PASSED | 1.878 s |
| 3 | Then user should get the response code 200 | PASSED | 0.000 s |
| 4 | And user should see all the booking IDs | PASSED | 0.201 s |