

Cucumber Report

Nov 4, 2024, 10:51:49 PM

Start : Nov 04, 10:51:45.487 PM

End : Nov 04, 10:51:48.735 PM

Duration : 3.248 s

Features

Scenarios

Steps

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 1
FAILED - 0
SKIPPED - 0

PASSED - 4
FAILED - 0
SKIPPED - 0



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>To view the restful-booker booking details</u>	3.248 s	1	1	0	0	4	4	0	0

Tag	Scenario				Feature			
Name	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>	<i>T</i>	<i>P</i>	<i>F</i>	<i>S</i>
@bookerAPI	1	1	0	0	1	1	0	0
@123	1	1	0	0	1	1	0	0
@viewAllBookingIDs	1	1	0	0	1	1	0	0
@viewBooking	1	1	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	<u>To view the restful-booker booking details</u>	1	1	0	0	3.248 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>To view the restful-booker booking details</u>	<u>To view all the booking IDs</u>	4	4	0	0	3.244 s

To view the restful-booker booking details

PASSED	DURATION - 3.248 s	Scenarios		Steps	
/ 10:51:45.487 PM // 10:51:48.735 PM /		Total - 1		Total - 4	
		Pass - 1		Pass - 4	
		Fail - 0		Fail - 0	
		Skip - 0		Skip - 0	

To view all the booking IDs

<div>PASSED</div>	<div>DURATION - 3.244 s</div>	<div></div>	<div>Steps</div> <div>Total - 4</div> <div>Pass - 4</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 10:51:45.491 PM // 10:51:48.735 PM /</div>				
<div>To view the restful-booker booking details</div>				
<div>@bookerAPI @123 @viewAllBookingIDs @viewBooking</div>				

#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/booking"	PASSED	0.009 s
2	When user makes a request to view booking IDs	PASSED	2.890 s
3	Then user should get the response code 200	PASSED	0.001 s
4	And user should see all the booking IDs	PASSED	0.309 s