Cucumber Report

Start : Nov 04, 11:47:24.019 PM	End : Nov 04, 11:47:27.419 PM	Duration : 3.400 s
Features	Scenarios	Steps
PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 1 FAILED - 0 SKIPPED - 0	PASSED - 4 FAILED - 0 SKIPPED - 0

Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
To view the restful-booker booking details	*3.400 s*	*1*	*1*	*0*	*0*	*4*	*4*	*0*	*0*

Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@bookerAPI	1	1	0	0	1	1	0	0
@123	1	1	0	0	1	1	0	0
@viewAllBookingIDs	1	1	0	0	1	1	0	0
@viewBooking	1	1	0	0	1	1	0	0

| #	Feature Name	T	P	F	S	Duration
1	To view the restful-booker booking details	1	1	0	0	3.400 s

#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To view the restful-booker booking details	To view all the booking IDs	4	4	0	0	3.395 s

To view the restful-booker booking details

PASSED	DURATION - 3.400 s		Scenarios Total - 1 Pass - 1 Fail - 0 Skip - 0	1	Steps Total - 4 Pass - 4 Fail - 0 Skip - 0	4
/ 11:47:24.019 PM // 11:47:27.419 PM /						

To view all the booking IDs

PASSED	DURATION - 3.395 s
/ 11:47:24.024 PM // 11:47:27.419 PM /	
To view the restful-booker booking details	
@bookerAPI @123 @viewAllBookingIDs @viewBooking	

Steps
Total - 4
Pass - 4
Fail - 0
Skip - 0

4

#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/booking"	PASSED	0.009 s
2	When user makes a request to view booking IDs	PASSED	3.046 s
3	Then user should get the response code 200	PASSED	0.001 s
4	And user should see all the booking IDs	PASSED	0.307 s