


Feature			Scei	nario		Step				
Name	Duration	T	P	F	S	T	P	F	S	
To create a new booking in restful-booker	6.464 s	6	6	0	0	24	24	0	0	
To delete a booking in restful-booker	2.852 s	2	2	0	0	22	22	0	0	
To update a booking in restful-booker	6.290 s	7	7	0	0	56	56	0	0	
To view the restful-booker booking details	2.875 s	6	6	0	0	27	27	0	0	

Тад		Scei	nario		Feature					
Name	T	P	F	S	T	P	F	S		
@bookerAPI	21	21	0	0	4	4	0	0		
@createBookingDataTable	2	2	0	0	1	1	0	0		
@createBooking	6	6	0	0	1	1	0	0		
@createBookingFromExcel	2	2	0	0	1	1	0	0		
@createBookingFromJSON	2	2	0	0	1	1	0	0		
@deleteBooking	2	2	0	0	1	1	0	0		
@deleteBookingIDs	1	1	0	0	1	1	0	0		
@e2eTest	1	1	0	0	1	1	0	0		
@updateBooking	7	7	0	0	1	1	0	0		
@updateBookingDataTable	2	2	0	0	1	1	0	0		
@updateBookingFromExcel	2	2	0	0	1	1	0	0		
@updateBookingFromJSON	2	2	0	0	1	1	0	0		
@partialUpdateBooking	1	1	0	0	1	1	0	0		
@viewAllBookingIDs	1	1	0	0	1	1	0	0		
@viewBooking	6	6	0	0	1	1	0	0		
@viewBookingDetails	1	1	0	0	1	1	0	0		
@viewByBookingDates	2	2	0	0	1	1	0	0		


Tag		Scer	nario			Fea	ture	
Name	T	P	F	S	T	P	F	S
@viewBookingByName	1	1	0	0	1	1	0	0
@healthCheck	1	1	0	0	1	1	0	0

FEATURES SUMMARY -- 5 --



#	Feature Name	T	P	F	S	Duration
1	To create a new booking in restful-booker	6	6	0	0	6.464 s
2	To delete a booking in restful-booker	2	2	0	0	2.852 s
3	To update a booking in restful-booker	7	7	0	0	6.290 s
4	To view the restful-booker booking details	6	6	0	0	2.875 s


SCENARIOS SUMMARY -- 6 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
1	To create a new booking in restful-booker	To create new booking using cucumber Data Table	4	4	0	0	3.621 s
2	To create a new booking in restful-booker	To create new booking using cucumber Data Table	4	4	0	0	0.307 s
3	To create a new booking in restful-booker	To create new booking using Excel data	4	4	0	0	1.248 s
4	To create a new booking in restful-booker	To create new booking using Excel data	4	4	0	0	0.422 s
5	To create a new booking in restful- booker	To create new booking using JSON data	4	4	0	0	0.419 s
6	To create a new booking in restful- booker	To create new booking using JSON data	4	4	0	0	0.340 s
7	To delete a booking in restful-booker	To delete a booking	7	7	0	0	1.603 s


#	Feature Name	Scenario Name	T	P	F	S	Duration
8	To delete a booking in restful-booker	To perform a CURD operation on restful-booker	15	15	0	0	1.235 s

SCENARIOS SUMMARY -- 8 --



#	Feature Name	Scenario Name	T	P	F	S	Duration
9	To update a booking in restful-booker	To update a booking using cucumber Data Table	8	8	0	0	0.939 s
10	To update a booking in restful-booker	To update a booking using cucumber Data Table	8	8	0	0	0.877 s
11	To update a booking in restful-booker	To create and update a new booking using Excel data	8	8	0	0	0.930 s
12	To update a booking in restful-booker	To create and update a new booking using Excel data	8	8	0	0	0.942 s
13	To update a booking in restful-booker	To update a booking using JSON data	8	8	0	0	0.785 s
14	To update a booking in restful-booker	To update a booking using JSON data	8	8	0	0	0.939 s
15	To update a booking in restful-booker	To partially update a booking	8	8	0	0	0.816 s
16	To view the restful-booker booking details	To view all the booking IDs	4	4	0	0	0.431 s
17	To view the restful-booker booking details	To view booking details	5	5	0	0	0.508 s

SCENARIOS SUMMARY -- 9 --




#	Feature Name	Scenario Name	T	P	F	S	Duration
18	To view the restful-booker booking details	To view all the booking IDs by booking dates	4	4	0	0	0.641 s
19	To view the restful-booker booking details	To view all the booking IDs by booking dates	4	4	0	0	0.273 s
20	To view the restful-booker booking details	To view all the booking IDs by booking names	7	7	0	0	0.745 s
21	To view the restful-booker booking details	To confirm whether the API is up and running	3	3	0	0	0.212 s

DETAILED SECTION -- 10 --

To create a new booking in restful-booker

PASSED	DURATION - 6.464 s	Scenarios		Steps	
		Total - 6		Total - 24	
/ 9:23:11.743 PM	M // 9:23:18.207 PM /	Pass - 6	6	Pass - 24	24
		Fail - 0	~ J	Fail - 0	
		Skip - 0		Skip - 0	


To create new booking using cucumber Data Table



#						Step / Ho	ok Details	Status	Duration
1	Given use	r has acc	ess to en	dpoint "/boo	king"			PASSED	0.005 s
2	When user creates a booking						PASSED	2.930 s	
	firstname	lastname	totalprice	depositpaid			additionalneeds		
	John	Doe	1200	true	2021-05-05	2021-05-15	Breakfast		
3	Then user should get the response code 200							PASSED	0.003 s
4	And user	validates	PASSED	0.627 s					


To create new booking using cucumber Data Table

DETAILED SECTION -- 11 --



#						Step / Ho	ok Details					Status	Duration
1	Given use	r has acc	ess to end	dpoint "/boo	king"							PASSED	0.000 s
2	When use	er creates	a booking)								PASSED	0.257 s
	firstname	lastname	totalprice	depositpaid	checkin	checkout	additionalneeds	S					
	Jane	Doe	2400	false	2021-06-01	2021-07-10	Dinner						
3	Then user	Then user should get the response code 200						PASSED	0.001 s				
4	And user	user validates the response with JSON schema "createBookingSchema.json"								PASSED	0.041 s		


To create new booking using Excel data



#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/booking"	PASSED	0.001 s
2	When user creates a booking using data "createBooking1" from Excel	PASSED	1.197 s
3	Then user should get the response code 200	PASSED	0.001 s
4	And user validates the response with JSON schema from Excel	PASSED	0.041 s


To create new booking using Excel data

DETAILED SECTION -- 12 --




#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/booking"	PASSED	0.001 s
2	When user creates a booking using data "createBooking2" from Excel	PASSED	0.366 s
3	Then user should get the response code 200	PASSED	0.001 s
4	And user validates the response with JSON schema from Excel	PASSED	0.047 s

To create new booking using JSON data



#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/booking"	PASSED	0.001 s
2	When user creates a booking using data "createBooking1" from JSON file "bookingBody.json"	PASSED	0.367 s
3	Then user should get the response code 200	PASSED	0.001 s
4	And user validates the response with JSON schema "createBookingSchema.json"	PASSED	0.043 s

To create new booking using JSON data



#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/booking"	PASSED	0.001 s
2	When user creates a booking using data "createBooking2" from JSON file "bookingBody.json"	PASSED	0.286 s
3	Then user should get the response code 200	PASSED	0.002 s
4	And user validates the response with JSON schema "createBookingSchema.json"	PASSED	0.042 s

To delete a booking in restful-booker

PASSED	DURATION - 2.852 s	Scenarios Total - 2		Steps Total - 22	
/ 9:23:18.247 PN	M // 9:23:21.099 PM /	Pass - 2	2	Pass - 22	22
		Skip - 0		Skip - 0	


To delete a booking

PASSED DURATION - 1.	603 s 1	1					-	-	Steps		
/0.22.40.247 DM //0.22.40.050	0.8	8		i					Total - 7		
/ 9:23:18.247 PM // 9:23:19.850	0.6	6 -							Pass - 7		
To delete a booking in restful-booking	oker 0.4	4							Fail - 0	7	
	0.2	2-							Skip - 0		
@bookerAPI @deleteBooking @	deleteBookingIDs	1							≐		
			1 2	! :	3 4	1 5	6	7			

#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/auth"	PASSED	0.000 s

#	Step / Hook Details	Status	Duration
2	When user creates a auth token with credential "admin" & "password123"	PASSED	0.781 s
3	Then user should get the response code 200	PASSED	0.000 s
4	Given user has access to endpoint "/booking"	PASSED	0.001 s
5	And user makes a request to view booking IDs	PASSED	0.483 s
6	When user makes a request to delete booking with basic auth "admin" & "password123"	PASSED	0.320 s
7	Then user should get the response code 201	PASSED	0.001 s

To perform a CURD operation on restful-booker



#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/auth"	PASSED	0.000 s
2	When user creates a auth token with credential "admin" & "password123"	PASSED	0.216 s
3	Then user should get the response code 200	PASSED	0.001 s
4	Given user has access to endpoint "/booking"	PASSED	0.000 s
5	When user creates a booking	PASSED	0.213 s
	firstname lastname totalprice depositpaid checkin checkout additionalneeds John Doe 1200 true 2021-05-05 Breakfast		
6	Then user should get the response code 200	PASSED	0.001 s
7	And user validates the response with JSON schema "createBookingSchema.json"	PASSED	0.036 s
8	And user updates the details of a booking	PASSED	0.264 s
	firstnamelastnametotalpricedepositpaidcheckincheckoutadditionalneedsJohnDoe1200true2021-05-052021-05-15Breakfast		
9	And user should get the response code 200	PASSED	0.001 s
10	And user validates the response with JSON schema "bookingDetailsSchema.json"	PASSED	0.014 s
11	And user makes a request to view details of a booking ID	PASSED	0.240 s


DETAILED SECTION -- 15 --

#	Step / Hook Details	Status	Duration
12	And user should get the response code 200	PASSED	0.001 s
13	And user validates the response with JSON schema "bookingDetailsSchema.json"	PASSED	0.018 s
14	And user makes a request to delete booking with basic auth "admin" & "password123"	PASSED	0.221 s
15	And user should get the response code 201	PASSED	0.001 s

To update a booking in restful-booker

PASSED	DURATION - 6.290 s	Scenarios		Steps	
		Total - 7		Total - 56	
/ 9:23:21.126 PM	// 9:23:27.416 PM /	Pass - 7	7	Pass - 56	56
		Fail - 0		Fail - 0	30
		Skip - 0		Skip - 0	


To update a booking using cucumber Data Table



#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/auth"	PASSED	0.001 s
2	When user creates a auth token with credential "admin" & "password123"	PASSED	0.256 s
3	Then user should get the response code 200	PASSED	0.000 s
4	Given user has access to endpoint "/booking"	PASSED	0.000 s
5	When user makes a request to view booking IDs	PASSED	0.391 s
6	And user updates the details of a booking	PASSED	0.230 s
	firstnamelastnametotalpricedepositpaidcheckincheckoutadditionalneedsJohnRambo10000true2021-05-152021-06-11Breakfast		
7	Then user should get the response code 200	PASSED	0.000 s


1 7	# Step / Hook Details	Status	Duration
8	And user validates the response with JSON schema "bookingDetailsSchema.json"	PASSED	0.035 s

To update a booking using cucumber Data Table



#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/auth"	PASSED	0.000 s
2	When user creates a auth token with credential "admin" & "password123"	PASSED	0.244 s
3	Then user should get the response code 200	PASSED	0.001 s
4	Given user has access to endpoint "/booking"	PASSED	0.000 s
5	When user makes a request to view booking IDs	PASSED	0.384 s
6	And user updates the details of a booking	PASSED	0.230 s
	firstname lastname totalprice depositpaid checkin checkout additionalneeds Rocky Balboa 2006 false 2021-06-01 2021-07-10 Dinner		
7	Then user should get the response code 200	PASSED	0.001 s
8	And user validates the response with JSON schema "bookingDetailsSchema.json"	PASSED	0.012 s


To create and update a new booking using Excel data



DETAILED SECTION -- 17 --

#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/auth"	PASSED	0.000 s
2	When user creates a auth token with credential "admin" & "password123"	PASSED	0.244 s
3	Then user should get the response code 200	PASSED	0.001 s
4	Given user has access to endpoint "/booking"	PASSED	0.001 s
5	And user creates a booking using data "createBooking1" from Excel	PASSED	0.331 s
6	When user updates the booking details using data "updateBooking1" from Excel	PASSED	0.326 s
7	Then user should get the response code 200	PASSED	0.000 s
8	And user validates the response with JSON schema from Excel	PASSED	0.021 s


To create and update a new booking using Excel data



#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/auth"	PASSED	0.002 s
2	When user creates a auth token with credential "admin" & "password123"	PASSED	0.239 s
3	Then user should get the response code 200	PASSED	0.000 s
4	Given user has access to endpoint "/booking"	PASSED	0.000 s
5	And user creates a booking using data "createBooking2" from Excel	PASSED	0.340 s
6	When user updates the booking details using data "updateBooking2" from Excel	PASSED	0.324 s
7	Then user should get the response code 200	PASSED	0.001 s
8	And user validates the response with JSON schema from Excel	PASSED	0.027 s


To update a booking using JSON data

DETAILED SECTION -- 18 --



#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/auth"	PASSED	0.001 s
2	When user creates a auth token with credential "admin" & "password123"	PASSED	0.234 s
3	Then user should get the response code 200	PASSED	0.001 s
4	Given user has access to endpoint "/booking"	PASSED	0.001 s
5	When user makes a request to view booking IDs	PASSED	0.298 s
6	And user updates the booking details using data "updateBooking1" from JSON file "bookingBody.json"	PASSED	0.230 s
7	Then user should get the response code 200	PASSED	0.000 s
8	And user validates the response with JSON schema "bookingDetailsSchema.json"	PASSED	0.013 s

To update a booking using JSON data




#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/auth"	PASSED	0.000 s
2	When user creates a auth token with credential "admin" & "password123"	PASSED	0.216 s
3	Then user should get the response code 200	PASSED	0.001 s
4	Given user has access to endpoint "/booking"	PASSED	0.001 s
5	When user makes a request to view booking IDs	PASSED	0.416 s

DETAILED SECTION -- 19 --


#	Step / Hook Details	Status	Duration
6	And user updates the booking details using data "updateBooking2" from JSON file "bookingBody.json"	PASSED	0.284 s
7	Then user should get the response code 200	PASSED	0.000 s
8	And user validates the response with JSON schema "bookingDetailsSchema.json"	PASSED	0.015 s

To partially update a booking




#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/auth"	PASSED	0.001 s
2	When user creates a auth token with credential "admin" & "password123"	PASSED	0.270 s
3	Then user should get the response code 200	PASSED	0.000 s
4	Given user has access to endpoint "/booking"	PASSED	0.000 s
5	When user makes a request to view booking IDs	PASSED	0.285 s
6	And user makes a request to update first name "John" & Last name "Wick"	PASSED	0.234 s
7	Then user should get the response code 200	PASSED	0.000 s
8	And user validates the response with JSON schema "bookingDetailsSchema.json"	PASSED	0.021 s

To view the restful-booker booking details




DETAILED SECTION -- 20 --



#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/booking"	PASSED	0.001 s
2	When user makes a request to view booking IDs	PASSED	0.351 s
3	Then user should get the response code 200	PASSED	0.000 s
4	And user should see all the booking IDs	PASSED	0.063 s


To view booking details



#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/booking"	PASSED	0.000 s
2	When user makes a request to view booking IDs	PASSED	0.265 s
3	And user makes a request to view details of a booking ID	PASSED	0.228 s
4	Then user should get the response code 200	PASSED	0.000 s
5	And user validates the response with JSON schema "bookingDetailsSchema.json"	PASSED	0.012 s


To view all the booking IDs by booking dates

DETAILED SECTION -- 21 --




#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/booking"	PASSED	0.001 s
2	When user makes a request to view booking IDs from "2018-01-01" to "2021-12-31"	PASSED	0.636 s
3	Then user should get the response code 200	PASSED	0.000 s
4	And user should see all the booking IDs	PASSED	0.002 s

To view all the booking IDs by booking dates




#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/booking"	PASSED	0.001 s
2	When user makes a request to view booking IDs from "2010-01-01" to "2020-12-31"	PASSED	0.242 s
3	Then user should get the response code 200	PASSED	0.000 s
4	And user should see all the booking IDs	PASSED	0.027 s

To view all the booking IDs by booking names



#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/booking"	PASSED	0.001 s
2	When user makes a request to view booking IDs	PASSED	0.288 s
3	Then user should see all the booking IDs	PASSED	0.013 s
4	And user makes a request to view details of a booking ID	PASSED	0.220 s
5	And user makes a request to view all the booking IDs of that user name	PASSED	0.211 s
6	And user should get the response code 200	PASSED	0.001 s
7	And user should see all the booking IDs	PASSED	0.003 s

To confirm whether the API is up and running



#	Step / Hook Details	Status	Duration
1	Given user has access to endpoint "/ping"	PASSED	0.000 s
2	When user makes a request to check the health of booking service	PASSED	0.207 s
3	Then user should get the response code 201	PASSED	0.000 s