UX/UI CASE STUDY · DESIGNED AND CODED


FRAMEO

From "what do I watch?" to a pick in four steps

An AI streaming assistant that recommends what to watch based on mood, context, time and your platforms.

Live demo · frameo-two.vercel.app

Agostina Boris · Research, UX/UI design and front-end · 2026



01 · THE PROBLEM

More content hasn't made choosing easier

People subscribe to several platforms, scroll through endless rows and switch apps before picking anything. Most platforms don’t ask how you feel or how much time you have.

Endless browsing

Long catalogs, no clear starting point.

Platform switching

Each app has its own catalog and logic.

No context

Recommendations ignore mood and time.

How might we help people go from uncertainty to a confident choice, without another endless catalog?

02 · APPROACH

Three methods, each answering a different question

3

Competitor benchmark

What do existing tools do well, and where do they add friction?

8

Closed card sorting

Do the navigation labels match how people group features?

12

Usability test

Can people complete the core tasks in the live, coded demo?

Each tool solves one part of the decision

	JustWatch	Reelgood	Watchworthy
Strength	Shows where to watch a title	Balances discovery and watchlists	Personal, emotional picks
Weakness	Visually dense, adds fatigue	Many features, feels complex	Weak for specific searches

Opportunity: combine availability, simplicity and emotional personalization in one fast flow.

04 · CARD SORTING · 8 PARTICIPANTS

Mood and Explore made sense. Home and Profile didn't.

63% placed popular movies and series under **Explore**.

63% grouped "I feel sad" and "I want to laugh" under **Mood**.

50% placed Help under **Home**, read as a general access point.

38/38 split Account settings evenly between **Home** and **Profile**.

Saved content and platform items were also spread across categories, so My List and Profile needed clearer roles.

05 · INFORMATION ARCHITECTURE

What the card sorting changed

Mood moved into AI Match

Instead of a separate tab, mood is the first step of the recommendation flow.

My List became Watchlist

A clearer name for saved content, kept apart from account settings.

Profile got one job

Account, platforms and preferences only, behind the avatar in the header.

Home · Discover · **AI Match** · Watchlist — Final tab bar

06 · MVP SCOPE

The smallest product that tests one idea

Hypothesis: if people state mood, time and platforms before browsing, they'll decide faster and feel more confident.

MUST HAVE

Mood, time and platform inputs
AI Match result
Movie details
Save to Watchlist

SHOULD HAVE

Viewing context
Alternative picks
Edit preferences


LATER

Group voting
Shared profiles
Learning from viewing history


Prioritized with MoSCoW

Four quick questions instead of a catalog


One question per screen, big tap targets and a progress bar, so the flow takes seconds, not minutes.




1 · Mood




2 · Context



3 · Time



4 · Platforms




Your match

08 · RESULTS AND WATCHLIST

A short list you can trust, and a place to keep it

- Three picks instead of rows of titles, each with a match score.
- Tags echo your inputs, like "Adventurous" or "With friends", so the pick makes sense.
- The Watchlist shows where each title is available, so you can decide later without searching again.




09 · HOME AND DISCOVER


Asking first, browsing second

> Home opens with one question and one action: "Ask Frameo".

> Quick Match shortcuts jump straight to mood, context, time or platforms.

> Discover keeps search and genres for people who already know what they want.





10 · USABILITY TEST

12 people, the real coded app, three tasks

Remote: each participant got the live demo link and completed the tasks on their own device.

01

Find a movie

02


Save it to the Watchlist

03

Complete the AI Match flow

WHAT I LEARNED AND CHANGED

[Where people got stuck] → [what you changed in the design]



11 · FROM FIGMA TO CODE

Designed in Figma, built as a live demo

I coded the prototype myself, so testing happened on a real app instead of a click-through. Building it also showed which states and transitions the design had to define.

Try it · frameo-two.vercel.app

NEXT STEPS

From "it works" to "it's faster"

MEASURE

Time to decision
AI Match completion rate
Watchlist save rate

LIMITATIONS

Concept project: no interviews and no real recommendation engine. Pick quality depends on content data.