DashboardLive - Überblick

DashboardLive - Uberblic	· N												
		To be implemented w	vithin										
		<vehicle></vehicle>								factor:			
		<dashboard></dashboard>				trailer:				(optional)			
Elemente		<dashboardlive:< td=""><td>></td><td></td><td></td><td>Number of</td><td></td><td></td><td></td><td>Number the</td><td></td><td></td><td></td></dashboardlive:<>	>			Number of				Number the			
Liemente		<dashboard< td=""><td>. /></td><td></td><td></td><td>choosen trailer</td><td>partition:</td><td></td><td></td><td>dashboard's</td><td></td><td></td><td></td></dashboard<>	. />			choosen trailer	partition:			dashboard's			
		<td></td> <td></td> <td></td> <td>or "S" for</td> <td>Number of</td> <td>max:</td> <td>min:</td> <td>value will be</td> <td></td> <td></td> <td></td>				or "S" for	Number of	max:	min:	value will be			
						currently	choosen	(optional)	(optional)	multiplied			
						selected vehicle	fillVolume	Upper limit					
valueType=	cmd=	option=	joints=	state=	stateText=	trailer=	partition=	max=	min=	factor=	selection= selectionGroup=	suggested displayTypes	Description
varao i ypo-	disconnected	all any	12n S	otato=	Olulo I OAL	trunor=	pur truori=	optional	optional	optional	COLOCULOTIC COLOCULOTIC COLO	VISIBLE, EMITTER	Active if nothing is connected to the given joints
	connected	all I any	12n S					optional	optional	optional		VISIBLE, EMITTER	Active if something is connected to the given joints
	lifted	all any	12n S					optional	optional	optional		VISIBLE, EMITTER	Active if given joint is lifted
	lifting	all any	12n S					optional	optional	optional		VISIBLE, EMITTER	Active if given joint is lifting
	lowering	all I any	12 n S					optional	optional	optional		VISIBLE, EMITTER	Active if given joint is lowering
	lowered	all any	12n S					optional	optional	optional		VISIBLE, EMITTER	Active if given joint is lowered
	lowerable	all any	12n S					optional	optional	optional		VISIBLE, EMITTER	Active if given joint is lowerable
	pto	all any	12n S					optional	optional	optional			
													Value of PTO's turn rate in relation to the vehicles RPM. Set min, max
	ptoRpm	all any	1 2 n S					optional	optional	optional		NUMBER, TEXT, ANIMATION, SLIDER	and factor for fine tuning
	foldable	all any	12n S					ontional	optional	ontional		VISIBLE, EMITTER, ANIMATION, SLIDER	Active if implement at given joint is foldable
	folded	all any	12n S					optional	optional	optional		VISIBLE, EMITTER, ANIMATION, SLIDER	Active if implement at given joint is folded
	unfolded	all any	12n S					optional	optional	optional			Active if implement at given joint is unfolded
	folding	all any	12n S					optional	optional	optional			
	unfolding	all any	12n S					optional	optional	optional			
	foldingState	all any	12n S					optional	optional	optional		NUMBER, TEXT, ANIMATION, SLIDER	Value of current folding process (0 1). Use factor for scaling.
	unfoldingState	all any	12n S					optional	optional	optional		NUMBER, TEXT, ANIMATION, SLIDER	Value of current unfolding process (0 1). Use factor for scaling.
	tipping	all any	12n S					optional	optional	optional			Active if implement at given joint is tipping to the ground/trigger
	swath	all any	12n S	1 2 3				optional	optional	optional		VISIBLE, EMITTER, ANIMATION, SLIDER	Active if given swath state is active
	mpConditioner	all any	12n S					optional	optional	optional		VISIBLE, EMITTER, ANIMATION, SLIDER	Active if Conditioner is on (requires Maize+)
	seedType	all any	12n S					optional	optional	optional		TEXT	Returns the current set seed type
base													
	fillLevel	abs percent max abskg percentkg maxkg	1 2 n S			1n S	1n	optional	optional	optional		NUMBER, TEXT, ANIMATION, SLIDER	Value of current fillLevel of choosen trailer and partition at given joint. abs: absolute value, percent: fillLevel in percent, max: capacity absKg: absolute fill weight, percentkg: percent from max weight, maxkg: maximum weight
	hasSpec	all any <specname></specname>	1 2 n S					optional	optional	optional		VISIBLE, EMITTER	Active if implement at given joint has the given specialization
	hasTypedesc	all any <tvpedescname></tvpedescname>	1 2 n S					optional	optional	optional		VISIBLE, EMITTER	Active if implement at given joint has the given type description
	tippingState	all any	12n S					optional	optional	optional		VISIBLE, EMITTER, ANIMATION, SLIDER	Value of current tipping process (01). User factor for scaling.
	ridgeMarker	all any	12n S	1 2 3			1	optional	optional	optional		VISIBLE, EMITTER	Active if ridgeMarker has given state
	liftState	all any	12n S					optional	optional	optional		VISIBLE, EMITTER, ANIMATION, SLIDER	Value of current lifting state (01). This only makes sense with 3P- Attachers. Use factor for scaling.
	tipSide	all any	1 2 n S	Front Back Left Right BackGrainDoor				optional	optional	optional		VISIBLE, EMITTER	Active if set tipSide equals given tipSide.
	tipSideText	all any	12n S					optional	optional	optional		TEXT	Returns current set tipSide as plain text.
	realClock	all any	12n S					optional	optional	optional		TEXT	Returns real world clock time as plain text.
	heading	all any	12n S					optional	optional	optional		NUMBER, TEXT	Returns current heading in degree
	headingText1	all any	12n S					optional	optional	optional		TEXT	Returns current heading as N, E, S, W.
	headingText2	all any	12n S					optional	optional	optional		TEXT	Returns current heading as N, NE, E, SE, S, SW, W, NW.
	fieldNumber	all any	12n S					optional	optional	optional		NUMBER, TEXT	Returns current field number
	chopper				enabled active			optional	optional	optional		VISIBLE, EMITTER	Active if chopper of combine is active (no swath):
	swath				enabled active			optional	optional	optional		VISIBLE, EMITTER	enabled: chopper is activated, active: chopper is currently working Active if combine is producing straw swathes:
												•	enabled: swath is activated, active: swath is currently being produced
combine	filling							optional	optional	optional		VISIBLE, EMITTER	Active if combine's tank is currently filling
	hectars							optional	optional	optional		NUMBER, TEXT	Value of worked area
	cutHeight			410101				optional	optional	optional		NUMBER, TEXT	Value of set cutting height
	pipeState			1 2 3				optional	optional	optional		VISIBLE, EMITTER, ANIMATION, SLIDER	Active if current pipe state equals given state Active if pipe is currently folding or unfolding
	pipeFolding pipeFoldingState							optional optional	optional optional	optional optional			
	overloading overloading			1 2 3				optional	optional	optional		VISIBLE, EMITTER, ANIMATION, SLIDER VISIBLE, EMITTER	Value of current folding state (01). Use factor for scaling.
	park			1 4 3				optional	optional	optional		VISIBLE, EMITTER	Active if pipe is currently overloading Active if park break is set
	diff_front							optional	optional	optional		VISIBLE, EMITTER	Active if park break is set Active if front differential is activated
	diff_back							optional	optional	optional		VISIBLE, EMITTER	Active if front differential is activated Active if back differential is activated
	diff_back							optional	optional	optional		VISIBLE, EMITTER	Active if back differential is activated Active if front or back differential is activated
	diff_awd							optional	optional	optional		VISIBLE, EMITTER	Active if front or back differential is activated Active if all-wheel-drive is activated
vca	diff_awdF							optional	optional	optional		VISIBLE, EMITTER	Active if advance speed of front axle is activated
	ks ks							optional	optional	optional		VISIBLE, EMITTER	Active if "Keep Speed" is activated
	slip							optional	optional	optional		NUMBER, TEXT	Value of current slip (requires VCA or REA GUI)
	speed2							optional	optional	optional		NUMBER, TEXT	Value of second speed control
	speed3							optional	optional	optional		NUMBER, TEXT	Value of third speed control
	7							optional	optional	optional		VISIBLE, EMITTER	Active if Headland Managament is turned on
	field							optional	optional	optional		VISIBLE, EMITTER	Active if Headland Management is currently in field mode
hlm	headland							optional	optional	optional		VISIBLE, EMITTER	Active if Headland Management is currently in headland mode
													Active if Headland Management is currently in field mode and contour
	contour							optional	optional	optional		VISIBLE, EMITTER	guidance is activated

		on					optional	optional	optional			VISIBLE EMITTER ANIMATION SLIDER	Active if GPS is turned on (Guidance Steering/GS or VCA)
gps		active					optional	optional	optional			VISIBLE, EMITTER	Active if GPS is currently active (GS or VCA)
		lane+					optional	optional	optional			VISIBLE, EMITTER	Active if current GPS-Lane is bigger than 0 (GS only)
		lane-					optional	optional	optional			VISIBLE, EMITTER	Active if current GPS-Lane is smaller than 0 (GS only)
							optional	optional	optional			NUMBER, TEXT	Value of current GPS-Lane (GS only)
		delta					optional	optional	optional			ALL	Value of necessary course correction (-0.5+0.5, GS only). Use factor for scaling.
gpsLane		dir					optional	optional	optional			ANIMATION	Direction of course correction (-1: left, +1: right, GS only.
		dirLeft					optional	optional	optional			ALL	Active if direction of necessary course correction is left
		dirRight					optional	optional	optional			ALL	Active if direction of necessary course correction is right
		headingDelta					optional	optional	optional			ALL	Value of heading delta to gps course (GS or VCA)
gpsWidth							optional	optional	optional			NUMBER, TEXT	Value of currently set gps width
gporrida		mode					optional	optional	optional			TEXT	Value of ProSeed's mode in plain text
		mode		auto semi manual			optional	optional	optional			VISIBLE, EMITTER	Active if proSeed's mode equals given state
,		distance		manda			optional	optional	optional			NUMBER, TEXT	Value of tramLine distance
,		laneDrive					optional	optional	optional			NUMBER, TEXT	Value of currently set lane
,		laneFull					optional	optional	optional			NUMBER, TEXT	Number of lanes set
,		tram					optional	optional	optional			VISIBLE, EMITTER	Active if tramLines are created
proSeed		fert					optional	optional	optional			VISIBLE, EMITTER	Active if fertlizer is enabled
,		areaWork					optional	optional	optional			NUMBER, TEXT	Value of worked area
,		areaField					optional	optional	optional			NUMBER, TEXT	Value of field size
,		timeUse					optional	optional	optional			NUMBER, TEXT	Value of hectars per hour
,		seedUse					optional	optional	optional			NUMBER, TEXT	Value of seed use
,		segment		1 2 3			optional	optional	optional			VISIBLE, EMITTER	Active if segment choosen in state is enabled
,		tramType		1,=1=1			optional	optional	optional			VISIBLE, EMITTER	Active if premarked tramlines are created
,		audio					optional	optional	optional			VISIBLE, EMITTER	Active if proSeed's audio signals are enabled
							optional	optional	optional	-2 -1 0 1 2	ZI	VISIBLE, EMITTER	Active if currently selected vehicle/implement equals given selection
selection							optional	optional	optional		-2 -1 0 1 2	VISIBLE, EMITTER	Active if currently selected group equals given selectionGroup
	isRoundBale	all any selected current	1 2 n S				optional	optional	optional			VISIBLE, EMITTER	Active if bale is a round bale selected: baler setting, current: current bale
	baleSize	all any selected current	12n S				optional	optional	optional			NUMBER, TEXT	Value of current bale size selected: baler setting, current: current bale
baler	baleCountAnz	all any	12n S				optional	optional	optional			NUMBER, TEXT	Current value of processed bales (requires Ifko's baleCounter Mod or Göweill DLC or Vermeer DLC)
	baleCountTotal	all any	12n S				optional	optional	optional			NUMBER, TEXT	Total value of processed bales (requires Ifko's baleCounter Mod or Göweill DLC or Vermeer DLC)
	wrappedBaleCountAnz	all any	12n S				optional	optional	optional			NUMBER, TEXT	Current value of wrapped bales (requires Ifko's baleCounter Mod)
	wrappedBaleCountTotal		12n S				optional	optional	optional			NUMBER, TEXT	Total value of wrapped bales (requires Ifko's baleCounter Mod)
lask Stanzing Aul-	found		12n S			1n						VISIBLE, EMITTER, ANIMATION, SLIDER	Active if steering axle lock is activated (requires Ifkos lockSteeringAxle mod)
lockSteeringAxle combineXP	locked		1 2 n S			1n						VISIBLE, EMITTER, ANIMATION, SLIDER	Active if steering axle lock is activated (requires Ifkos lockSteeringAxle mod)
	tonPerHour											NUMBER, TEXT	Value of currently processed tons per hour
	engineLoad											NUMBER, TEXT	Value of engine load
	yield											NUMBER, TEXT	Value of current yield
	highMoisture											VISIBLE, EMITTER, ANIMATION, SLIDER	Active if high crop moisture is detected
	toolRotation	all any	12n S				optional	optional	optional			NUMBER, TEXT	Value of tool's rotation
		all I anv	12n S		origin		optional	optional	optional			NUMBER, TEXT	Value of tool's rotation normalized
frontl onder	toolRotation												
frontLoader	toolRotation isToolRotation	all any	12n S				optional	optional	optional			VISIBLE, EMITTER, ANIMATION, SLIDER	Active if tool's rotation is between min and max
frontLoader					origin		optional optional	optional optional	optional optional				Active if tool's rotation is between min and max Active if tool's normalized rotation is between min and max