Data Management

Overview

HYDRA menu	System administration → Archiving → Data management
FEDRA menu	System administration → Archiving → Data management
Transaction code	arccfg
Function authorization	arccfg.*

Purpose

You use this application to view or change the centrally managed archiving settings of recorded data.

Integration

Use this application to configure the settings for archiving / data management for all components/functions.

Field descriptions

Product

Enter the system module for which you want to define a rule.

Object

Use the *Object* to define the data you want to retain.

Retention period

Use the fields for the *Retention period* to define how long data should be available until data is archived.

Unit

Specify the retention period in days, months or years.

Last retention date

This field is computed and specifies the last day when data is still available in this object.

Action

You can choose from three options to specify the processing for an object:

D = delete	Object is deleted
M = move (archive)	Object is transferred to the next area
X = export	Object is unloaded (XUNLOAD format) and then deleted

Target object

Currently, the target object automatically results from the detail configuration.

Condition

The characters in this field are added as an additional condition to the database command that controls the action. This condition is linked to the other conditions of the original command using AND and is set in parentheses.

Last run (date/time)

Indicates the point in time when this rule was applied last.

License

Indicates which license is required for archiving. You can enter several licenses (separated by a space). If none of these licenses is licensed in the system, the data is either deleted (action D) or unloaded into files (action M or X), depending on the relevant action.

Path

Optional path to generate the file export (unload). The archiver currently only supports local HYDRA server drives. If you do not enter a path, file exports are filed as follows:

<HYDRADIR>/<SYSTEM>/custom/archive/<YYYY-MM-DD>/<PRODUCT>/

HYDRADIR HYDRA directory
SYSTEM … system number
YYYY-MM-DD … archiving day (YYYY … year, MM … month, DD … day)
PRODUCT … product from archiving configuration

Administration table

Name of the administration table where archiving logs are stored.

Administration duration (retention period of administration table)

Use the fields for the *retention period* to specify how long the logs should be available in the administration table before being deleted.

Unit

Specify the retention period in days, months or years.

Archiving step

Specifies if this archiving process uses archiving function I or II. Archiving function I: The function moves data from the online data set to archive tables or deletes the data: setting M (medium-term archive). Archiving function II: The function moves data from the archive table to the file export or deletes the data: setting L (long-term archive).

Configuration

Indicates whether or not the configuration is active. Possible values: Y/N

Archiving type

Identifier for time or object-related archiving. Supported modes: O = Object-related archiving (i.e. data is archived for each object individually). Z = Time-related archiving (i.e. data is archived without any object reference).

Note: Time and object-related archiving differ from each other significantly in the archiving performance (runtime). Object-related archiving of mass data is not recommended.

Priority

Integral value greater than 0. Indicates the processing sequence if several objects are defined for a product group. Processing starts with the lowest value.

Master table

Table including the data to be archived. The extensions entered in the *Condition* field refer to this table.

Date column

Date column in the master table. The system uses this date column to evaluate the retention period for the data to be archived.

Key 1

Unique key column in the master table; this key identifies the data to be archived. You can define up to 5 key columns for object-related archiving. Time-related archiving only supports one primary key in *Key 1.*

Keys 2 – 5

Additional optional key columns for object-related archiving.

Comment

Use the comment line to describe the archiving configuration.

If you copy the archiving configuration, the system currently only copies the data management configuration, but no defined data records from the object details. Currently, you must use the respective dialog to copy the data records of the object details to the new configuration.

1 Functions/configurations specific to product groups

1.1 CAQ

For information on the data management configurations of CAQ 8.1, refer to the document MBL_Archiving_CAQ.pdf.

1.2 BDE

For information on the data management configurations of BDE 8.1/BDE 8.2, refer to the document MBL_Archiving_BDE.pdf.

1.3 MDE

For information on the data management configurations of MDE 8.1/MDE 8.2, refer to the document MBL_Archiving_MDE.pdf.

1.4 WRM

For information on the data management configurations of WRM 8.1/WRM 8.2, refer to the document MBL_Archiving_WRM.pdf.

1.5 PDV

1.5.1 Overview

The standard archiving function of HYDRA-PDV 7.2 can archive mass data tables. The system writes table data into files that are stored using a defined path.

Mass data tables (also called TNT tables) include a time stamp in their name ID that is used during archiving.

The table "tnt_table_repo" provides information on the archiving status of the single TNT tables, e.g. information on the location and the name of the data file, or on an eventual re-import of the table that might require a new export.



capture_ts_start	capture_ts_end	tablename	version	exportfile	schemafile	is_online	count_rec	reload_duration	table_id	arc_path
02/05/2009 16:00:00	02/05/2009 16:59:59	tnt_0000002009020516				Y	0	0	000000	
02/05/2009 17:00:00	02/05/2009 17:59:59	tnt_0000002009020517				Y	0	0	000000	
02/05/2009 18:00:00	02/05/2009 18:59:59	tnt_0000002009020518				Y	0	1	000000	
02/05/2009 19:00:00	02/05/2009 19:59:59	tnt_0000002009020519				Y	0	0	000000	
02/05/2009 20:00:00	02/05/2009 20:59:59	tnt_0000002009020520				Y	0	0	000000	
02/06/2009 09:00:00	02/06/2009 09:59:59	tnt_0000002009020609				Y	0	0	000000	
02/06/2009 20:00:00	02/06/2009 20:59:59	tnt_0000002009020620				Y	0	0	000000	
02/06/2009 21:00:00	02/06/2009 21:59:59	tnt_0000002009020621				Y	0	0	000000	
02/06/2009 22:00:00	02/06/2009 22:59:59	tnt_0000002009020622				Y	0	1	000000	

Patch:

The standard HYDRA-PDV 7.2 installation provides the option to archive mass data, thus TNT tables.

- DBPATCH PDV_72 (includes the “pdv_setup“ table)
- DBPATCH TNT_72 (includes the “tnt_table_repo“ table)

License:

Lizenz	Produktbezeichnung	Kategorie	Produkt	Anzahl	Gültig bis	Release
	PDV	HYDRA	PDV-ARC	1		7.2

1.5.2 Configuration

Mass data is archived via two components: export and import.

The export is performed at cyclic intervals and is started by the system scheduler. The export unloads "due" tables from the database into data files on hard disk.

The import (or reload) function is a kind of library. If required, you use this function to reload data from the data files back to the database tables.

In general, the export function transfers the files one-to-one from the database into the data files. You can also configure a one-to-many relationship, i.e. you can distribute a table among several files. Vice versa, a file must belong to exactly one table (one table can have several files, but a file always refers to exactly one table).

Program:	hp_mexp.exe / out
Installation:	The program is entered in the system Scheduler and started cyclically.
	Console menu: File – System administration – Scheduler
	The corresponding time, when the program is to be started can be defined in the "fix" tab.

Important: You should not start the export program at little intervals in the Scheduler, because it is an archiving program. Depending on the data volume, a daily (each night) or weekly rhythm is enough.

You must also define a parameter that specifies when the data is old enough to be archived. Here, the parameter refers to the number of tables that may be online. If this number is exceeded, the oldest TNT tables are archived via export. The parameter is included in the "pdv_setup" table. You can change the parameter in the basic settings of the console, in tab "PDV".

As part of the implementation process, it has to be checked if the archiving path with ID "PDVARC" exists in the "arc_path" column of the "pdv_setup" table (and, if required, if the transport path has been defined with the ID "PDVTRANS" in the "trans_path" column).

You can then use the table "hy_path" to find the respective directories.

You may not define a host if a relative URL path is defined for archiving, PDVARC, (depending on the file hp_mexp.scr).

As part of a customization, you can also archive further data (e.g. events). To this end, you must store the respective entries in the table "hyd_datamanagement". The process is identical to the one of the general archiving.

1.6 MPL / TRT

For information on the data management configurations of MPL or TRT in versions 8.1 or 8.2, refer to the document MBL_Archiving_MPL.pdf.

1.7 HLS

For information on the data management configurations of HLS 8.1, refer to the document MBL_Archiving_HLS.pdf.

1.8 PZE / PZW

For information on the data management configurations of PZE or PZW in versions 8.1 or 8.2, refer to the document MBL_Archiving_PZW.pdf.

1.9 PEP

For information on the data management configurations of the Personnel Scheduling PEP in versions 8.1 or 8.2, refer to the document MBL_Archiving_PEP.pdf.

1.10 LLE

For information on the data management configurations of the Incentive Wage LLE 8.1, refer to the document MBL_Archiving_LLE.pdf.

1.11 ZKS

For information on the data management configurations of the Access Control ZKS in versions 8.1 or 8.2, refer to the document MBL_Archiving_ZKS.pdf.

1.12 ESK

For information on the data management configurations of the Escalation Management in version 3.0, refer to the document MBL_ESK_Archiving.pdf.

1.13 ETD

For information on the data management configurations of the Label Design in version 3.0, refer to the document MBL_Archiving_ETD.pdf.