Manual

Management Functions for Personnel Scheduling

HLS-PEP 8.2

Version 1.0.23503

Last changed on: 02.10.2020

Copyright

Contents

1 Overview: management functions for personnel scheduling

Purpose

This function package provides functions to define qualifications and to assign these qualifications to staff and workplaces.

Implementation notes

Use the function package if:

- you use the HYDRA Shop Floor Scheduling module (HLS) and you want to edit personnel requirements and personnel capacities.

Integration

The configurations you make in this function package are the basis for other HLS and Personnel Scheduling (PEP) function packages.

Features

- Qualifications
    - Qualification master to define required qualifications.
- Assigning qualifications to staff
    - You can assign qualifications to employees.
- Qualification matrix
    - You can view and maintain the qualifications assigned to staff in a matrix.
- Workforce requirements of workplaces
    - You can specify personnel requirements per workstation or machine.

2 Categories

Summary

HYDRA menu	System administration → System settings → Categories
FEDRA menu	Advanced Resource Planning → Maser data → Categories
Transaction code	catg
Function authorization	catg

The "categories" application has been designed to manage categories for different applications. The categories advanced training, instructions, driver's license, inspection, etc., for example, may be defined for the qualifications. The categories are also used in the digital personnel file (e.g. application, appraisal, etc.) and the work equipment management.

Field description

Category

Alphanumeric key for the category

Designation

Category name

Application

Transaction code for the application in which the category is to be used.

Responsibility area ("category" group)

The responsibility area which the category is assigned to. This responsibility area is checked when the category is edited but it does not affect using the category in other applications.

Responsibility area ("Authorization check for using the category" group)

The responsibility area entered here is checked if you want to show, create, change or delete a data record assigned to this category in another application. This authorization controls, for example, if a user in the digital personnel file is allowed to view, create, change or delete entries assigned to the "appraisal" category.

3 Qualifications

Overview

HYDRA menu	Master data → Staff → Qualifications
FEDRA menu	Advanced resource planning → Master data → Qualifications
Transaction code	qual
Function authorization	qual

Individual qualifications are defined using the related settings in the master data for qualifications:



Field descriptions

Qualification

Unique qualification number. This number can be freely selected when creating a qualification.

Name/designation

Description of the qualification

Category

Category which this qualification belongs to. The category controls authorizations for viewing and editing qualifications within the application Staff qualifications.

Color

Color highlighting the qualification in personnel assignment. This field is only available if the additional function "enhanced selection and visualization" is available.

The field "color" is only available if the license "enhanced selection and visualization" (PEP-ESV) is enabled (only applicable if HYDRA is used).

Relevant to workforce requirements planning

This field specifies whether the qualification is to be displayed and processed in workforce requirements planning.

Assign automatically

This option specifies if the qualification is considered in the automatic planning and only affects workforce requirements defined via the machine/operator relation of the operation or the production resources and tools.

Order

You can configure the order in which multiple qualifications for a workplace are displayed in the Workplace Assignment.

Responsibility area

Responsibility area of the qualification

Validity period

Indicates how long the qualification will be valid (in days). If a value is entered in this field, the validity period will be assigned automatically starting from the current day until the end of the specified validity period, when an assignment is created for this qualification.

Max. validity period

Maximum validity of the qualification in days that is checked, when an assignment is created or edited. If the validity start date is not indicated it will automatically be set to “Today”. If the validity end date is not entered, it will automatically be set to the validity start date + maximum validity period. If both fields are assigned values and the maximum validity period is exceeded, editing of a qualification will be canceled by issuing the error message “maximum validity period exceeded.

The fields ”category”, “relevant to workforce requirements planning”, “validity period" and "max. validity period” are only available if the license "enhanced personnel information" (SIS-EPI) is enabled or PEP 8.2 is in use (only applicable if HYDRA is used).

4 Staff qualifications

Overview

HYDRA menu	Master data → Staff → Staff qualifications
FEDRA menu	Advanced Resource Planning → Master data → Staff qualifications
Transaction code	pequal
Function authorization	pequal

You can define the employees' qualifications in the *Staff qualifications* application:



Employees without qualification cannot be planned automatically in the Workplace assignment application.

Selection criteria

The application provides the following selection criteria:

Qualification

Enter a specific qualification to restrict the displayed assignments.

Category

Use this field to restrict the category assigned to the qualifications.

Validity ends ... to

Specifies when the qualification expires. If you use this option to restrict data, the application shows all assignments whose validity end date coincides with the selected period.

Advanced training planned

Specifies the date when a training is planned. Use this option, to identify all employees who are planned to participate in a training for a specific qualification and a specific date. As a result you get a "list of participants".

The selection criteria *Category, Validity ends ...to* and *Advanced training planned* are only available, if you enable the license *Extended personnel information (SIS-EPI)* or *version 8.2 of the Personnel Scheduling (PEP) module.*

Field descriptions

Person

The person's personnel number.

Qualification

Qualification number.

Ranking order

Ranking of the qualification. The system plans qualifications with higher ranking first during automatic planning. You can use the numbers ranging between 99 and 1 to define the ranking.

Valid from, to

The validity period for the assigned qualification.

Without date specification => *unlimited validity*

Valid from - until => *restricted to a date range*

Valid from => *Workforce requirements apply as of the specified date*

Valid until => *Workforce requirements apply until the specified date*

Evaluation

In this field, you can enter an evaluation/rating of the qualification for information purposes. The field is only available if the user has the function authorization *pequal* or *pequal.rating*.

If this field should not be displayed for specific users, you have to delete the function authorization *pequal* for these users. Then you have to add the required function authorizations *pequal.create, pequal.edit, pequal.delete* and *pequal.copy.*

Comment 1-3

Use these fields to add up to three comments for each assignment.

Advanced training planned

Date when a training is planned for this qualification.

Start time

Start time of the training.

Advanced training done

Check this field to document that the training has been completed.

The fields *Evaluation, Comment 1-3, Advanced training planned, Start time* and *Advanced training done* are only available, if you enable the license *Extended personnel information (SIS-EPI)* or *version 8.2 of the Personnel Scheduling (PEP) module.*

Toolbar

Add file

Opens a dialog to select a file. Once selected, the file is saved with a unique name in the HYDRA path ”MOCHRIMG“ on the server. The *File name* field shows the file name.

Show file

Shows any assigned file. Subject to the file extension, the application linked in the operating system displays the file.

Delete file

Deletes the assigned file. Once you have used this function, the file is no longer available on the server.

The buttons *Add file, Show file* and *Delete file* are only available, if you enable the license *Extended personnel information (SIS-EPI)* or *version 8.2 of the Personnel Scheduling (PEP) module* (only applicable if HYDRA is used).

5 Qualification Matrix

Overview

HYDRA menu	Production control → Workforce requirements planning → Qualification matrix Human resources management → Workforce requirements planning → Qualification matrix
FEDRA menu	Advanced resource planning → Master data → Qualification matrix
Transaction code	quam
Function authorization	quam

The qualification matrix represents the qualifications assigned to personnel in form of a matrix and facilitates changes to these assignments:



Selection criteria

The application provides the following selection criteria:

Qualification

You can select a specific qualification.

Category

You can assign qualifications to a category. Use this field to only view the qualifications that are assigned to the indicated category.

Valid on

The application only shows the qualifications that are valid on the day entered here.

Field descriptions

Display

Use this field to define whether the application should show the "ranking order" or the "evaluation" (rating) of the assigned qualifications.

Valid until

Qualifications with a validity end date ending prior to or on the date defined in the "valid on" field of the selection panel are highlighted in yellow. Consequently, you can identify expiring qualifications.

Editing functions

If you double click an empty field, a dialog opens where you can assign a qualification to an employee. You can edit an existing assignment, if you double click the corresponding field. Fields are described in the document Staff qualifications.

You can copy or delete an existing assignment by selecting the relevant field and clicking the *Copy* or *Delete* button in the toolbar.

If you create, copy, edit and delete assignments, the system checks the function authorization *pequal.* The same applies for the application Staff qualifications.

Toolbar

Add file

Opens a dialog to select a file. Once selected, the file is saved with a unique name in the HYDRA path ”MOCHRIMG“ on the server. The *File name* field shows the file name.

Show file

Shows any assigned file. Subject to the file extension, the application linked in the operating system displays the file.

Delete file

Deletes the assigned file. Once you have used this function, the file is no longer available on the server.

6 Public holidays

Overview

Menu	Human resources management → Models → Public holidays
Transaction code	ptph
Function authorization	ptph

The following application opens for planning public holidays:



Purpose

The public holidays stored in the system are considered when year models are created. Subsequent modifications in the public holidays table do not affect already existing year models.

Public holidays for which you have defined an absence payment also have the same effect as if an absence was planned. In order for the system to generate an absence, you must have planned a target time for the corresponding days in the working time models.

Field descriptions

Type

Here you can specify whether it is a *Public holiday*, a *Religious holiday* or an *Other day off.* In week and period models, you can plan different day types for the particular types.

Absence payment

Payment day type which should be used to create an absence. If this field is left empty, then no absence is planned for this day.

Company

Use this option to restrict the public holiday to a particular company. Use this field if a particular holiday is not valid in all companies or if different absences should be created for different companies. Otherwise, you should leave this field empty.

Personnel selection

Use this field to plan public holidays for groups of persons or individual persons. This is mainly required if employees also work on public holidays due to a continuous shift model. For a specific group of persons, you can disable a public holiday that is planned for the entire company, if you select the option *No public holiday.* The following priorities apply, if several public holidays with different personnel selections are defined for an employee on one day:

1) person
2) employee subgroup
3) cost center
4) area
5) department
6) activity
7) employment relationship
8) person does not clock

7 Working Time Day Types

Summary

HYDRA menu	Human resource management → Models → Working time day types
FEDRA menu	Advanced resource planning → Master data → Working time day types
Transaction code	wtdt
Function authorization	wtdt

All of the various employee working times are defined in the working time day types.



Usage

To specify the working time for a shift worker, all of the shifts that occur in a day are entered in the working time day type. Each shift of the day is represented in a working time day type, each of which contains an identifier referring to the corresponding shift, e.g. 'F' for early shift, 'S' for late shift, etc.

Field descriptions for the *Working time* tab

Type

Selection regarding whether the type is flextime or shift day type.

Shift type

In working time planning in the shift rhythm model, the shift type field is used to plan one of the shifts defined in the day type for the employee. The designation can be freely selected although the system is case sensitive. The shift types within one day type must be different. Self-explanatory abbreviations, such as "F" for early shift and "N" for night shift, are useful.

A night shift that is to be compensated on the following day is configured using a negative start time in skeleton and normal time. For example, the entry "-2:00" means that the shift starts two hours before 0:00, or at 22:00 on the previous day. If the core time is also to begin on the previous day, a negative time must also be entered in the corresponding field.

Target time

Specification of the daily target working time in hours and minutes. For day types for occasional Saturday or Sunday work, the value 00:00 is entered in this field to specify that there is no target working time for this day. For employees that are not present, this means that an absence is not generated for this day. For employees that are present, the attendance time is evaluated as overtime.

Max. working time

The entry in the *Max. working time* field causes a message to appear in the day evaluation if an employee exceeds the maximum working time on the day evaluated. Otherwise, the entry in this field has no other effect, i.e. working time that exceeds the maximum working time is compensated. If this field is empty (entry of 00:00), no message is generated.

Rest period

The rest period specifies how long after the end of the working time employees have to rest before they are allowed to resume work on the next day. Planning scenarios violating the rest period are highlighted in pink in Personnel Scheduling. Provided that the rest period has not been respected, Labor Time Calculation generates a respective message that is shown in Messages listing

Beginning, end of skeleton time

Specification of the period in which employee presence is allowed. Control of labor time calculation can be used to define whether or not the working time before or after the beginning/ end of skeleton time is to be compensated.

Beginning, end of core time

Specification of the period in which the employee must be present. If the employee leaves the workplace early or the clock-in is late, a message is generated in the messages listing.

For day types without core time, an entry **must** be made anyway in the core time field within the skeleton time (e.g. core time from 11:30 to 11:30).

Beginning, end of normal time

If an employee does not provide a clocking on the day to be evaluated even though the employee was assigned target working time, i.e. the employee was absent the entire day, normal working time is compensated. The absence record created for the employee starts at the normal start time, contains the normal breaks and ends such that the target time or the set absence time is reached. The rounding of clockings is also set based on the normal working time. The normal working time is also needed for the assignment regarding whether the working time belongs to the current day or the following day. For this reason, it is imperative that an entry be made in this field.

Field descriptions for the *Breaks* tab

Break 1 to Break 3

In these three groups, a skeleton time, a minimum duration and a normal time can be entered for each break. In addition, a specification can be made regarding whether the break is unpaid or paid. While unpaid breaks are subtracted from the working time, paid breaks count as working time and are considered in the compensation of breaks depending on working time, for example. For day types that include fewer than three breaks, the other break fields remain empty.

For paid breaks, the field *Minimum duration* is processed as maximum duration.

Note regarding the processing of flexible breaks

Flexible breaks are unpaid breaks in which the period of the break frame is longer than the minimum duration of the break. The following rules apply for processing flexible breaks:

1. The employee is present, but does not create a clocking within the break frame. If the system does not find a clocking within the break frame, the employee is credited with the normal time for the respective break.
2. If the employee creates a clocking within a break frame and the clocked time is longer than the minimum break, exactly that clocked time is subtracted for the employee.
3. If the employee creates a clocking within a break frame and the clocked time is shorter than the minimum break, the minimum break is subtracted for the employee.

4. If only one of the two clockings lies within the break frame, only the time within the frame is evaluated as a break. The time outside of the frame is subtracted as an interruption of the working time. This takes effect if only a small part of the clocked break is within the frame because in this case, the minimum break is allocated as the break and the time outside of the break frame is also subtracted.
5. If the employee uses the final clock-out for the respective day before the end frame of a break, the time for this break is not credited.
6. If the employee uses the first clock-in for the respective day after the start frame of a break, the time for this break is not credited either.
7. Clockings within the break frame time can have their own rounding interval defined for them in the evaluation parameters.
8. Normal breaks are always allocated for absence records.

Note regarding the processing of paid breaks

The following rules apply for processing paid breaks:

1. If no clocking is created for the break, nothing is subtracted for the break. The duration of the paid break is still considered in the compensation of the breaks depending on working time.
2. If a break clocking is created within the frame of a paid break, it is filled with working time up to the minimum duration of the break. To do this, an additional clocking record of type "Paid break" is generated. If the break was longer than the minimum duration, the remainder is subtracted as an unpaid break.
3. To determine the break duration, only the absence within the break frame is used. Absence time outside of the break frame is allocated as a working time interruption and is not considered when the interruption is filled with a paid break.

Only one paid break may be clocked per break frame. Multiple paid breaks within one break frame cannot be processed correctly.

Field descriptions for the *On-call duty* tab

Beginning, end of on-call duty

Up to two on-call duty intervals can be stored in the working time day type. Setting up on-call duty is described in the On-call duty documentation.

The fields in the *On-call duty* tab can only be accessed if the Personnel Scheduling license (PZW-PZP) is active (only applicable if HYDRA is used).

Field descriptions for the *Payment* tab

Day type

The entry in this field is the payment day type that is to be compensated together with this working time day type.

As an alternative, there is an option to specify the payment using the payment model assigned using the HR master data sheet. If a payment day type is entered in this payment model, it has precedence over the payment day type entered here in the working time day type.

Field descriptions for the *Options* tab

Free break

In addition to the three breaks in the Working time tab, a free break can be subtracted from the working time of each employee. This break can be distributed over the day. This field is not used to enter the total of all breaks. The free break is always subtracted at the end of the day **regardless of the amount of working time**, i.e. it is even allocated if an employee was only present for a short time.

Compensation of target time starting

This option can be used to select if the compensation of the target time is to occur beginning with the start of the working time, the frame, the normal time or the core time. For example, if the start of the frame is set and the employee worked overtime, the target time is filled with the working time after the start of the frame and the previous time (time before frame start or parts of it) are compensated as overtime. With the Working time start setting, any possible existing overtime is always compensated at the end of the working time.

8 Working Time Models

Summary

HYDRA menu	Human resource management → Models → Working time models
FEDRA menu	Advanced resource planning → Master data → Working time models
Transaction code	wtmo
Function authorization	wtmo

Week models, period models and year models can be used to assign working time day types to working time models.



Insert week model


Insert week model

The following dialog opens for inserting a week model:



Valid as of

The field *valid from* can be used to define week models with the same model number and different validity starts. If modifications are required for a week model, they can be stored using a new week model with the same number such that the calculations can be reset.

Monday, Tuesday, ..., Sunday

The day type for the corresponding weekday is entered in these fields. The *Public holiday*, *Important public holidays* and *Other days off* tabs can be used to store a different day type per weekday. This day type is used if the day is defined as a public holiday with the respective public holiday type. If the fields in these tabs are empty, on public holidays, the day type from the *Weekdays* tab is used.

Insert period model

Insert period model

The following dialog opens for inserting a period model:



Field description

Reference date

The reference date specifies the date on and after which the periods described in the table will cycle through repeatedly.

The "Insert" option is used to define the individual periods of the period model:



Field description

No. of days

Duration of the period in days

Day type

Specification of the day type for working time models.

Day type for public holidays, important public holidays, other days off

A different day type can be stored in these three fields for public holidays, important holidays and other days off. If these fields are empty, on the respective public holidays the entry from the previously described field will be used.

Insert year model

Insert year model

The following dialog opens for inserting a year model:



Date from, to

Period for which an assignment is to be made.

Weekdays, weekends, Mo, Tu, ..., Su

Weekdays that are to be assigned. The *weekdays* button selects the days from Monday to Friday and the *weekends* button selects Saturday and Sunday.

Include public holidays, exclude public holidays, public holidays only

This option is used to specify whether or not public holidays are considered in the assignment or if only public holidays are assigned. Public holidays are shown in brown in the year calendar.

Day type

Selection of the working time day type that is to be entered on the selected days in the year calendar.

Field descriptions for the *Weekdays* tab

Assigns the selected day type on the selected days.

Deletes the day types entered on the selected days in the year calendar.

9 Shift Rhythm Models

Overview

HYDRA menu	Human resources management → Models → Shift rhythm models
FEDRA menu	Advanced resource planning → Master data → Shift rhythm models
Transaction code	srmo
Function authorization	srmo

To specify the working time of a shift worker, you require the working time model and the so-called shift rhythm model. This model specifies the shift type of the different workdays.



In tab *Calendar view*, the selected shift rhythm model is displayed in a current calendar view. With shift rhythm models that have been created long ago, the calendar view provides an overview of the shift rhythm of the current year. This way it is easier to assign the correct model to a person.



Purpose

In the shift rhythm model, you can enter a shift type for the selected days. This is also possible if no day type has been stored for the respective day in the working time model. This way, it is often easier to create a shift rhythm model.

Insert week model

Insert week model

To insert a *Week model*, the following dialog opens:



Valid from

You can use the *Valid from* field to define week models with the same model number and different validity start dates. If you must edit a week model, you can store this change retroactively using a new week model with identical model number.

Monday, Tuesday, …., Sunday

You enter the shift type of the respective weekday in these fields. In tabs *Public holiday, Important public holidays* and *Other days off,* you can store a different shift type for the weekday that is used if the day is defined as a public holiday with the relevant holiday type. If these fields are left empty, then the day type from the *Weekday* tab is used on public holidays.

Insert period model

Insert period model

To insert a *Period model*, the following dialog opens:



Field description

Reference date

The periods of time defined in the table are repeated from the day onwards specified as *Reference date*.

Use the button *Insert* to define the different periods of the period model:



Field description

No of days

Duration of the period in days

Day type

Specifies the shift type.

Day type with Public holiday, Important public holiday, Other day off

In these 3 fields, you can enter a different day type for public holidays, important public holidays and other days off. If the fields are left empty, then the value of the field *Day type* is used on the relevant public holidays.

Insert year model

Insert year model

To insert a *Year model*, the following dialog opens:



Date from, to

Period of assignment

Weekdays, Weekend, Mon, Tue, …, Sun

Weekdays that you want to assign. The button *Weekdays* includes the days from Monday to Friday and the *Weekend* button includes Saturday and Sunday.

Include public holidays, Exclude public holidays, Public holidays only

This option specifies if the public holidays are integrated during the assignment or not or if only public holidays are assigned. Public holidays are displayed in brown in the year calendar.

Day type

Specifies the shift type that is entered in the year calendar on the selected days.

Function buttons in tab *Weekdays*

Assigns the shift type entered to the selected days.

Deletes the shift types entered on the selected days in the year calendar.

10 Personal Models

Summary

HYDRA menu	Human resources management --> Planning --> Personal models
FEDRA menu	Advanced resource planning → Master data → Personal models
Transaction Code	pmod
Function authorization	pmod

Use the “Personal models” module to assign a working time model, shift rhythm model, payment model or an overtime type to an employee, cost center, area or an entire company for a certain period. This assignment then overrides the models configured the HR master data.

This function allows short term switches between individual models without having to change allocations in the HR master data.



Utilization

The display of planned personal models is sorted in descending order by date, i.e., the current and future plans are at the top.

The following priorities apply to the definition of personal models:

1. Employee
2. Cost center
3. Section
4. Company

That means that personnel related plans override cost center related plans. Personal models for an area override company related plans.

Selection Criteria

The application provides the following selection criteria:

Valid from, valid to

Restricts the personal models that may be selected to those applying in this period.

Field Descriptions

Company, Employee, Cost center, Section

Selection criteria for the employee or employee group, for which the personal model is to be planned. An additional company restriction is necessary if several companies are managed in the system and the allocation by company is not clear and unambiguous.

Valid from, to

Start and end dates for the planning of the personal model. If the end date field is left empty, a plan without time limit will be created.

Working time model

Working time model, according to which the selected employee or group of employees is to be evaluated.

Shift rhythm model

Shift rhythm model used for the determination of the shift type.

Payment model

Payment model to which working time is to be allocated.

Overtime type

Overtime type which overrides the period entered in the HR master data sheet. For periods of overtime calculation that are longer than one day, the planning of an overtime type for one or more days during that period always affects the whole period.

It is not necessary to fill in all fields when planning personal models. For empty fields, the models from the HR master data will be processed.

When it comes to plans that are to be rescheduled for longer periods, we recommend making the changes using the HR master that may be kept in different versions.

Toolbar

**Reset labor time calculation**

In the *reset labor time calculation* dialog the results of labor time calculation have to be reset for the selected range of people and dates when it comes to plans relating to the past, in order for the changes to become effective.

11 Personal Day Types

Overview

HYDRA menu	Human resources management → Planning → Personal day types
FEDRA menu	Advanced Resource Planning → Master data → Personal day types
Transaction code	pdat
Function authorization	pdat

You can use the application *Personal day types* to assign a working time day type or payment day type to a person, a cost center, an area or an entire company for a specified period. This entry then overrides the specification in the relevant working time or payment model.

Using this function, you can make short-term and individual changes of the working time and payment without having to change the relevant models.



Purpose

The display of planned personal models is sorted in descending order by date, i.e., the current and future plans are on top.

When you define personal day types, the following priorities apply:

1. Person
2. Cost center
3. Area
4. Company

That means that person-related plans override cost center related plans. Personal day types for an area override company-related plans.

Selection criteria

The application provides the following selection criteria:

Valid from, valid until

Only the personal day types included in this period are available for selection.

Field descriptions

Company, Person, Cost center, Area

Selection criteria for the person or group of persons for which you want to plan a personal day type. You must additionally select the company if several companies are managed in the system and the allocation by company is not clear and unambiguous.

Valid from, to

Start and end date of the planning of the personal day type. If you leave the end date field empty, a plan without time limit is created.

Working time day type

Working time day type that is used to evaluate the selected person or group of persons.

Shift type

Shift type of the working time day type.

Payment day type

The Payment day type used to settle the working time.

Using the function *Personal day types*, you can plan the working time, the payment or both. Information that is missing during planning is completed with values from the models of the relevant person. Example: To plan a different shift type, you do not need to enter the shift day type.
If you want to use a personal day type to store a different working time day type for a longer period, then you usually have to create a separate planning for each week. Otherwise the target time is also stored for the weekends.

Comment

You can enter a comment in this field. You can enter the reason why a personal day type is created, for example.

Color

You can use this field to specify a color that identifies the days for which a personal day type is stored. Using different colors you can identify the changes of different users. In this case, each user highlights the personal day types with a different color.

Working time before beginning of skeleton time

If the field *Working time before beginning of skeleton time* is set to *Rejected*, then the working time before start of skeleton time is rounded up to the start of the skeleton time. These fields therefore override the rounding settings specified in the Control of labor time calculation.

If the field *Working time before beginning of skeleton time* is set to *Approved*, then the working time before start of skeleton time is rounded using the rounding settings *Working time before beginning of skeleton time* specified in the Control of labor time calculation. If these rounding settings are empty, the time is rounded using the normal rounding settings for flextime or shift. Times that are blocked in the Control of labor time calculation are not processed if the working time before start of skeleton time is approved (it does not matter if the blocked times are included in the skeleton, core or normal time because in all 3 cases the working time before start of skeleton time can be subject to blocking).

If the field *Working time before beginning of skeleton time* is set to *Approved* and if a payment rule is set for the *Working time before beginning of skeleton time* that requires authorization, then this authorization requirement is reset.

Working time after end of skeleton time

If the field *Working time after end of skeleton time* is set to *Rejected*, then the working time after end of skeleton time is rounded down to the end of the skeleton time. These fields therefore override the rounding settings specified in the Control of labor time calculation.

If the field *Working time after end of skeleton time* is set to *Approved*, then the working time after end of skeleton time is rounded using the rounding settings *Working time after end of skeleton time* specified in the Control of labor time calculation. If these rounding settings are empty, the time is rounded using the normal rounding settings for flextime or shift. Times that are blocked in the Control of labor time calculation are not processed if the working time after end of skeleton time is approved (it does not matter if the blocked times are included in the skeleton, core or normal time because in all 3 cases the working time after end of skeleton time can be subject to blocking).

If the field *Working time after end of skeleton time* is set to *Approved* and if a payment rule is set for the *Working time after end of skeleton time* that requires authorization, then this authorization requirement is reset.

Breaks not taken

The options in the group *Breaks not taken* hide the respective breaks. The options also have an effect when you plan a personal working time. The personal working time therefore takes priority over the working time day types und the shift type in the personal day type. But the personal working time has a lower priority than the options of group *Breaks not taken*. If a *Break depending on working time* is stored, this break is processed and the setting of the options in group *Breaks not taken* has no effect. This can have the effect that the break of the working time day type is not processed, but the break depending on working time is processed.

Toolbar

**Reset labor time calculation**

In the dialog *Reset labor time calculation*, you must reset the results of the labor time calculation for plannings of the past for the persons and dates selected. Only then the changes can become effective.

12 Personal Working Time

Summary

HYDRA menu	Human resource management → Planning → Personal working time
FEDRA menu	Advanced resource planning → Master data → Personal working time
Transaction code	pwot
Function authorization	pwot

The function *Personal working time* enables the working time of an employee to be planned individually for one or more days. In contrast to Personal day types with which only the existing day types can be stored, with *Personal working time* there is an option to modify the planned working time day type in a targeted manner. Application examples include breaks that are not taken, which can be deleted for a person by planning a *personal working time*.



Field descriptions

The field descriptions correspond with the descriptions of the working time day types

When a personal working time is created, the person's respective clockings are automatically reset. In this case, the rounded times, the working time day type and payment day type from these clockings are deleted. Manually edited and authorized clockings are not automatically reset so that the editor's desired modifications are not overwritten.

13 Payment Day Types

Summary

Menu	Human Resource Management → Models → Payment Day Types
Transaction code	padt
Function authorization	padt

A payment day type defines how the working time rendered by employees is allocated on the individual wage types. Each line represents a separate payment rule, which regulates how target working time, overtime or fixed times are allocated.



Selection Criteria

The application provides the following selection criteria:

Utilization

Defines how the payment type is used. The following utilization options are possible:

Payment day type

The payment day type is provided in the selection lists for remunerations of attendance times, e.g. When payment models are created, for personal day types and when clockings are directly entered.

Absence payment

This payment day type is available in selection lists for remunerations of absence times, e.g. when absences are planned or when absence clockings are directly entered.

Overtime type

This payment type has been designed as overtime type and may, for example, be selected in the HR master or in personal models. Overtime types allow for the compensation of a person's overtime and reduced hours to be controlled, whereas the analysis period for overtime is controlled by the configuration of overtime periods in HYDRA.

Toolbar

Payment rules

This icon opens the application to display and edit the payment rules of the selected payment day type.

Control of absences

This icon opens the control of absences application.

14 Control of Absences

Overview

HYDRA menu	Master data → Labor time → Control of absences
FEDRA menu	Advanced resource planning → Master data → Control of absences
Transaction code	abse
Function authorization	abse

You use the *Control of absences* application to configure and control the planned absences of employees.



Field descriptions

Field descriptions of the *Absence* tab

Abbreviation: Full-day absence

The comment entered here is used to fill the field Abbreviation of the Absence planning. This comment is therefore also entered in the graphic Absence Planning. With unplanned absences that are allocated to a specific payment type using specified evaluation parameters, you can use this field to define a different abbreviation for "unplanned" absences = "UNG". The new abbreviation is then displayed in the absence year overview.

Abbreviation: Partly absent

If a part-time absence is available for a day, this comment is entered instead of the abbreviation Full-day absence. You can then see in the graphic Absence planning, if the absence is a full-day or a part-time absence.

Priority

Priority of the absence payment; possible values are 0 to 99; a higher value means higher priority. If two absences are planned for an employee on the same day, the absence with higher priority is used.

Percentage

Percentage used to multiply the planned time (e.g. 80% continued pay in case of sick leave or 50% for half a leave day).

Category

Allocation of the absence to a particular group of absences. The different absence categories are displayed in the work day statistics.

Color

Color used to display the absence in the graphic absence planning, in the year overview and the personnel scheduling.

Context menu

If you make an entry in this field, the absence is displayed in the context menu of the graphic absence planning and the personnel scheduling. You can then assign this absence without calling the editing dialog. The absences in the context menu are sorted by the value specified here. The system also checks if the user is authorized for the responsibility area of the absence payment. The context menu only shows entries the user is authorized for. You can enter values between 1 and 9. If you use a value multiple times, the number of the payment day type is used for sorting within the value.

Duration

Target time

The absence time is calculated using the target time planned for this day in the *Working time day types*.

Normal time

The absence time is calculated using the normal time planned for this day in the *Working time day types*.

Average working time

The absence time is calculated using the average working time entered in the HR master data.

Absence

The absence time is generated using the specified time.

Set target time as absence time

If this option is activated, the target time is used to specify the absence time planned for the day. This is useful if the normal time or the average working time defined in the HR master data are used to calculate the absence time. If you use the target time as absence time, you avoid that overtime or undertime is generated for the respective day.

Minimum duration

Only after the minimum time specified in this field, an absence time is generated. Example: With short time, you use this setting to generate an absence only after the specified minimum time.

Maximum duration

If the absence time exceeds the value entered here, it is cut to this maximum duration. Example: You can use this option to limit an appointment at the doctor's to two hours.

Field descriptions of the *Settings* tab

Authorization required

The absence planning must be approved.

Generate complete absence despite attendance

If this option is set, the complete absence is allocated even though the employee was present. Example: This option must be set for half a leave day.

Partly absent, Fill up target time to

Enter percentage values in this field. Values between 1 and 100 result in an absence record. The absence record is created in any case, even if the employee was present. The system then uses the entered percentage to fill up the target time with absence time.
The absence time is calculated using the attendance time and the specified percentage of target time.
Use this field, for example, if an employee gets ill during the workday or when it comes to short-time work.

Modification enabled

If this option is not activated, the input fields in the absence planning dialog, which refer to the default values defined here, are disabled. In this case, you cannot change the values specified in the relevant fields.

Display as planned absence

You use this field to define if the absence is used to display the employee in the *Overview of periods* of the *Personnel scheduling* as available or not available. The employees are then integrated in the number of available employees in the *Personnel scheduling* although an absence is stored for the respective employees. This can be useful with part-time absences because of school or short time. If this option is deactivated, the graphic absence planning and the personnel scheduling display the comment of part-time absences with planned absences.

Days with 2 absence times planned and a total absence time, which is equal to the target or the normal time, are displayed as planned absence irrespective of the setting of this option. Example: Half a leave day and half a day public holiday.

Compensation

Allocate actual time

Default setting. The absence time is added to the actual working time.

Allocate as undertime

The absence time is not added to the actual working time. Using the overtime type, the resulting undertime is deducted from the account and there is no actual time displayed on the time sheet.

Allocate leave day, half a leave day

If one of the two fields is activated for absences, one day or half a day is deducted from the leave account (account number 4). For half a leave day, the option "Partly absent" must not be set.

Absence may be requested

The button specifies whether you can request the absence time using the Web interface.

Request needs to be approved

This parameter is used to specify whether the absence time requested via the absence workflow has to be approved by the supervisor or whether it is automatically approved.

Color of requested absence

This parameter is used to specify the color used to display the absence requested via the absence workflow in the personnel scheduling. The different colors help to distinguish between the requested and the planned/approved absences.

Continued pay

If you have entered a period of time in the field Period of continued pay, the system automatically changes to the absence payment (specified in the field Subseq. payment) after the time specified here. The period is counted in calendar days and does therefore not count the number of actually planned working days and weekends. In Germany, the period of continued pay is usually 6 weeks. You therefore enter 42 in the field Period of continued pay in Germany.

Upload to payroll accounting

These fields are only processed in a few customer-specific interfaces. You use the option Upload to payroll accounting to specify if the absence is passed to the absence interface. In the field Absence reason, you can enter a number or name that is different to the one specified in the Absence payment. You can also pass a control indicator.

15 Absence Planning

Overview

Menu	Human resource management → Planning → Absence planning
Transaction code	pabp
Function authorization	pabp

You use the absence planning function to plan and display absences for persons and groups of persons.



Purpose

The application shows the planned absences in descending order and sorted by date, i.e. current and future absences are displayed on top. The requested absences are displayed in blue and italic font and the rejected absence requests are displayed in red and italic font.

In general, absence times and attendance times are managed via clocking records. The *Type* field of the clocking records is used to identify absence and attendance times. *Absence* is the clocking type for absence times.

The system automatically generates absence records during the Labor time calculation if no clocking records are available for employees, although working time is planned. When it comes to absences, the system subtracts the standard breaks defined in the working time model. You can create absences manually and you can edit absence records that are generated automatically.

The system differentiates between planned and unplanned absences. If an employee is absent, though working time is planned for that day and there is no absence planning, then it is an unplanned absence. In the Control of labor time calculation, you can configure how unplanned absences are generated. The system automatically deletes unplanned absences during Labor time calculation, if attendance time exists for the relevant day.

When you plan absences, the below priorities apply:

1st priority from Control of absences

and within the same priority:

1st person, 2nd cost center, 3rd area, 4th company

This means that within the same priority, personal planning overwrites planning on cost center level. Absences for an area take priority over absences relating to companies.

Selection criteria

The application provides the following selection criteria:

Status

The selection is narrowed down to the requested absences. Example: You can use this selection criterion to display a processing list of all holiday requests that have not yet been approved.

Field descriptions in the *Absence* tab

Company, personnel selection

If you want to plan an absence, you use these fields to select a person or a group of persons. You must additionally select the company if several companies are managed in the system and the allocation by company is not clear and unambiguous.

Valid from, valid until

Start and end time of the planned absence.

Payment

Enter the payment day type used to allocate the absence time. If specifications are defined for the selected payment day type in the Control of absences, the system automatically enters these specifications in the absence planning when you enter this payment day type. If the *Modification enabled* option is not checked in the *Control of absences*, the relevant fields are blocked in the graphical user interface. Therefore, you cannot change these entries.

Comment

Comment on the absence that can be entered by the employee when requesting the absence. The Attendance overview shows this comment for the relevant period. The Personnel Scheduling shows this comment in the tooltip of the relevant days.

Internal comment

The internal comment is only visible when you plan and edit absences in the Personnel Scheduling.

Number of calendar days

The field *Number of calendar days* shows the absence time in calendar days for absences with a subsequent payment (defined in the Control of absences application, tab *Settings*, section *Continued pay*).

Duration

Planned target time

If you select this field, the system generates an absence with the duration of the planned target time.

Planned normal time

If you select this field, the system generates an absence with the duration of the planned normal time. For employees with flextime or flexible shifts, this time can deviate from the target time.

Average working time

If you select this option, the system offsets the absence against the average working time specified in the HR master data.

Absence

If you select this field, the system uses the duration entered below for the absence time.

Time from, time until

Time of the planned absence. The Workplace assignment integrates the period entered here if it is at the beginning or end of the shift. If only one of the two fields is completed, the planned absence starts or ends automatically at the beginning or end of the shift. The Labor time calculation also integrates this period, if it is **not** a partial absence (see the field "partly absent") or a half day off.

Authorization required

Use this option to specify whether the absence and the respective wage type postings must be approved.

Partly absent, Fill up target time to

Enter percentage values in this field. Values between 1 and 100 result in an absence record. The absence record is created in any case, even if the employee was present. Use this field, for example, if an employee gets ill during working hours and goes home earlier. The application calculates the following if you enter "100" in this field and you select the "Target time" option for the *Duration* field: The attendance time is allocated as specified in the payment day type. The application uses absence time (e.g. illness) to fill up the time that is missing to reach the target time (100% of target time).

Field descriptions in the *Settings* tab

Validity

Use these options to specify if the absence planning is valid for all weekdays or for separate weekdays only. Use this option, for example, for trainees who are always absent on the same weekday(s) (vocational school).

Previous illness

The fields *Period of continued pay, Duration* and *Start date* are displayed in this section if you plan absences where the monitoring of continued pay is activated in the *Control of absences*.

Absence request

Shows the date and time of the absence request.

Monitoring of continued pay - previous illness

The fields *Period of continued pay, Duration* and *Start date* are displayed in this section if you plan absences where the monitoring of continued pay is activated in the *Control of absences*:



If you use the selection list of the *Duration* field, a dialog opens where you can select the previous illness:



Once you have selected the illness, the system automatically enters the duration and the start date in the relevant fields. Or you can manually enter the duration and the start date.

Toolbar

Approve application

Function authorization: pabp.sign

Click this button to approve a requested absence. Further processing is the same as approving a request in the Escalation Management module.

Reject application

Function authorization: pabp.reject

Click this button to reject a requested absence. Further processing is the same as rejecting a request in the Escalation Management module.

Personnel Scheduling

Click this button to call the [Personnel Scheduling](#).

Labor Time Maintenance

Click this button to call the Labor Time Maintenance.

Reset labor time calculation

Click this button to call the function Reset labor time calculation

16 Personnel Scheduling

Overview

HYDRA menu	Human resources management → Planning → Personnel scheduling
FEDRA menu	Advanced resource planning → Master data → Personnel scheduling
Transaction code	ptpl
Function authorization	ptpl

Available user fields		
Where	**Object type/user field key**	**Source (type)**
Table	PNR/SYSTEM	HR master data (HR)
How to configure user fields?	Which user field types are available?	

Personnel scheduling can be used to gain an overview of employee shift sequences and working times. The annual overview shows an employee's shift and absence planning for the entire year.



As an alternative to the annual overview, you can view the information for a group of employees in the *Overview of periods*.



Purpose

Below the selection criteria, the year overview shows the current account balance and the account balance for the end of the year for the leave account (account with the number 4 when configuring accounts).

The application shows absences with the comment from the Control of absences or from the absence planning for the respective day. For days with multiple planned absences, the application shows the absence reason with the greatest priority in the upper part and the absence that is of lower priority is shown below. Absences that have been requested via the absence workflow but not yet approved are displayed in italics.

For the staff displayed, you can show additional columns in the grid. This includes the person's current account balances, the account balances at the start and end of the selected period and at the end of the year.

By right-clicking, you can plan an absence, a personal shift type or a personal working time for the selected period. In the Control of absences application, you can define the absences displayed in the context menu and their colors. The submenu *Personal day type* shows the shift types of the working time day types.

In addition, you can plan [Personal models](#) and comments using the context menu. If a comment is defined for a day and you go with the mouse over this day, the comment will be shown as tooltip in the calendar. A small, red triangle in the top right edge of the relevant day shows if a tooltip is available.

In the *Overview of periods*, you can plan absences and personal shift types for several employees simultaneously. To do so, select the relevant period for these employees. You can only plan an absence and/or personal shift type for several employees simultaneously if you use the absence entry and/or the shift type in the context menu.

The table in the lower area of the window shows a list of the persons planned to be present and absent per shift type. Use this list to check if enough employees are present for the shift. A distinction is made between employees that are available, not available or off work (free).

In the *Overview of periods*, you can delete absences. To delete absences, two options are available. If you select *Delete complete absence*, the complete absence is deleted as it has been planned before. If you only want to delete a single day of a planned absence, select *Delete selected period*.



If the **planned** working time does not respect the rest period, the affected days will be highlighted in pink:



In the *Overview of periods* of the *Personnel scheduling*, the calendar weeks are displayed.



Integration

Employees can view their shift plan via the PZE terminal. The configuration is described in the documentation dealing with the terminal shift plan (only applicable if HYDRA is used).

Selection criteria

The application provides the following selection criteria:

Data to be displayed

Three information items can be displayed per day. Use the three selection fields to specify which data should be displayed for a day.

Shift plan

Displays any possibly planned absence and the planned shift type on work days. For the days evaluated, the application outputs actual data and for days that are not evaluated, the application outputs the planning.

Absence

Displays any possibly planned absence.

Absence 2

Displays any possibly planned second absence for the day.

Attendance time

Displays the completed working time.

Target time

Displays the planned target time.

Normal time

Displays the planned normal time.

Planned start time

Displays the planned start time.

Planned end time

Displays the planned end time.

Working time day type

Displays the planned working time day type.

Shift type

Shows the shift type used for the previous days and the planned shift type for the current and future days. To identify the planned shift type, the system uses both the personal day types and the personal working time. The application only shows the shift type for planned working days.

Planned shift type

Displays the planned shift type from a personal shift rhythm model or a model stored in the HR master data. The application only shows the planned shift type for planned working days.

Different shift type

This field always contains the actually used shift type if this shift type differs from the planned shift type of the shift rhythm model defined in the HR master and/or a personal model.

Payment day type

Displays the planned payment day type.

Working time model

Shows the planned working time model.

Shift rhythm model

Displays the planned shift rhythm model.

Payment model

Shows the planned payment model.

Overtime type

Displays the planned overtime type.

Personal working time

Displays any possibly planned personal working time. The personal working time is represented by an **X**.

Personal working time day type

Displays any possibly planned personal working time day type.

Personal shift type

Displays any possibly planned personal shift type.

Personal payment day type

Displays any possibly planned personal payment day type.

Personal working time model

Displays any possibly planned personal working time year model.

Personal shift rhythm

Displays any possibly planned personal shift rhythm model.

Personal payment model

Displays any possibly planned personal payment year model.

Personal overtime type

Displays any possibly planned personal overtime type.

On-call duty 1

Start time of the first interval of on-call duty.

On-call duty 2

Start time of the second on-call duty interval.

Show absence reason

If this option is disabled, the application shows all planned absences in *"red"* and with the text *"N/A"* for *"Not present (Nicht Anwesend)"*.

If the application does not show an abbreviation for the corresponding days in the graphic absence planning after you have planned an absence, it might be that there is no target time defined for these days. You can check the planned working time for the corresponding days in the Working time information.
If you plan absences for a period in the past, in some cases the absence can only be displayed after the labor time calculation has been carried out.
If you only change the period for a planned absence, the system only resets the respective period and recalculates it with the next labor time calculation.

Field descriptions in the *Overview of periods* tab

Attendance rate

The attendance rate is calculated from the sum of the target time and/or normal time of the employees planned to be present divided by the sum of the target time and/or normal time of all employees. When half days are off, the system only allows for the duration of the planned attendance time.

The result is displayed as a percentage and rounded (without decimal places) before totaling the first shift.

Available

Staff who is planned to be *present*, i.e. the target and/or normal time for the day is greater than 0 hours.

Not available

Staff who is planned to be *absent*, i.e. an absence is planned for that day.

Free (off work)

Staff for whom no target and/or normal time has been planned, i.e. the employee is not required to be present on this day.

On-call duty

The number of staff with on-call duty is displayed in the lower section of the overview of periods per shift and as a grand total.

The specification as to whether the target time or normal time is used for the above-described fields depends on the setting *Identification of available staff on the basis of target time/ normal time.*

Toolbar

Labor time maintenance

Click this button to call the Labor time maintenance.

Labor time calculation

Click this button to call the labor time calculation.

Reset labor time calculation

Click this button to call the function Reset labor time calculation

Absence planning

Click this button to call the absence planning.

Year overview

Click this button to call the Year overview. This button is only available if the *Year overview* tab is activated.

Current account balances

Click this button to call the application Current account balances

Labor time schedule

Click this button to call the labor time schedule.

Settings for personnel scheduling

Settings

Click this button to call up the settings for personnel scheduling.



Field description

Identification of available staff on the basis of target time/ normal time

If you have to plan additional shifts on the weekend or on days off, it may be required that the available staff be identified based on the normal time because on such days there is usually no planned target time. For flextime and flexible shift day types, the normal start and end time specify the duration of the normal time. Note that this setting also specifies how the planned absences are displayed. For example, leave is also displayed on weekends although it is not set off in the day evaluation due to the missing target time. The display is updated only after you have refreshed the data.

Selection for planning

Use this option in the planning of a shift type to specify if only those shift types contained in the current planning are to be displayed via the context menu or if a selection can be made from all of the shift types available in the working time day types. The number of shift types to be displayed is limited to 10.

Shift type - case sensitive

In totaling the employees, depending on the setting, the shift types are not case sensitive. For example, the number of shifts identified by "F" and "f" is displayed as a common total.

Attendance rate

Use this option to specify for the logged in user if the attendance rate should be displayed. The setting *Identification of available staff on the basis of target time/ normal time* specifies if the normal time or the target time will be set off.

The settings for the display in personnel scheduling are stored per user.

17 Labor Time Schedule

Overview

HYDRA menu	Human resources management → Planning → Labor time schedule
FEDRA menu	Advanced resource planning → Master data → Labor time schedule
Transaction code	ptpn
Function authorization	ptpn

Available user fields		
Where	**Object type/user field key**	**Source (type)**
Table	PNR/SYSTEM	HR master data (HR)
How to configure user fields?	Which user field types are available?	

The *Labor time schedule* shows the employees' availability and shift plans in a table. The list shows one row for each person and date. Use the grouping options to generate totals for shifts, days or activities.



Integration

Employees can view their shift plan via the PZE terminal. The configuration is described in the documentation dealing with the terminal shift plan (only applicable if HYDRA is used).

Selection criteria

The application provides the following selection criteria:

Shift type

Enter "*" in the selection field *Shift type* to view all employees. If you leave this field empty, the application only shows employees where neither a shift model nor a flexible shift model is planned.

On-call duty only

If you select the option "On-call duty only", the application only shows employees with on-call duty.

Show absence reason

If you disable this option, the application shows all planned absences in *“red”* and the text *“N/A”* for *"Not present"*.

Field descriptions

Shift plan

Displays the planned absence and/or the planned shift type on work days.

***Availability* category**

If you group the *Labor time schedule* by a column, the columns *Available, Not available, Day off* show how many employees are available or not.

***Absence* category**

Select the *Absence* category to show the columns for absence times.

***Absence 2* category**

Select the *Absence 2* category to show the columns for the second absence that is planned.

***On-call duty* category**

Select the *On-call duty* category to show the columns for on-call duty times in the labor time schedule. If you group the *Labor time schedule* by a column, the column *On-call duty* shows the number of employees with planned on-call duty.

***Working time* category**

Select the *Working time* category to show information on the target time, standard time, breaks, beginning and end of working time.

***Day types* category**

Select the *Day types* category to show the columns for the planned working time type, payment day type and the overtime type.

***Personal day types* category**

Select the *Personal day types* category to show information on the planned personal day types for working time, shift type and payment.

***Personal models* category**

Select the *Personal models* category to show information on the planned personal models for working time, the shift rhythm, payment and overtime.

***Additional info* category**

Select the *Additional information* category to show additional information from the HR master.

The labor time schedule also integrates the settings for the *shift type* and the *identification of available staff* from personnel scheduling.

The columns that include personal data from the HR master (e.g. department, activity) always show the data valid for each person on the first day of the selected period.

18 Workforce Requirements of Workplaces

Overview

HYDRA menu	Master data → Workplaces/machines → Workforce requirements of workplaces
FEDRA menu	Advanced Resource Planning → Master data → Workforce requirements of workplaces
Transaction code	wpqual
Function authorization	wpqual

Purpose

Use this application to define the personnel requirements of workplaces. For each workplace, you can define the requirements for multiple qualifications.

In case you have purchased the license *Identification of workforce requirements depending on the order* (PEP-AEP), you can define personnel requirements subject to the planned operations instead of the workplaces.

Requirements

You have created the workplace/machine and the qualification.

Field descriptions

Valid from, valid until

Validity period of the personnel requirement.

Without date specification => unlimited validity

Valid from - until => restricted to a date range

Valid from => Workforce requirements apply as of the specified date

Valid until => Workforce requirements apply until the specified date

Workforce requirements

You can enter the workforce requirements for producing an operation with 2 decimal places.

Assign automatically

You can specify here if the workplace is to be assigned automatically. The automatic assignment function does not integrate workplaces where this option is not enabled. This configuration overrides the setting of the same name in the qualifications.

You have to define the personnel requirements and a shift model for the workplace in order to ensure proper planning.

19 Staff Schedule of the Terminal

Overview

Menu	System administration → Terminals → Terminal configuration
Transaction code	tc
Function authorization	tc

Use the absence reason keys of the PZE terminal to view your personnel schedule for the next days. The terminal uses the dynamic dialog P_PEP to show the staff schedules.



For this purpose, you have to enter "_PEP" in the "absence reason" field and the corresponding description of the key in the "absence reason text" field. The below screenshot exemplifies this for the fields "Absence reason 4" and "Absence reason text 4":



But before the terminal can display the personnel schedule, you have to configure the dynamic dialogs to activate the dialog (personnel schedule).

Use the dynamic dialogs to configure the following settings for displaying the staff schedule via the terminal:

- Display duration of the dialog.
- Displayed period.
- Option to display the staff schedule via the BDE terminal.