

MDP II Online Seminar

Table of Contents

1.	MDP Seminar Examples	3
1.1.	Print Out of Window Grid Contents to New WinLine Report.....	3
1.1.1.	Add New Button to Window MAIN021	3
1.1.2.	Create new Report Form P99WSHORTTEXTS in CWLPDFE	3
1.1.3.	Set up CTK Window Script to Print Grid Contents	5
1.2.	Get Name of Current Company with Database Connection	6
1.2.1.	System Script to Get Company Name using CWLDbConnection	6
1.3.	Display Records From Table T028 in WinLine Window Grid	7


1. MDP Seminar Examples

The ten examples that are demonstrated in the MDP seminar are documented in full in this document. All required window, menu and report settings and corresponding CTK window scripts are listed from the online seminar.

1.1. Print Out of Window Grid Contents to New WinLine Report


1.1.1. Add New Button to Window MAIN021

A new button, named "Print Grid" is now inserted in window MAIN021 for user group Management. The button is assigned type "Menu Button" (i.e., the button offers preconfigured selection options) and preconfigured button selection "IDDRUCKEN" is assigned to the button as icon.



1.1.2. Create new Report Form P99WSHORTTEXTS in CWLPDFE


The new report form (PDB) for print out the window grid contents is created in CWLPDFE with menu item File/New. The new form should have title "Short Texts" and 6 lines in the form header.



The following elements are then inserted in the header section new form:

- Text: Report Header "SHORT TEXTS"
- Text: Date + Date Variable 0/16
- Text: Page + Var 500/0
- Column header texts: Short Texts, Name, Option
- Line element

The following three variables are inserted in the form middle section to receive the respective grid cell column contents in the Short Texts window grid:



The new form is then saved under form name "P99WSHORTTEXTS".

Variable 495/0

Variable 495/1
 Variable 495/2

1.1.3. Set up CTK Window Script to Print Grid Contents

The existing CTK window script "SHORT TEXTS" is now modified to implement print out of the window grid contents to the newly created WinLine form when the "PRINT GRID" button is pressed.

For this purpose a new OnDynamicMenuCommand event handler for object CWLCurrentWindow is inserted in the script:

```
Sub CWLCurrentWindow_OnDynamicMenuCommand(nFgId, MenuIndex, bResult)
  If nFgId = 799 Then
    Dim typ, myWin
    typ = cwlReportOnPrinter
    If MenuIndex = 1 Then
      typ = cwlReportOnWindow
    End If
    Set myWin = CWLStart.CurrentModule.Windows.Item(21)

    Dim Report
    Set Report = myWin.CreateReport(typ, "P99WSHORTTEXTS")

    Dim pagenumber, hflags, mflags
    pagenumber = 1
    myWin.Vars(500,0) = pagenumber

    hflags = "A"
    mflags = "A"
    Report.Header hflags

    myWin.Vars.CreateVar 495,1,"1",100
    myWin.Vars.CreateVar 495,2,"1",100
    myWin.Vars.CreateVar 495,3,"1",100

    Dim grid, i
    Set grid = myWin.Controls.Item(100).Grid

    For i = 1 To grid.linecount
      myWin.Vars(495,1) = grid.GetCellValue (i,1)
      myWin.Vars(495,2) = grid.GetCellValue (i,2)
      myWin.Vars(495,3) = grid.GetCellValue (i,3)

      If (Report.Middle (mflags) = 1) Then
        Report.Footer hflags
        hflags = "B"
        mflags = "B" & mid(mflags,2,1)
        pagenumber = pagenumber + 1
        myWin.Vars(500,0) = pagenumber
        Report.Header hflags
        Report.Middle mflags
      End If
    Next
    Report.Footer "C"
```

```
    If (typ = cwlReportOnPrinter) Then
        myWin.CloseReport Report
    End If
End If
```

```
End Sub
```

When the new report is printed to the screen, the report ID must be configured so that the screen output window ("report preview window") can be closed before the "Short Texts" window is closed itself. This is achieved by inserting a new OnCancel event handler for the CWLReport object in the CTK window script for window MAIN021:

```
Sub CWLReport_OnCancel(ReportId, MayClose)
    MayClose.value = True
End Sub
```

1.2. Get Name of Current Company with Database Connection

1.2.1. System Script to Get Company Name using CWLDbConnection

The new Select method in the CWLDbConnection class can be used in a system script to obtain the name of the currently loaded company.

Set up a new system script in WinLine Start named "CompanyName":

```
Sub CWLScript_OnScriptStart()

    Dim conn, result


    ' Database connection pf the current company
    Set conn = CWLStart.CurrentCompany.Connection

    ' obtain the name of the current company (with current FY)
    Set result = conn.Select ("Select * from T001 (NOLOCK) where mesocomp = '~~~~' and
        mesoyear = yyyy")


    ' output the name of the current company
    general.MsgBox result.value("c000")
End Sub
```

1.3. Display Records From Table T028 in WinLine Window Grid

First, a new WinLine window named "Last 20 Journal Lines" is created in CWLCTK for user group Management for the display of the ACC1 Journal records. Both Toolbar buttons and an EXIT button should be inserted in the window. Finally, property "Sizeable" is activated for the new window.



A new grid control element is then inserted in the new window.



The following properties are set for the grid control:

Width: 85
 Height: 16
 Resize Horz.: Yes
 Resize Vert.: Yes
 Colored Stripes: Yes
 Lines: Yes
 Lines in Header: 1

A CTK window script named FIBU900 is entered in the Macro Name property field for the window.

Create new menu item for new window

Set up a new menu item for user group Management to open the new window in Menu Reports.

Create CTK window script "FIBU900"

A new OnScriptStart event handler is now entered in the script for the CWLScript object:

```
Sub CWLScript_OnScriptStart()
```

```
Set myWin = CWLStart.CurrentModule.Windows.Item(900)
Set conn= CWLStart.CurrentCompany.Connection
Company = CWLStart.CurrentCompany.Nr
FY = CWLSTART.CurrentCompany.CompanyYear
```

```
General.WaitCursor = True
```

```
'On Error Resume Next
Set T028 = conn.OpenTable2 (28,900,"MESOKEY")
If err Then
    general.MsgBox "Error when opening Journal lines"
    myWin.Close
    Exit Sub
End If
```

```
'Create grid columns and connect them to table columns
Dim grid
Set grid = myWin.Controls.Item(800).Grid
grid.initUserGrid
```

```
grid.IsRedraw = False
grid.AddColumn "Date", "%s", "I", "V",0,28,4,10, SORTFLAG+SIZEFLAG+HIDEFLAG
grid.AddColumn "Debit", "%s", "I", "V",0,28,9,20, SORTFLAG+SIZEFLAG+HIDEFLAG
grid.AddColumn "Credit", "%s", "I", "V",0,28,10,20, SORTFLAG+SIZEFLAG+HIDEFLAG
grid.AddColumn "Amount", "##,###,###.##", "r", "V",0,28,2,17, SORTFLAG+SIZEFLAG+HIDEFLAG
grid.AddColumn "Text", "%s", "I", "V",0,28,6,100, SORTFLAG+SIZEFLAG+HIDEFLAG
```

```
grid.Header
Dim Count
Count = 0
Dim search
Set search = T028.Select("order by MESOKEY DESC")
If search.RowCount>0 Then
    Do
        grid.AddLine
        Count= Count+1
        If search.NextRecord = False Or Count >=20 Then
            Exit Do
        End If
    Loop
End If
```

```
grid.IsRedraw = True
General.WaitCursor = False
```

```
End Sub
```

Note:

The OpenTable2 method was used instead of the OpenTable method since T028 is a standard mesonic database table.

The grid.initUserGrid method can only be used on user-defined grid controls, not in grids in the WinLine standard version.

The grid.header method can only be used with user-defined grid controls. This method fills the grid columns with the appropriate column header names.

The grid.AddLine method is only supported with user-defined grid controls.