

1 MLE.OUTBOUND_CONF_ERROR

Description

The MLE.OUTBOUND_CONF_ERROR event is provided as cyclical event. This means that a monitoring cycle can be defined in the configuration of the escalation management. As soon as there will be a throughput, the related event will be made available. The configuration of the escalation management can then be used to store, from which duration on an escalation shall be triggered.

In doing so, the system will determine the duration since the last provision and/or transfer of confirmation data referred to a posting/ segment type of the MLE output. In doing so, it is first controlled whether new segments are available for this posting type in the outbound transactions. If yes, the system will determine the duration between their provision to the MLE outbound transactions and the current point in time. An additional flag will be used to show that data records are available that are ready to be collected.

If no new data records are found in the MLE outbound transactions, the system will check when the last transfer was effected for the corresponding posting/ segment type and will determine the duration between this and the current point in time. To this end both, online tables and archive tables are supported. An additional flag will be used to show that no data records are available in this case.

If neither new data records nor such data records are found that were already transferred, this will also be marked by an additional flag. In this case a zero will be transferred for the duration.

The event will provide the following data:

- MESTYP (key 1)
The outbound posting type that was checked
- PROVFLAG (key 2)
Flag indicating the availability:
"N" There are new data records in the MLE outbound transactions
"D" There are no new data records and the duration was calculated based on the last transfer.
"Z" There are neither new nor already transferred data records.
- SEGNAM
The SEGNAM identification includes the segment name, for which the upload was made.
- IDOCTYP
The IDoc type of these data records.

- LOGSYS

Logical system from the HYDRA MLE configuration, for which this data record is to be transferred.

- DSSTA

Status of the last found data record:

"000" New data record (NEW)

"001" Repeated transfer (TODO)

"079" Transfer error (DONE ERROR)

"099" Transfer successful (DONE)

If the "Z" value is transferred in the acronym PROVFLAG it was not possible to determine data records and the acronym will be transferred without value.

- DUR

Duration - calculated duration since the last provision of new data records and/or the last transfer in seconds. If the "Z" value is transferred in the acronym PROVFLAG it was not possible to determine data records and the acronym will be transferred with zero.

