

1 Absence Reasons

Summary

Menu	Master data → Time and Labor Data → Absence reasons
Transaction code	abre
Function authorization	abre

Absence reasons explain why employees have left too early or arrived too late. Employees may enter these reasons at PZE terminals. The clockings that are generated in this way are called advance clockings or subsequent clockings.

The screenshot displays the 'Absence reasons' application window. The left pane shows a list of absence reasons with columns: Absence reason, Designation, Validity, Company, Day type, and Payment. The right pane shows the details for a selected absence reason (001, Flextime), including fields for Absence reason, Designation, Validity, Company, Payment, Day type, and Options.

Absence reason	Designation	Validity	Company	Day type	Payment
001	Flextime			901	Flextime minus
100	Doctor's visit (paid)			400	Illness
101	Work Accident			400	Illness
102	Doctor's visit (unpaid)			901	Flextime minus
200	School			420	School (full day)
205	Training internal			420	School (full day)
300	Prof. Absence	0001		200	3-Shift Mo-Fr
300	Prof. Absence	BSP		150	Prof. Absence
400	Company Meeting			100	Flextime Mo-Fr
401	Youth Meeting			100	Flextime Mo-Fr
500	Company Dinner&Dance			901	Flextime minus
600	Assembly			100	Flextime Mo-Fr

The right pane shows the details for the selected absence reason (001, Flextime). The fields are:

- Absence reason: 001
- Designation: Flextime
- Validity: Company
- Payment: Day type: 901 Flextime minus
- Options:
 - ☐ Authorization required
 - ☐ Processing as absence time planning

Field Descriptions

Absence reason

Number of the absence reason. This number is assigned to the individual buttons of the PZE terminal within the terminal label or within the absence reason authorization.

Company

Company for which the absence reason configuration is to apply. If this field is empty the absence reason applies for all companies.

Day type

Number of the payment day type which this absence reason is to be allocated with. If this field is empty the payment day type planned for this day is used.

Authorization required

If this field is checked the postings resulting from this absence reason are subject to authorization.

Processing as absence time planning

If this option is checked the absence reason is processed as if it was a planned absence. This allows for the absence reason to be used for filling the target working time, for example, or to enter half days of leave as absence reason at the terminal.

Meaning

It may be chosen whether the clocking record resulting from the absence reason is generated as attendance time, absence or business trip/errand.

Start at

Subsequent clockings start with the beginning of the skeleton time, normal working time or core time if the employee was not present before the absence reason applied.

End at

Advance clockings end with the end of the skeleton time, normal working time or core time if the employee does not return after the absence reason does no longer apply.

Post on

For the current day only

The absence reason only applies for the current day. Possible absences at the days that follow are not allocated with this absence reason.

Post on

The absence reason is used for the current day and for full-day absences on the days that follow. However, if an absence is planned within this absence period, this planning takes priority. This absence reason is used again as soon as the planned absence ends.

Post full days on only

The absence reason is not used on the current day but only for full-day absences on the days that follow. This setting is used, for example, if employees enter that they want to take leave within the next days at the terminal.



The specifications made in the fields “start at” and “end at” only affect the first and last day of the absence. Whole absence days that are between this first and last day are allocated with the entered payment day type, just as it is the case for planned absences.