

1 Access Time Models

Summary

Menu	Master Data → Access Control → Access Time Model
Transaction code	actm
Function authorization	actm

An access time model includes one or several [access periods](#) when [access points](#) may be opened or people are allowed to enter the corresponding room. Access time models are used as [opening hours](#) for [access groups](#) as well as for the definition of [access authorizations](#) in [access profiles](#).

Access time models

Main page Profile

Request data Cancel Print preview Print all Insert Copy Edit Delete Access periods Save Help on operation Help on application Help on detail application Help

Selection

☒ Currently valid ☒ Valid in the future ☐ Valid in the past

Access time models

Drag a column here to group by that column

Access time model	Valid from	Valid until	Designation
1	7/28/1999		00.00am - 23.59pm
2	3/16/2000		Perman. open 6am-8pm
3	3/16/2000		Canteen
4	3/23/2000		Worktime
5	3/23/2000		10am - 04pm

Access time model

Access time model 1 00.00am - 23.59pm

Valid from 7/28/1999

Valid until

Responsibility area

Last editing

Modified by 12345

Modified on 5/22/2001 9:54:37 PM

Field Descriptions

Valid from, valid until

Validity period of the access time model. If an access time model is to be changed as of a specific date, one has just to copy the existing access time model to the corresponding “valid from” date. The “valid until” date of the previous entry is then automatically set to one day prior to the new validity start date.

Toolbar



Copy

The below dialog opens to copy an access time model. The number, validity start date and the designation of the new access time model may be entered in this dialog:



Access periods

Displays and edits the [access periods](#) for the selected access time model.