


1 Collection Rules

Overview

Menu	Quality management → Process data collection → Collection rules
Transaction code	iplpd
Function authorization	iplpd

Purpose

The automatic data collection of process characteristics is based on the collection rules specified in the Process Data Collection module.



Integration

Collection rules result in collection requests. Collection requests activate the defined rules for data collection. Characteristics are the basis for collection rules. You can take the characteristics from the characteristics master data catalog. The generation of collection requests activates the actual data collection process. The data collection uses the logical channel that is defined by the process parameter of the characteristic.

Requirements

The characteristics catalog must be defined.

Selection criteria

The application provides the following selection criteria:

You can choose from three different tabs to select data. You can use the tabs "Collection rule", "Workplace and article" and "User fields".

Collection rule:

Area (drop-down list)

You can use the drop-down list to select the required area.

Collection number

Select the collection number.

Collection index

Select the collection index.

Active checkbox

Enable the checkbox to select active collection rules.

Workplace and article:**Machine**

Select the required machine.

Article number

You can use a search application to search for and select an article number.

Article name/designation

You can select the article name.

User fields:**Object type**

You can select an object type.


User field key

Use the drop-down list to select a user field key.

Field descriptions

The table view of the detail application offers an overview of existing entries. You can sort the displayed information using table functions. The displayed data complies with the specified selection parameters.

The table view is an integrated master-detail table, which contains not only the collection rules, but can also be expanded to show the recorded characteristics:



Depending on the selected line, the details pane shows the corresponding information. The tabs vary accordingly.

When you call up an editing function, this function affects the entry/entries selected in the table.

Toolbar

In addition to the standard buttons for creating, deleting and editing, the following, context sensitive buttons are available for the collection rules:



Activate

Function authorization: `iplpd.activate`

Click this button to enable the selected collection rule. Only one version of a collection rule can be active at a time! If you activate continuous monitoring rules, the system immediately generates a collection request. This activates data collection. If you activate article-related collection rules, the system automatically generates a collection request the next time you log on a production order for this article.



Deactivate

Function authorization: `iplpd.deactivate`

Click this button to deactivate the selected collection rule. If you deactivate continuous monitoring rules, the system terminates the collection request.



Release

Function authorization: `iplpd.release`

Click this button to release the selected collection rule. You can no longer edit released rules. You can only activate released rules.



In process

Function authorization: `iplpd.inprocess`

Click this button to cancel the release for the selected collection rule. You can now edit the rule.

Detail applications

The detail view shows the information matching the entry selected in the table view.

The detail view consists of two tabs, i.e. the collection rule and the recorded characteristic. These tabs include some additional sub-tabs.

Collection rule:

Collection: The detail view shows the data that has to do with data collection. These include the collection rule, the status, the machine and the article.

Administration: This detail view displays the data that has to do with data management. This is primarily a time stamp for the selected inspection plan.

User fields: Shows the object type and the user field key.

Recorded characteristic:

Characteristics: This detail view shows the characteristics for the current inspection plan.

Specifications: This detail view shows the samples and dimensions in detail. You need the function authorization *iriscp.interval* in order to store an interval value in the sampling scheme.



Please note that sample-related reports/evaluations are not available for process characteristics whose limit values are controlled via specification lists.

Storage: Shows the selected filter function.

Visualization: Detail view for the visualization.

Inspection - computation: Detail view for inspection and calculation.

Administration: This detail view displays the data that has to do with data management. This is primarily a time stamp for the selected inspection plan.

User fields: Shows the object type and the user field key.