

1 Labor Time Comparison

Summary

Menu	Human Resources Management → Incentive Wages → Labor Time Comparison
Transaction code	compcb
Function authorization	compcb.*

The **labor time comparison** function allows for the times from the HYDRA Time Management module HYDRA-PZW to be compared with the personal times coming from the HYDRA-ADE shop floor data collection module. Deviations can be found easily and specifically, which leads to simplified correction processes. Moreover, the proportion of productive order postings and postings made on overhead cost orders is determined and compared.

The list only shows such people who are at least assigned to a BDE authorization of “1” within the HR master (“shop floor data” tab, “BDE authorizations” group, “BDE authorization” field). Consequently, it is possible to suppress the display of people who only post HYDRA-PZW (Personnel Time Management) and not HYDRA-BDE (Shop Floor) data.

Definition of active labor time comparison

The times posted in HYDRA-BDE can automatically be adapted to the time intervals computed in HYDRA-PZW if the active labor time comparison is enabled. The active labor time comparison function is described in another document. This function is only installed by MPDV if the customer requests it, as it is not compatible with all functions and options provided by the shop floor data collection module.

Prerequisite

The HYDRA shop floor data collection module (HYDRA-BDE) as well as the HYDRA Personnel Time Management module (HYDRA-PZW) have to exist to be able to use this “comparison” function.

As an alternative, the required data may also be transferred from third-party systems to HYDRA using individually coordinated interfaces to be able to use this function.

Selection

Person from to Name

Company Area Cost center

Date from 2/23/2015 to 2/24/2015 Admissible deviation 60

Labor time comparison

Drag a column here to group by that column

Person	Name	Date	Deviation	Attendance time	Logged in	% productive
40256	Pernikova, Lisa	2/23/2015	-0:05:47	8:00:00	8:05:47	100.00
40256	Pernikova, Lisa	2/24/2015	0:15:00	9:00:00	8:45:00	100.00
40563	Green, Mary	2/23/2015	0:08:01	7:30:00	7:21:59	100.00
40563	Green, Mary	2/24/2015	-0:04:13	9:00:00	9:04:13	100.00
96665	Hanson, Betty	2/23/2015	10:30:00	10:30:00	0:00:00	0.00
96665	Hanson, Betty	2/24/2015	0:02:00	8:45:00	8:43:00	88.53

Labor time comparison

Additional info

Result

Person 40256 Pernikova, Lisa

Date 2/23/2015

Deviation -0:05:47 Hours

% BDE incl. OC 101.20

% BDE w/o OC 101.20

Labor time

Attendance time 8:00:00 Hours

Start 2/23/2015 8:45 AM

End 2/23/2015 5:15 PM

Order time

Logged in 8:05:47 Hours

Productive 8:05:47 Hours

Overhead costs 0:00:00 Hours

% productive 100.00

Selection Criteria

The application provides the following selection criteria:

Admissible deviation

Allowed difference between the labor times collected from the HYDRA-PZW and the HYDRA-BDE module. If the deviation is less than the time entered in this field, the person is not shown in the list.

Field Descriptions

Date

Date to which the times from the Personnel Time Management and Shop Floor Data Collection module are assigned. Please also note the assignment of times to a [settlement day](#).

Deviation

Difference between attendance time (HYDRA-PZW) and posted time and labor data (HYDRA-BDE). With respect to possible deviation reasons, please also note the below-described assignment of times to a [settlement day](#).

Deviations up to one minute are not highlighted in color.

Deviations between one and five minutes are highlighted in yellow.

Deviations exceeding five minutes are highlighted in red.

Attendance time

Attendance time from Personnel Time Management (HYDRA-PZW). This time has already been rounded or cut off according to the evaluation parameters that are applicable in HYDRA-PZW. In the [basic parameter settings of incentive wages](#) it may also be defined whether paid breaks of the HYDRA Personnel Time Management module are to be considered as productive working time or not.

Start/end

Rounded beginning and end of the working time according to the Personnel Time Management module.

Logged in

Total of the columns "productive" and "overhead costs". This column represents the basis for comparisons with the attendance time from HYDRA-PZW:

Productive

Labor utilization of personnel postings from HYDRA-BDE (B records) of the relevant day that have been posted onto production operations. Production orders can be distinguished by their category of the order type that is not assigned to "overhead costs".

Overhead costs

Labor utilization of personnel postings from HYDRA-BDE (B records) of the relevant day that have been posted onto overhead cost operations. Overhead cost orders can be distinguished by their "overhead costs" category of the order type. HYDRA-BDE personnel postings from waiting time period processing are not taken into account. They are considered as gaps in the person's shop floor data collection (HYDRA-BDE).

% productive

Proportion of the times posted on productive orders compared to the total time posted from the personnel postings of HYDRA-BDE. The total time that has been posted results from the total time posted onto productive orders and the time posted onto overhead cost orders.

%BDE incl. OC

Proportion of the posted labor time (HYDRA-BDE) including overhead costs compared with the attendance time (HYDRA-PZW) in percent.

%BDE without OC

Proportion of the labor time posted on production orders (HYDRA-BDE) compared with the attendance time (HYDRA-PZW) in percent.

Toolbar



Labor Time Maintenance

This button directly opens the [labor time maintenance](#) dialog to correct the times of the Personnel Time Management module.



Order-related postings

This button directly opens the [order-related postings](#) dialog to correct the times of the Shop Floor Data Collection module.