

1 Designing Badge Layouts

Overview

Different badge layouts may be defined for various groups, e.g. employees and visitors. Individual layouts can be customized by calling up the *Report Designer* function in the *Badges* application.

Prerequisite

The modification of badge layouts is only possible if the license ZKS-BAV is available.



Badge layouts

If a new badge layout is to be created, it must first be created in the configuration of the [badge layouts](#).



Report Designer

An existing badge layout can be modified by calling up the *Report Designer* function.

Filing Badge Layouts on the HYDRA Server

Badge layouts are saved in the report directory on the HYDRA server. For this purpose, the "MOCREP" [path](#) is required". The path must always be directed at <system>/custom/reports. It is not permissible to change the path.

Example of configuration in Windows (System 1):

For **saving** on the server, the current scope on MOC is taken account of:


- If the scope is "User" or "Local", the report file is saved as "<reportname>_local.lul".
- If the scope is "Custom", the report file is saved as "<reportname>_custom.lul".
- If the scope is "Standard", the report file is saved as "<reportname>.lul".

With regard to the **loading sequence**, the current scope on MOC is taken account of:


- Scope "User" or "Local"
File from the report directory on the server, "<reportname>_local.lul" before "<reportname>_custom.lul" before "<reportname>.lul". If none of the three exists, the client is searched (user=>local=>custom=>standard).
- Scope "Custom"
File from the report directory on the server, "<reportname>_custom.lul" before "<reportname>.lul". If none of the two exists, the client is searched (custom=>standard).
- Scope "Standard"
File from the report directory on the server, "<reportname>.lul". If the file does not exist, the client is searched (standard).

Calling up the Report Designer

The "Report Designer" button is used to modify the currently selected and displayed badge layout. For this purpose, the "Badges" entry is selected and subsequently the "Edit" button is pressed.




In *ReportConfiguration*, the badge layout to be edited is displayed in the *Template file* field. The List&Label Designer is started by clicking on the *Report Designer* button.



No changes must be made to these settings.

Editing Functions

The "Report Designer" button can be used to edit the report. Before this, data must have been requested. The design is performed in the external Report Designer.



The following special functions are available here:

mpdvTranslate("Language key")

"Language key" is an entry from the translation file in the form "lkXXX". The translation is performed according to the language specified in MOC.

mpdvTimeFromSeconds(<SekundenSeitMitternacht>)

A numeric value in seconds since midnight is converted into a time and displayed in the given format. Format: hh:ss


mpdvDuration(<SekundenSeitMitternacht>)

A numeric value in seconds since midnight is converted into a duration and displayed in the given format. Format: h:ss



The manual of the integrated Designer is opened using the **F1** key.

Report Structure:



The report container includes the **BadgesList** table showing the data of the selected badges. For each badge, there is a **MultipleImageDownload** table which contains the photographs of the respective persons.

- The **BadgesList** table contains the data relating to the badge.
- The photographs of the persons are provided in the sub-element **MultipleImageDownload**.

Field Descriptions

Variable / field list: Fields → BadgesList

The following data are available here:

Data field	Meaning
badgeslist.badge.type	Badge type
badgeslist.badge.hand_out_ts	Date and time of badge issue
badgeslist.badge.commentary	Comment field 1
badgeslist.badge.commentary2	Comment field 2
badgeslist.badge.valid_from_ts	Valid from
badgeslist.badge.valid_to_ts	Valid until
badgeslist.badge.person.company	Person's company
badgeslist.badge.infodate1 -5	User field date 1 to 5
badgeslist.badge.infotext1 -20	User field text 1 to 20
badgeslist.badge.infovalue1-5	User field value 1 to 5
badgeslist.badge.number_plate	Number plate
badgeslist.badge.id	Badge number
badgeslist.badge.person.name	Name of person
badgeslist.badge.person.id	Personnel number
badgeslist.badge.contact.person.id	Contact person

badgeslist.badge.contact.person.name	Name of contact person
badgeslist.badge.firstname	First name of person
badgeslist.badge.return_ts	Date and time of badge return
badgeslist.badge.responsibilityarea	Responsibility area

Variable / field list: Fields → MultipleImageDownload

The following data are available here:

Data field	Meaning
multipleImagedownload.file.data	Path and file name of image
multipleImagedownload.file.name	Badge image file name