

1 SDI Toolkit

1.1 Introduction

The SDI Toolkit provides auxiliary functions. These functions are implemented by SDI means using System Utilities. For the application developers, these functions are available as part of the Simple Developer Interface (SDI).

1.2 Class RespAreaChecker

You can use this class to check if a user has a specific responsibility area (optionally with a specific mode of the responsibility area).

Method	Description
checkRespArea()	Checks if the user has the responsibility area (optional: also a specific function is checked). True if: - Responsibility area is empty, null, or --DEFAULT-- - User empty, null, @ or SAP - If no mode is specified - o If there is an entry for the user and the responsibility area - If mode is specified (- o Mode UPDATE: entry stating update = J - o Mode LOCK: entry stating view or update = J - o Mode INSERT and COPY: entry stating create = J - o Mode DELETE: entry stating delete = J - o Mode VIEW and LIST: entry stating view = J - o Mode USE: entry stating use = J Return type: boolean – True, if the user has the resp. area (with the function), otherwise false. Input: ISystemUtilFactory factory – Object to access System Utilities

	String user – the user String responsibilityArea – the responsibility area CheckRespAreaMode mode – (Optional) A specific function that the user should have for the area Exception: -
checkRespAreaPerson()	Checks if the user has the person's responsibility area (optional, also a specific function is checked and the responsibility area that was assigned to the person at a specific date). Identifies the person's responsibility area at a specific date and then uses the function checkRespArea. Return type: CheckRespAreaResult – result of the check (for further details, refer to the description of the data type) Input: ISystemUtilFactory factory – Object to access System Utilities String user – the user Integer personId – personnel number Calendar validityDate – (Optional) Date to identify the person's resp. area CheckRespAreaMode mode – (Optional) A specific function that the user should have for the area Exception: -

1.2.1 Enum CheckRespAreaMode

Describes a function within a responsibility area

Value	Description
VIEW	Data record may be displayed
USE	Data record may be used
INSERT	You may create a data record with the resp. area.
UPDATE	Data record may be modified
DELETE	Data record may be deleted
LOCK	Data record may be locked
COPY	Data record may be copied
LIST	Data record is displayed upon calling the list function

1.2.2 Enum CheckRespAreaResult

Result of a person's check

Value	Description
PERSON_NOT_EXISTING	Person does not exist
ALLOWED	User has resp. area of the person
NOT_ALLOWED	User does not have resp. area of the person

1.3 Class ShiftModelUtil

This class uses two time stamps to identify a duration that is compared to the shift calendar.

Method	Description
--------	-------------

getDurationWithoutUnAssignedDays()	Returns the duration between two time stamps. Days that are not assigned to a day type are skipped. Return type: long – the identified duration Input: ISystemUtilFactory factory – Object to access System Utilities Calendar start – start of time stamp Calendar end – end of time stamp int shiftModel – number of the year model boolean usePlantModel – flag indicating if the factory calendar is to be used instead of shiftModel Exception: -
getDurationSyncedWithYearModel()	Returns the duration between two time stamps. Times without shift and breaks are omitted. Return type: long – the identified duration Input: ISystemUtilFactory factory – Object to access System Utilities Calendar start – start of time stamp Calendar end – end of time stamp int shiftModel – number of the year model boolean usePlantModel – flag indicating if the factory calendar is to be used instead of shiftModel Exception:

	-
--	---