

1 Configuration when using SAP PI / SAP PO

Configuration of upload requests in SAP

Assign the fields as described below to configure the job requesting uploads for the PP-PDC interface (SAP transaction CI45N):

Parameter name	Value
Logical system	Empty or logical system created for HYDRA
- Request time ticket upload/confirmation	Leave empty / do not check
Request time ticket events	Leave empty / do not check

Assign the fields as described above if you carry out the transaction manually.

Changing the program call for myerprck.exe/out

When using PI/PO, you have to change the program call for the upload program *myerprck.exe/out* in the [HYDRA Scheduler](#):

Situation	Value
Default program call (Windows) as delivered	sh.exe ./myerprck.scr /MESTYP=PPCC2PRETTICKET /KAT=FA
Call including PI/PO (Windows)	sh.exe ./myerprck.scr /MESTYP=PPCC2PRETTICKET /KAT=FA /PI
Default program call (Linux) as delivered	./myerprck.scr /MESTYP=PPCC2PRETTICKET /KAT=FA > /dev/null 2> /dev/null
Call including PI/PO (Linux)	./myerprck.scr /MESTYP=PPCC2PRETTICKET /KAT=FA /PI > /dev/null 2> /dev/null

Changing the segment name in the distribution model

Create the entry in the [HYDRA distribution model](#) in order to transfer time tickets as outbound configuration based on the following values:

Parameter name	Value
Message type	PPCC2PRETTICKET
Description	PP-PDC – Upload of SAP time tickets
IDoc type	PPCC2PRETTICKET01
Retention period	10
Log. target system	Created logical system
Segment name 1	E2BP_PP_TIMETICKET 000

Create the entry in the HYDRA distribution model in order to request the upload as inbound message type based on the following values:

Parameter name	Value
Message type	PPCC2REQCONF
Priority	High
Command	hysapupl.scr
Command parameter	/UPLSEGNAM=E2BP_PP_TIMETICKET 000
Description	PP-PDC – Upload request
Log. target system	Created logical system
Retention period	10

Requirements

Procedure

Result