

1 Application-Relevant Settings in SAP

Define production scheduler

Scheduling settings for planned orders are defined for each plant/order type and production scheduler. The production scheduler can be edited as a part of the customizing in *SPRO* → *Production* → *Production control* → *master data* → *routing data* → *define production scheduler* (OPJ8).

Configure scheduling parameters

Scheduling options can now be configured for planned orders by the production scheduler. This is also performed in customizing using *SPRO* → *Production* → *capacity planning* → *master data* → *operations* → *scheduling* → *define scheduling parameters for planned orders* (OPU5).

If the scheduling level “by detailed scheduling” is configured there operations will also be transferred when downloading planned orders.

Configure serial production profile

The serial production profile defines how uploads are to be performed (counting point upload/post services...). This is configured in customizing using *SPRO* → *Production* → *serial production* → *control* → *define serial production profiles*.

Definition of user fields

Selected user fields of the work plan/operation are transferred from SAP by the PP-REM interface. HYDRA provides a default interpretation for these fields. A user field key has to be defined and saved for the operation within the work plan to be able to define values in user fields in SAP.

User field keys are defined in customizing using *SPRO* → *production* → *production control* → *master data* → *work plan data* *define user fields* (OPEC).

A meaning is to be defined for the following user fields:

SAP user field	SAP user field in the download structure	Meaning
USR04	USR04	Partitioning
USR01	USR05	Target cycle

The created user field key and corresponding values are to be defined for the operation within the routing.

Maintenance of the SAP partner agreement/profile – outbound

Maintain the following settings for outbound processing of the SAP partner agreement/profile (WE20):

Parameter name	Value
To download production orders	
Partner number	Created logical system
Partner type	LS
Message type	LOIPLO
Recipient port	Created port
Package size	1
Output mode	Transfer IDoc immediately
Basis type	LOIPLO01

Maintenance of the SAP distribution model – outbound

Parameter name	Value
To download planned orders	
Model view	Created model view
Sender / client	Logical system of the client
Recipient/server	Logical system for the recipient system
Message type	LOIPLO

Hide unnecessary segments

If specific segments of the IDoc are not to be transferred (e.g. the segment for the components is not to be transferred as they are only transferred in relation to the header) this can be realized as a part of the customizing using the transaction BD56.

However, the SAP partner agreement/profile has to be maintained to be able to use this configuration.

IDoc enhancement

SAP standard provides the option to enhance the IDoc by customer-specific data without modification:

Enhancement	LOI00001
User exit	EXIT_SAPLLOI1_001

Planning of relevant jobs

The following programs/ reports must be planned as job to ensure that the PP-REM interface will operate automatically:

Program / report	Meaning	Note
RCCLTRAN	Start of the download for planned orders according to the selection	Planning as variant

Relevant transactions

Transaction	Meaning	Note
POIT	Start of the download for planned orders	-