

Manual

AIP Add-On Task Switching AIP-ATU 8.2

Version 1.0.23049

Last changed on: 01.09.2020

Copyright

©Copyright 2020 All rights reserved.

SAP® and R/3® are registered trademarks of SAP AG.

WINDOWS® is a registered trademark of Microsoft Corporation.

MPDV® and HYDRA® are registered trademarks of MPDV Mikrolab GmbH.

ORACLE® is a registered trademark of ORACLE Corporation, California, USA.

Copying and distribution of this documentation or any part thereof, for any purpose or in any form, is prohibited without prior written permission from MPDV Mikrolab GmbH.

The information contained in this documentation is subject to change without prior notice.

Contents

1	AIP Task Switching Add-On - Overview.....	4
2	AIP Add-On Task Switching.....	5

1 AIP Task Switching Add-On - Overview

Purpose

Add-on to AIP if other compatible application programs are to be used on the terminals in addition to the HYDRA application. There is the option to switch to other applications directly by configuring the touch buttons in the HYDRA control panel.

Implementation considerations

You use the function package if:

- Other applications other than HYDRA should run on the entry PC or the terminal.
- You would like to switch directly to other applications effectively and securely via the AIP (and, for example, not using the taskbar).

Integration

The function can be added on to AIP at any time.

Features

- Capability of configuring a maximum of 9 buttons in order to switch to a maximum of nine different applications

2 AIP Add-On Task Switching

AIP display

AIP allows for the integration of buttons starting third-party applications in all toolbars. These buttons

- start third-party applications if they are inactive
- bring third-party applications to the front when they are running

The customer is responsible for proper installation and functioning of third-party applications.

Configuration of the first button

In order to call up an external program, it must be entered in the section *[ext. software]* of the *ctaip.ini* file:

ProgFileName

The path and file name of the program to be requested are defined here.

WindowName

The string entered in this field is used to check in the process list if the application has already been started. If this is the case, the running application is brought to the front.

SearchParts=On

This option defines that not the entire process name must match the entered *WindowName*. It is sufficient if it includes the *WindowName*.

If further external programs should be started, a number (starting with 2) must be added to the relevant entries.

Example:

```
[ext. software]
ProgFileName=c:\Windows\notepad.exe
WindowName=Notepad
SearchParts=On
ProgFileName2=c:\Windows\System32\mspaint.exe
WindowName2=Paint
SearchParts2=On
```

Starting external programs is similar to starting dynamic dialogs (see previous chapter). *Identifiers* for external programs are "USER1" for the 1st entry and "USER2" to "USER9" for the entries that follow:



