

Manual

Active Directory Integration in the MES Cockpit MC-ADI 3.2

Version 1.1.23049

Last changed on: 01.09.2020

Copyright

©Copyright 2020 All rights reserved.

SAP® and R/3® are registered trademarks of SAP AG.

WINDOWS® is a registered trademark of Microsoft Corporation.

MPDV® and HYDRA® are registered trademarks of MPDV Mikrolab GmbH.

ORACLE® is a registered trademark of ORACLE Corporation, California, USA.

Copying and distribution of this documentation or any part thereof, for any purpose or in any form, is prohibited without prior written permission from MPDV Mikrolab GmbH.

The information contained in this documentation is subject to change without prior notice.

Contents

1	MES Cockpit - Active Directory Integration	4
1.1	Implementation notes	4
1.2	Requirements	4
1.3	Delimitation	4
1.4	Logon	5

1 MES Cockpit - Active Directory Integration

Users who log on to the administration client and evaluation client and need to manage and/or evaluate data must be entered as users in the MES Cockpit and have the relevant authorizations.

Apart from being maintained in the MES Cockpit, user access data such as passwords can also be drawn from the Active Directory. Passwords are hence administered centrally in the Active Directory.



Use is subject to the activation of the Active Directory on the MES Cockpit server and the connected systems.

1.1 Implementation notes

Active Directory (AD) is the directory service of MS Windows Server operating systems (as from the version Windows Server 2008, the core component is called Active Directory Domain Services (ADDS)). Active Directory is used for the administration of objects in a network, e.g. users, groups, computers and services.

1.2 Requirements

Use of the Active Directory integration is

- subject to the license MC-ADI;
- subject to the successful completion of the Active Directory configuration steps.

1.3 Delimitation

The following restrictions apply:


- Only Windows Active Directory 2003 or Windows Active Directory 2008 are supported.
- Only one domain is supported. Users may not originate from different domains.
- The time on the administration client and on the server must be synchronized via the domain.
- Supported Client operating systems:
 - Windows XP
 - Windows 7
- VPN connections are not supported.
- Only the following internal security mechanism is still supported:
 - The user may be locked in HYDRA.
 - All other checks are performed against the Active Directory.
- Only LDAP is supported (no LDAPS support).

1.4 Logon

When logging on, the user may also select the parameter Active Directory in addition to the "normal" parameters.

If this parameter is selected, authentication of the user with the entered password is verified against the Active Directory.

Log on



The screenshot shows a 'Log on' dialog box with a light gray background. At the top, there is a tab labeled 'HYDRA user' and two links, 'Language' and 'Settings', in blue text. Below the tabs, the label 'User' is followed by a text input field containing the text 'Schreiber'. Underneath, the label 'Password' is followed by an empty text input field. Below the password field, there is a checkbox labeled 'Active Directory' which is currently unchecked. At the bottom left of the form is an 'OK' button.