

Manual

Management Functions for Workforce Requirements Planning PEP-VWF 8.1

Version 1.0.4788

Last changed on: 19.06.2020

Copyright

©Copyright 2020 All rights reserved.

SAP® and R/3® are registered trademarks of SAP AG.

WINDOWS® is a registered trademark of Microsoft Corporation.

MPDV® and HYDRA® are registered trademarks of MPDV Mikrolab GmbH.

ORACLE® is a registered trademark of ORACLE Corporation, California, USA.

Copying and distribution of this documentation or any part thereof, for any purpose or in any form, is prohibited without prior written permission from MPDV Mikrolab GmbH.

The information contained in this documentation is subject to change without prior notice.

Contents

1	Personnel Scheduling Administration Functions - Overview	4
2	Qualifications.....	5
3	Staff Qualifications	8
4	Staff Qualifications	12
5	Working Time Day Types.....	16
6	Working Time Models	21
7	Shift Rhythm Models	27
8	Personal Models	33
9	Personal Day Types.....	36
10	Personal Working Time.....	39
11	Payment Day Types.....	41
12	Public Holidays.....	43
13	Absence Control.....	45
14	Absence Planning	50
15	Personnel Scheduling	55
16	Labor Time Schedule	63
17	Workforce Requirements of Workplaces.....	66
18	Personnel Schedule on the Terminal	68

1 Personnel Scheduling Administration Functions - Overview

Purpose

This function package contains functions to define qualifications and to assign employees and workplaces.

Implementation Considerations

Use this function package to:

- use HYDRA personnel scheduling (PEP) to evaluate the personnel requirement or schedule the employees at workplaces.

Integration

The configurations in this function package form the basis for further personnel scheduling function packages.

Features


- Qualifications
 - Qualifications master data to define the necessary qualifications
- Assignment of qualifications to a person
 - Assignment of qualifications to employees
- Workforce requirements of workplaces
 - Recording personnel requirement per workplace or machine

2 Qualifications

Summary

Menu	Master data → Staff → Qualifications
Transaction code	qual
Function authorization	qual

The definition of the individual qualifications is made using the related settings in the master data for the qualifications:



Qualification	Designation	Assign automatically	Order	Responsibility Area
100	Engine driver	☒	1	
200	Machine operator	☒	2	
210	Assistant	☒	5	
220	Varnisher	☒	1	
300	Fork-lift driver	☒	3	
400	Fitter	☒	0	
500	Trucker	☒	0	

Field descriptions

Qualification

Unique number of the qualification. This number can be freely selected when creating a qualification.

Designation

Designation of the qualification.

Category

Category which this qualification belongs to. The category controls the authorizations for viewing and editing qualifications within the application [staff qualifications](#).

Color

Color with which the qualification is to be displayed in personnel assignment. This field can only be accessed if the additional function Advanced selection and visualization is present.



The field *color* is only available if the license **enhanced selection and visualization** (PEP-ESV) is enabled.

Relevant to workforce requirements planning

This field specifies whether or not the qualification is to be displayed and processed in workforce requirements planning.

Assign automatically

This option determines if the qualification is considered in the automatic planning.

Order

The order in which several qualifications for a workplace are displayed in the [workplace assignment](#) can be set.

Responsibility area

Responsibility area of the qualification.

Validity period

Indicates how long the qualification will be valid (in days). If a value is entered in this field, the validity period will be assigned automatically starting from the current day until the end of the specified validity period, when an assignment is created for this qualification.

Max. validity period

Maximum validity of the qualification in days that is checked, when an assignment is created or edited. If the validity start date is not indicated it will automatically be set to "Today". If the validity end date is not entered, it will automatically be set to the validity start date + maximum validity period. If both fields are assigned values and the maximum validity period is exceeded, editing of a qualification will be cancelled by issuing the error message "maximum validity period exceeded".



The fields "category", "relevant to workforce requirements planning", "validity period and max. validity period" are only available if the license **enhanced personnel information** (SIS-EPI) is enabled.

3 Staff Qualifications

Summary

Menu	Master data → Staff → Staff qualifications
Transaction code	pequal
Function authorization	pequal

The qualifications of the employees are stored in the *staff qualifications* dialog.

Staff qualifications

Main page Profile

Request data Cancel Print preview Print all Insert Copy Edit Delete Save Help on operation Help on application Help on detail application Help

Selection

Person from ... to ...

Company ... Area ... Cost center ...

Qualification ...

☒ Currently valid ☒ Valid in the future ☐ Valid in the past

Staff qualifications

Drag a column here to group by that column

Person	Name	Qualification	Designation	Ranking...
667	Smith, Christian	300	Fork-lift driver	90
885	Burger, Simone	210	Assistant	80
40256	Pernikova, Lisa	200	Machine operator	99
40256	Pernikova, Lisa	100	Engine driver	75
40563	Green, Mary	200	Machine operator	90
40789	Sheen, Edward	220	Varnisher	80
40789	Sheen, Edward	200	Machine operator	50
50014	Albert, Claudia	200	Machine operator	80
50201	Mayer, Hugo Egon	100	Engine driver	90
59881	Brown, Albert	100	Engine driver	90
85741	Meyers, Joseph	100	Engine driver	95
93856	Miller, Steven	400	Fitter	80
96665	Hanson, Betty	220	Varnisher	90
96665	Hanson, Betty	210	Assistant	50
10002541	Berry, Claire	200	Machine operator	80

Staff qualifications

Qualification

Person 667 ... Smith, Christian

Qualification 300 ... Fork-lift driver

Ranking order 90

Valid from ...

Valid until ...

Last editing

Modified by Miller

Modified on 10/30/2008 11:56:28 AM



Employees who have not been assigned qualifications cannot be planned automatically in [workplace assignment](#).

Selection criteria

The following selection criteria are available in the application:

Qualification

Selection of the assignments to be displayed based on a specific [qualification](#).

Category

This field allows restricting the [categories](#) assigned to the qualifications.

Validity ends ... by

Validity end date of a discontinued qualification. If data is restricted using this field, all assignments will be shown with a validity end date coinciding with the entered period.

Advanced training planned

Date on which an advanced training is planned. This option allows determining all employees for whom an advanced training for a specific qualification is planned at a specified date. The result is a "list of participants".



The selection criteria "category", "validity ends ... by" and "advanced training planned" are only available, provided that the license **enhanced personnel information (SIS-EPI)** has been enabled.

Field descriptions

Person

Personnel number of the person.

Qualification

Number of the qualification.

Ranking order

Ranking order/order of priority of the qualification. For the automatic planning in the workforce assignment, assigned qualifications with high ranking order are planned first. The ranking order can be defined in range from 99 to 0.

Valid from/ to

Validity period for the assignment of the qualification.

No date specification => *Unlimited validity*

Valid from – to => *Limitation to date range*

Valid from => *Workforce requirement is valid starting on the specified date*

Valid to => *Workforce requirement is valid until the specified date*

Advanced training planned

Date on which an advanced training is planned for this qualification

Start time

Start time of advanced training

Advanced training done

This field documents whether or not the advanced training has been carried out.

Evaluation

The qualification can be assessed in this field. The field is only available if the user has the function authorization *pequal* or *pequal.rating*.



If you do not want to have this field displayed for specific users, you need to delete the function authorization *pequal* for these users and assign the required function authorizations *pequal.create*, *pequal.edit*, *pequal.delete* and *pequal.copy* instead.

Comment 1-3

Up to three comments may be kept for each assignment.



The fields “evaluation”, “advanced training planned”, “start time”, “advanced training done” and “comment 1-3” are only available, provided that the license **enhanced personnel information** (SIS-EPI) has been enabled.

Toolbar



Add file

Opens a dialog to select a file. Once selected, the file is stored with a unique name within the [HYDRA path](#) “MOCHRIMG” on the server. The “file” field shows the file name.



Show file

Shows the files that might be assigned. Subject to the file extension, the file is opened by the application connected in the operating system.



Delete file

Deletes the assigned file. Once this function has been used, the file will no longer exist on the server.



The buttons “add file”, “show file” and “delete file” are only available, provided that the license **enhanced personnel information** (SIS-EPI) has been enabled.

4 Staff Qualifications

Summary

Menu	Master data → Staff → Staff qualifications
Transaction code	pequal
Function authorization	pequal

The qualifications of the employees are stored in the *staff qualifications* dialog.

Staff qualifications

Main page Profile

Request data Cancel Print preview Print all Insert Copy Edit Delete Save Help on operation Help on application Help on detail application Help

Selection

Person from ... to ...

Company ... Area ... Cost center ...

Qualification ...

☒ Currently valid ☒ Valid in the future ☐ Valid in the past

Staff qualifications

Drag a column here to group by that column

Person	Name	Qualification	Designation	Ranking...
667	Smith, Christian	300	Fork-lift driver	90
885	Burger, Simone	210	Assistant	80
40256	Pernikova, Lisa	200	Machine operator	99
40256	Pernikova, Lisa	100	Engine driver	75
40563	Green, Mary	200	Machine operator	90
40789	Sheen, Edward	220	Varnisher	80
40789	Sheen, Edward	200	Machine operator	50
50014	Albert, Claudia	200	Machine operator	80
50201	Mayer, Hugo Egon	100	Engine driver	90
59881	Brown, Albert	100	Engine driver	90
85741	Meyers, Joseph	100	Engine driver	95
93856	Miller, Steven	400	Fitter	80
96665	Hanson, Betty	220	Varnisher	90
96665	Hanson, Betty	210	Assistant	50
10002541	Berry, Claire	200	Machine operator	80

Staff qualifications

Qualification

Person 667 ... Smith, Christian

Qualification 300 ... Fork-lift driver

Ranking order 90

Valid from ...

Valid until ...

Last editing

Modified by Miller

Modified on 10/30/2008 11:56:28 AM



Employees who have not been assigned qualifications cannot be planned automatically in [workplace assignment](#).

Selection criteria

The following selection criteria are available in the application:

Qualification

Selection of the assignments to be displayed based on a specific [qualification](#).

Category

This field allows restricting the [categories](#) assigned to the qualifications.

Validity ends ... by

Validity end date of a discontinued qualification. If data is restricted using this field, all assignments will be shown with a validity end date coinciding with the entered period.

Advanced training planned

Date on which an advanced training is planned. This option allows determining all employees for whom an advanced training for a specific qualification is planned at a specified date. The result is a "list of participants".



The selection criteria "category", "validity ends ... by" and "advanced training planned" are only available, provided that the license **enhanced personnel information (SIS-EPI)** has been enabled.

Field descriptions

Person

Personnel number of the person.

Qualification

Number of the qualification.

Ranking order

Ranking order/order of priority of the qualification. For the automatic planning in the workforce assignment, assigned qualifications with high ranking order are planned first. The ranking order can be defined in range from 99 to 0.

Valid from/ to

Validity period for the assignment of the qualification.

No date specification => *Unlimited validity*

Valid from – to => *Limitation to date range*

Valid from => *Workforce requirement is valid starting on the specified date*

Valid to => *Workforce requirement is valid until the specified date*

Advanced training planned

Date on which an advanced training is planned for this qualification

Start time

Start time of advanced training

Advanced training done

This field documents whether or not the advanced training has been carried out.

Evaluation

The qualification can be assessed in this field. The field is only available if the user has the function authorization *pequal* or *pequal.rating*.



If you do not want to have this field displayed for specific users, you need to delete the function authorization *pequal* for these users and assign the required function authorizations *pequal.create*, *pequal.edit*, *pequal.delete* and *pequal.copy* instead.

Comment 1-3

Up to three comments may be kept for each assignment.



The fields "evaluation", "advanced training planned", "start time", "advanced training done" and "comment 1-3" are only available, provided that the license **enhanced personnel information** (SIS-EPI) has been enabled.

Toolbar



Add file

Opens a dialog to select a file. Once selected, the file is stored with a unique name within the [HYDRA path](#) "MOCHRIMG" on the server. The "file" field shows the file name.



Show file

Shows the files that might be assigned. Subject to the file extension, the file is opened by the application connected in the operating system.



Delete file

Deletes the assigned file. Once this function has been used, the file will no longer exist on the server.



The buttons "add file", "show file" and "delete file" are only available, provided that the license **enhanced personnel information** (SIS-EPI) has been enabled.

5 Working Time Day Types

Summary

Menu	Human resource management → Models → Working time day types
Transaction code	wtdt
Function authorization	wtdt

All of the various employee working times are defined in the working time day types.

The screenshot displays the 'Working time day types' (wtdt) transaction in SAP. The main area contains a table of existing day types, and the right-hand pane shows the configuration for a selected day type (100).

Day type	Shift type	Valid from	Valid until	Designation	Res
100		3/27/2005		Flextime Mo-Fr 8h	
101		1/1/1900		Flextime Sat+Sun	
102		1/1/1900		Flextime public holiday	
120		1/1/1900		Flextime Mo-Fr 4h	
140		1/1/1900		Office Cleanup Mo-F...	
200 F		1/1/1900		3-Shift Mo-Fr	
200 N		1/1/1900		3-Shift Mo-Fr	
200 S		1/1/1900		3-Shift Mo-Fr	
201 F		1/1/1900		3-Shift Weekend	
201 N		1/1/1900		3-Shift Weekend	
201 S		1/1/1900		3-Shift Weekend	
300 F		1/1/1900		2-Shift fix	
300 S		1/1/1900		2-Shift fix	
301 F		1/1/1900		2-Schicht Wochenende	
301 S		1/1/1900		2-Schicht Wochenende	

Configuration for Day Type 100:

- Type: Flextime day type
- Day type: 100
- Valid from: 3/27/2005
- Valid until:
- Designation: Flextime Mo-Fr 8h
- Responsibility area:

Working time details:

- Target time: 8:00
- Max. working time: 10:00
- Beginning of skeleton time: 6:00
- End of skeleton time: 19:00
- Beginning of core time: 9:00
- End of core time: 15:00
- Beginning of normal time: 8:00
- End of normal time: 16:30

Usage

To specify the working time for a shift worker, all of the shifts that occur in a day are entered in the working time day type. Each shift of the day is represented in a working time day type, each of which contains an identifier referring to the corresponding shift, e.g. 'F' for early shift, 'S' for late shift, etc.

Field descriptions for the *Working time* tab

Type

Selection regarding whether the type is flextime or shift day type.

Shift type

In working time planning in the shift rhythm model, the shift type field is used to plan one of the shifts defined in the day type for the employee. The designation can be freely selected although the system is case sensitive. The shift types within one day type must be different. Self-explanatory abbreviations, such as "F" for early shift and "N" for night shift, are useful.



A night shift that is to be compensated on the following day is configured using a negative start time in skeleton and normal time. For example, the entry "-2:00" means that the shift starts two hours before 0:00, or at 22:00 on the previous day. If the core time is also to begin on the previous day, a negative time must also be entered in the corresponding field.

Target time

Specification of the daily target working time in hours and minutes. For day types for occasional Saturday or Sunday work, the value 00:00 is entered in this field to specify that there is no target working time for this day. For employees that are not present, this means that an absence is not generated for this day. For employees that are present, the attendance time is evaluated as overtime.

Max. working time

The entry in the *Max. working time* field causes a message to appear in the day evaluation if an employee exceeds the maximum working time on the day evaluated. Otherwise, the entry in this field has no other effect, i.e. working time that exceeds the maximum working time is compensated. If this field is empty (entry of 00:00), no message is generated.

Rest period

The rest period specifies how long after the end of the working time employees have to rest before they are allowed to resume work on the next day. Planning scenarios violating the rest period are highlighted in pink in [Personnel Scheduling](#). Provided that the rest period has not been respected, [Labor Time Calculation](#) generates a respective message that is shown in [Messages listing](#)

Beginning, end of skeleton time

Specification of the period in which employee presence is allowed. [Control of labor time calculation](#) can be used to define whether or not the working time before or after the beginning/ end of skeleton time is to be compensated.

Beginning, end of core time

Specification of the period in which the employee must be present. If the employee leaves the workplace early or the clock-in is late, a message is generated in the messages listing.

For day types without core time, an entry **must** be made anyway in the core time field within the skeleton time (e.g. core time from 11:30 to 11:30).

Beginning, end of normal time

If an employee does not provide a clocking on the day to be evaluated even though the employee was assigned target working time, i.e. the employee was absent the entire day, normal working time is compensated. The absence record created for the employee starts at the normal start time, contains the normal breaks and ends such that the target time or the set absence time is reached. The rounding of clockings is also set based on the normal working time. The normal working time is also needed for the assignment regarding whether the working time belongs to the current day or the following day. For this reason, it is imperative that an entry be made in this field.

Field descriptions for the *Breaks* tab

Break 1 to Break 3

In these three groups, a skeleton time, a minimum duration and a normal time can be entered for each break. In addition, a specification can be made regarding whether the break is unpaid or paid. While unpaid breaks are subtracted from the working time, paid breaks count as working time and are considered in the compensation of breaks depending on working time, for example. For day types that include fewer than three breaks, the other break fields remain empty.



For paid breaks, the field *Minimum duration* is processed as maximum duration.

Note regarding the processing of flexible breaks

Flexible breaks are unpaid breaks in which the period of the break frame is longer than the minimum duration of the break. The following rules apply for processing flexible breaks:

1. The employee is present, but does not create a clocking within the break frame. If the system does not find a clocking within the break frame, the employee is credited with the normal time for the respective break.
2. If the employee creates a clocking within a break frame and the clocked time is longer than the minimum break, exactly that clocked time is subtracted for the employee.
3. If the employee creates a clocking within a break frame and the clocked time is shorter than the minimum break, the minimum break is subtracted for the employee.

4. If only one of the two clockings lies within the break frame, only the time within the frame is evaluated as a break. The time outside of the frame is subtracted as an interruption of the working time. This takes effect if only a small part of the clocked break is within the frame because in this case, the minimum break is allocated as the break and the time outside of the break frame is also subtracted.
5. If the employee uses the final clock-out for the respective day before the end frame of a break, the time for this break is not credited.
6. If the employee uses the first clock-in for the respective day after the start frame of a break, the time for this break is not credited either.
7. Clockings within the break frame time can have their own rounding interval defined for them in the evaluation parameters.
8. Normal breaks are always allocated for absence records.

Note regarding the processing of paid breaks

The following rules apply for processing paid breaks:

1. If no clocking is created for the break, nothing is subtracted for the break. The duration of the paid break is still considered in the compensation of the breaks depending on working time.
2. If a break clocking is created within the frame of a paid break, it is filled with working time up to the minimum duration of the break. To do this, an additional clocking record of type "Paid break" is generated. If the break was longer than the minimum duration, the remainder is subtracted as an unpaid break.
3. To determine the break duration, only the absence within the break frame is used. Absence time outside of the break frame is allocated as a working time interruption and is not considered when the interruption is filled with a paid break.



Only one paid break may be clocked per break frame. Multiple paid breaks within one break frame cannot be processed correctly.

Field descriptions for the *On-call duty* tab

Beginning, end of on-call duty

Up to two on-call duty intervals can be stored in the working time day type. Setting up on-call duty is described in the [On-call duty](#) documentation.



The fields in the *On-call duty* tab can only be accessed if the Personnel Scheduling license (PZW-PZP) is active.

Field descriptions for the *Payment* tab

Day type

The entry in this field is the payment day type that is to be compensated together with this working time day type.

As an alternative, there is an option to specify the payment using the payment model assigned using the HR master data sheet. If a payment day type is entered in this payment model, it has precedence over the payment day type entered here in the working time day type.

Field descriptions for the *Options* tab

Free break

In addition to the three breaks in the Working time tab, a free break can be subtracted from the working time of each employee. This break can be distributed over the day. This field is not used to enter the total of all breaks. The free break is always subtracted at the end of the day **regardless of the amount of working time**, i.e. it is even allocated if an employee was only present for a short time.

Compensation of target time starting


This option can be used to select if the compensation of the target time is to occur beginning with the start of the working time, the frame, the normal time or the core time. For example, if the start of the frame is set and the employee worked overtime, the target time is filled with the working time after the start of the frame and the previous time (time before frame start or parts of it) are compensated as overtime. With the Working time start setting, any possible existing overtime is always compensated at the end of the working time.

6 Working Time Models

Summary

Menu	Human resource management → Models → Working time models
Transaction code	wtmo
Function authorization	wtmo

Week models, period models and year models can be used to assign working time day types to working time models.



Working time models

Main page Profile

Request data Cancel Print preview Print all Insert week model Insert year model Insert period model Copy Edit Delete Save Help on operation Help on application Help on detail application Help

Selection

Model to

Designation

☒ Currently valid ☒ Valid in the future ☐ Valid in the past

Working time models

Drag a column here to group by that column

Model	Valid from	Valid until	Designation	Type	Year
100	1/1/1900		Flextime Mo-Fr 8h	Week model	
120	1/1/1900		Part Time Mo-Fr 4h	Week model	
140	1/1/1900		Cleanup Mo-Fr 3h	Week model	
200	1/1/1900		3-Shift	Week model	
300	1/1/2011	12/31/2011	3-Shift fix	Year model	
400	1/1/1900		4-Shift conti.	Period model	

Working time model

Model 100 Flextime Mo-Fr 8h

Valid from 1/1/1900

Valid until

Designation Flextime Mo-Fr 8h

☒ Week model ☐ Period model ☐ Year model

Responsibility area

Last editing

Modified by Miller


Modified on 2/2/2007 3:20:56 PM

Insert week model



Insert week model

The following dialog opens for inserting a week model:



The dialog box is titled 'Insert' and has a 'Main page' tab. It contains the following fields and tabs:

- Working time model**
 - Model:
 - Valid from:
 - Designation:
 - Responsibility area:
- Tabs:** Weekdays, Public holidays, Important public holidays, Other days off (selected)
- Days of the week:**
 - Monday:
 - Tuesday:
 - Wednesday:
 - Thursday:
 - Friday:
 - Saturday:
 - Sunday:

Valid as of

The field *valid from* can be used to define week models with the same model number and different validity starts. If modifications are required for a week model, they can be stored using a new week model with the same number such that the calculations can be reset.

Monday, Tuesday, ..., Sunday


The day type for the corresponding weekday is entered in these fields. The *Public holiday*, *Important public holidays* and *Other days off* tabs can be used to store one different day type per weekday. This day type is used if the day is defined as a public holiday with the respective public holiday type. If the fields in these tabs are empty, on public holidays, the day type from the Weekdays tab is used.

Insert period model



Insert period model

The following dialog opens for inserting a period model:



The dialog box is titled 'Insert' and has a 'Main page' tab. It contains the following fields and controls:

- Model:** A text box containing the value '0'.
- Designation:** An empty text box.
- Responsibility Area:** A dropdown menu.
- Modified by:** A text box and a dropdown menu.
- Valid from:** A date picker showing '1/1/1900'.
- Reference date:** A date picker showing '10/21/2011'.

Below these fields is a table with the following structure:

Periods			Public holidays		Important public holidays		Other days off	
No. of days	Day type	Designation	Day type	Designation	Day type	Designation	Day type	Designation
> 3	100	Flextime Mo...						


At the bottom of the dialog are four icons: a document with a green plus sign, a document, a document with a blue plus sign, and a document with a red X.

Field description

Reference date

The reference date specifies the date on and after which the periods described in the table will cycle through repeatedly.

The "Insert" option is used to define the individual periods of the period model:



Field description

No. of days

Duration of the period in days

Day type

Specification of the day type for working time models.

Day type for public holidays, important public holidays, other days off

A different day type can be stored in these three fields for public holidays, important holidays and other days off. If these fields are empty, on the respective public holidays the entry from the previously described field will be used.

Insert year model



Insert year model

The following dialog opens for inserting a year model:

Date from, to

Period for which an assignment is to be made.

Weekdays, weekends, Mo, Tu, ..., Su

Weekdays that are to be assigned. The weekdays button selects the days from Monday to Friday and the weekends button selects Saturday and Sunday.

Include public holidays, exclude public holidays, public holidays only

This option is used to specify whether or not public holidays are considered in the assignment or if only public holidays are assigned. Public holidays are shown in brown in the year calendar.

Day type

Selection of the working time day type that is to be entered on the selected days in the year calendar.

Field descriptions for the *Weekdays* tab



Assigns the selected day type on the selected days.




Deletes the day types entered on the selected days in the year calendar.

7 Shift Rhythm Models

Summary

Menu	Human Resources Management --> Models --> Shift Rhythm Models
Transaction code	srmo
Function authorization	srmo

For the determination of the working time frame of a shift worker, a “shift rhythm model” is required in addition to the working time model. Which shift type is planned on particular days is defined in this model.



Shift rhythm models

Main page Profile

Request data Cancel Print preview Print all Data

Insert week model Insert year model Insert period model Functions Copy Edit Delete Save Settings Help

Selection

Model to

Designation

☒ Currently valid ☒ Valid in the future ☐ Valid in the past

Shift rhythm models

Drag a column here to group by that column

Model	Valid from	Valid until	Designation	Type	Y
200	1/1/1900		3-Shift Morning	Period model	
201	1/1/1900		3-Shift Afternoon	Period model	
202	1/1/1900		3-Shift Night	Period model	
300	1/1/1900		2-Shift Morning	Period model	
301	1/1/1900		2-Shift Afternoon	Period model	

Shift rhythm model

Model 200

Valid from 1/1/1900

Valid until

Designation 3-Shift Morning

Type ☐ Week model ☒ Period model ☐ Year model

Responsibility area

Last editing

Modified by Miller

Modified on 2/22/2006 8:24:02 AM

Utilization



In the shift rhythm model, it is also possible to enter a shift type on days for which no day type is defined in the working time model. In many cases, this simplifies the creation of shift rhythm

models.

Insert week model



Insert week model

The following dialog box pops up to insert a week model:

The dialog box is titled 'Insert' and contains the following fields and tabs:

- Shift rhythm model**
 - Model:** 210
 - Valid from:** 1/1/1900
 - Designation:** Early shift
 - Responsibility area:**
- Tabs:** Weekdays, Public holidays, Important public holidays, Other days off
- Weekdays:**
 - Monday: F
 - Tuesday: F
 - Wednesday: F
 - Thursday: F
 - Friday: F
 - Saturday: F
 - Sunday: F

Valid from

The *Valid from* field enables the definition of week models with the same model number and different validity start dates. If modifications to a week model are required, this can be achieved by the retroactive creation of a new week model with the same model number.

Monday, Tuesday,, Sunday


The shift type for the relevant weekday is specified in these fields. One deviating shift type can be defined for each week day via the *Holiday*, *Important holidays* and *Other days off* tabs; this shift type is used when the day is defined as a holiday with the relevant holiday type. If these fields are left empty, then the shift type from the Week day tab is used on holidays.

Insert period model



Insert period model

The following dialog box pops up to insert a period model:



The dialog box is titled 'Insert' and contains the following fields and controls:

- Model:** A text box containing the value '0'.
- Designation:** An empty text box.
- Responsibility Area:** A dropdown menu.
- Modified by:** A text box.
- Valid from:** A date picker showing '1/1/1900'.
- Reference date:** A date picker showing '8/1/2011'.
- Periods Table:** A table with the following structure:

Periods		Public hold...	Important ...	Other day...
No. of days	Day type	Day type	Day type	Day type
> 6				


At the bottom of the dialog box, there are four icons: a document with a green plus sign, a document, a document with a blue plus sign, and a document with a red X.

Field description

Reference date

The reference date specifies from which day on the period described in the table should be run through again.

The individual periods of time of the period model are defined using the "insert" button:



Field description

Number of days

Duration of the period in days

Day type

Specifies the shift type.

Day type for public holiday, important public holiday, other day off

In these 3 fields, a deviating day type can be defined for holidays, important holidays and other days off. The entry from the previously described field is used for the corresponding public holidays if these fields remain empty.

Insert year model



Insert year model

The following dialog box pops up to insert a year model:

Date from, to

Period for which an assignment should be made.

Weekdays, weekend, Mo, Tu, ..., Su

Weekdays that are to be assigned. The "weekdays" button selects the days from Monday until Friday and the "weekend" button selects Saturday and Sunday.

Include holidays, Exclude holidays, Holidays only

This option determines whether any holidays should be taken into account, holidays should be ignored in the assignment or only holidays should be assigned. Holidays are represented in the calendar in the color "brown".

Day type

Selects the shift type which should be entered for the selected days in the year calendar.

Function buttons on the *Weekdays* tab



Assigns the selected shift type to the selected days.



Deletes the shift types that are entered for the selected days within the year calendar.

8 Personal Models

Summary

Menu	Human Resources Management --> Planning --> Personal Models
Transaction Code	pmod
Function authorization	pmod

With “Personal models”, an employee, a cost center, an area or an entire company can be allocated a working time model, a shift rhythm model or a remuneration model or an overtime type for a certain period, which overrides any corresponding models allocated in the HR master data.

With this function, short term switches between individual models are possible without having to change allocations in the HR master data.

Utilization

The display of planned personal models is sorted in descending order by date, i.e., the current and future plans are at the top.



The following priorities apply to the definition of personal models:

1. Employee
2. Cost center

3. Section

4. Company

That means that personnel related plans override cost center related plans. Personal models for an area override company related plans.

Selection Criteria

The application provides the following selection criteria:

Valid from, valid to

Restricts the personal models that may be selected to those applying in this period.

Field Descriptions

Company, Employee, Cost center, Section

Selection criteria for the employee or employee group, for which the personal model is to be planned. An additional company restriction is necessary if several companies are managed in the system and the allocation by company is not clear and unambiguous.

Valid from, to

Start and end dates for the planning of the personal model. If the end date field is left empty, a plan without time limit will be created.

Working time model

[Working time model](#), according to which the selected employee or group of employees is to be evaluated.

Shift rhythm model

[Shift rhythm model](#) used for the determination of the shift type.

Payment model

[Payment model](#) to which working time is to be allocated.

Overtime type

[Overtime type](#) which overrides the period entered in the HR master data sheet. For [periods of overtime calculation](#) that are longer than one day, the planning of an overtime type for one or more days during that period always affects the whole period.

It is not necessary to fill in all fields when planning personal models. For empty fields, the models from the HR master data will be processed.



When it comes to plans that are to be rescheduled for longer periods, we recommend making the changes using the HR master that may be kept in different versions.

Toolbar



Reset labor time calculation

In the [reset labor time calculation](#) dialog the results of labor time calculation have to be reset for the selected range of people and dates when it comes to plans relating to the past, in order for the changes to become effective.

9 Personal Day Types

1.1 Summary

Menu	Human Resources Management --> Planning --> Personal Day Types
Transaction Code	pdat
Function authorization	pdat

With the “Personal day types” module, an employee, a cost center, an area or an entire company can be assigned a working time day type or a payment day type for a certain period, which overrides the definition in the corresponding working time model or payment model.

In this way, short term individual working time and remuneration rules can be created without having to change the relevant models.

Personal day types

Main page | Profile

Request data | Cancel | Print preview | Print all | Insert | Copy | Edit | Delete | Reset labor time calculation | Save | Help on operation | Help on application | Help on detail application

Selection

Person from 96665 to ...

Company ... Area ... Cost center ...

Valid from ... Valid until ...

Personal day types

Drag a column here to group by that column

Personnel selection	Person	Personal day type	Valid from	Valid until	
BSP	Person	96665	Hanson, Betty	5/20/2013	5/24/2013
BSP	Person	96665	Hanson, Betty	4/27/2013	4/27/2013
BSP	Person	96665	Hanson, Betty	4/1/2013	4/5/2013
BSP	Person	96665	Hanson, Betty	3/18/2013	3/19/2013

Personal day types

Personal day type | Validity | Last editing

Personnel selection

Company BSP

Personnel selection Person

Person 96665 Hanson, Betty

Personal day type

Valid from 5/20/2013

Valid until 5/24/2013

Working time day type ...

Shift type S

Payment day type ...

Utilization

The display of planned personal models is sorted in descending order by date, i.e., the current and future plans are at the top.

The following priorities apply to the definition of personal day types:



1. Employee
2. Cost center
3. Section
4. Company

That means that personnel related plans override cost center related plans. Personal day types for an area override company related plans.

Selection Criteria

The application provides the following selection criteria:

Valid from, valid to

Restricts the personal day types that may be selected to those applying in this period

Field Descriptions

Company, Employee, Cost center, Section

Selection criteria for the employee or employee group, for which the personal day type is to be planned. An additional company restriction is necessary if several companies are managed in the system and the allocation by company is not clear and unambiguous.

Valid from, to

Start and end dates for the planning of the personal day type. If the end date field is left empty, a plan without time limit will be created.

Working time day type

[Working time day type](#), according to which the selected employee or group of employees is to be evaluated.

Shift type

Shift type from the shift or flexible shift day types.

Payment day type

The [payment day type](#) to which the working time is to be allocated.



With the “Personal day type” function it is possible to plan the working time, the remuneration or both. Information missing from the plan is completed with values from the models of the person concerned. Accordingly, the planning of another shift type does not require the input of the shift day type.

If one wishes to define another working time day type for a longer period, using a personal day type, then it is usually necessary to create a plan for each week, as otherwise target time will be

defined for the weekend.

Toolbar



Reset labor time calculation

In the ["reset labor time calculation"](#) dialog the results of labor time calculation have to be reset for the selected range of people and dates when it comes to plannings relating to the past, in order for the changes to become effective.

10 Personal Working Time

Summary

Menu	Human resource management → Planning → Personal working time
Transaction code	pwot
Function authorization	pwot

The function *Personal working time* enables the working time of an employee to be planned individually for one or more days. In contrast to [Personal day types](#) with which only the existing day types can be stored, with *Personal working time* there is an option to modify the planned working time day type in a targeted manner. Application examples include breaks that are not taken, which can be deleted for a person by planning a *personal working time*.

Personal working time

Main page Profile

Request data Cancel Print preview Print all Insert Copy Edit Delete Save Help on operation Help on application Help on detail application

Selection

Person from ... to ...

Company ... Area ... Cost center ...

Date ... to ...

Personal working time

Drag a column here to group by that column

Person	Com...	Person	Name	Validity	Valid from	Valid until
BSP	40256	Pernikova, Lisa			3/3/2011	3/9/2011
BSP	40789	Sheen, Edward			2/28/2011	2/28/2011
0001	10002854	Baker, Jake			1/10/2011	1/14/2011
BSP	40789	Sheen, Edward			1/5/2011	1/5/2011
BSP	50201	Meyers, Harald			1/3/2011	1/7/2011
BSP	96665	Hanson, Betty			12/31/2010	12/31/2010

Personal working time

Personal working time Breaks On-call duty Payment Options Last

Person

Person 40256 ... Pernikova, Lisa

Validity

Valid from 3/3/2011

Valid until 3/9/2011

Personal working time

Day type 300 ...

Designation 2-Shift fix

Shift type 5

Working time

Target time 8:00

Max. working time 10:00

Beginning of skeleton time 14:00

End of skeleton time 23:00

Beginning of core time 14:00

End of core time 22:00

Beginning of normal time 14:00

Field descriptions

The field descriptions correspond with the descriptions of the [working time day types](#)




When a personal working time is created, the person's respective clockings are automatically reset. In this case, the rounded times, the working time day type and payment day type from these clockings are deleted. Manually edited and authorized clockings are not automatically reset so that the editor's desired modifications are not overwritten.

11 Payment Day Types

Summary

Menu	Human Resource Management → Models → Payment Day Types
Transaction code	padt
Function authorization	padt

A payment day type defines how the working time rendered by employees is allocated on the individual wage types. Each line represents a separate payment rule, which regulates how target working time, overtime or fixed times are allocated.



Payment day types

Main page Profile

Request data Cancel Print preview Print all Insert Copy Edit Delete Payment rules Control of absences Save Help on operation Help on application Help on detail application

Selection

Day type ... to ...

Designation

Usage: Payment day type, Absence payment, Overtime type

☒ Currently valid ☒ Valid in the future ☐ Valid in the past

Payment day types

Drag a column here to group by that column

Day type	Valid from	Valid until	Designation	Usage
100	1/1/1900		Flextime Mo-Fr	Payment day type
101	1/1/1900		Flextime Sat+Sun	Payment day type
150	1/1/1900		Prof. Absence	Payment day type
200	1/1/1900		3-Shift Mo-Fr	Payment day type
201	1/1/1900		3-Shift Weekend	Payment day type
202	1/1/1900		3-Shift Holiday	Payment day type
205	1/1/1900		3-Shift Afternoon	Payment day type
400	1/1/1900		Illness	Absence payment
401	1/1/1900		Without wage continuation	Absence payment
420	1/1/1900		School (full day)	Absence payment
450	1/1/1900		Leave	Absence payment
451	1/1/1900		Half day leave	Absence payment
455	1/1/1900		Special Leave	Absence payment
480	1/1/1900		Short-time work	Absence payment
600	1/1/1900		Holiday	Absence payment
610	1/1/1900		Half day (Publ.H.)	Absence payment
900	1/1/1900		Extra Work (Flextime)	Overtime type
901	1/1/1900		Flextime minus	Absence payment

Payment day type

Day type: 100

Valid from: 1/1/1900

Valid until:

Short designation: FLEX MF

Designation: Flextime Mo-Fr

Usage: Payment day type

Responsibility area:

Last editing

Modified by: Miller

Modified on: 6/7/2000 5:54:19 PM

Selection Criteria

The application provides the following selection criteria:

Utilization

Defines how the payment type is used. The following utilization options are possible:

Payment day type

The payment day type is provided in the selection lists for remunerations of attendance times, e.g. When payment models are created, for personal day types and when clockings are directly entered.

Absence payment

This payment day type is available in selection lists for remunerations of absence times, e.g. when absences are planned or when absence clockings are directly entered.

Overtime type

This payment type has been designed as overtime type and may, for example, be selected in the HR master or in personal models. Overtime types allow for the compensation of a person's overtime and reduced hours to be controlled, whereas the analysis period for overtime is controlled by the configuration of overtime periods in HYDRA.

Toolbar



Payment rules

This icon opens the application to display and edit the [payment rules](#) of the selected payment day type.



Control of absences

This icon opens the [control of absences](#) application.

12 Public Holidays

Summary

Menu	Human resources management --> Models --> Public holidays
Transaction code	ptph
Function authorization	ptph

The following window opens for planning public holidays:

Public holidays

Main page Profile

Request data Cancel Print preview Print all Insert Copy Edit Delete Save Help on operation Help on application Help on detail application Help

Selection

Year 2011

Public holidays

Drag a column here to group by that column

Validity	Company	Year	Date	Designation	Type
		2011	1/1/2011	New Year	Public holiday
		2011	1/6/2011	Hari Raya	Public holiday
		2011	4/22/2011	Good Friday	Public holiday
		2011	4/24/2011	Easter Sunday	Important public ...
		2011	4/25/2011	Chinese New Year	Important public ...
		2011	5/1/2011	Labor Day	Public holiday
		2011	6/2/2011	National Day	Public holiday
		2011	6/12/2011	Sample Holiday1	Important public ...
		2011	6/13/2011	Sample Holiday2	Important public ...
0001		2011	8/15/2011	Deepavali	Public holiday
		2011	10/3/2011	National Day	Public holiday
		2011	12/24/2011	Christmas Eve	Other day off
		2011	12/25/2011	Christmas 1	Important public ...
		2011	12/26/2011	Christmas 2	Important public ...
		2011	12/31/2011	New Year's Eve	Other day off

Public holiday

Date 1/1/2011

Designation New Year

Type
 ☒ Public holiday
 ☐ Important public holiday
 ☐ Other day off

Responsibility area

Absence payment

Day type 600 ... Holiday

Validity

Company

Last editing

Modified by Miller

Modified on 1/27/2011 1:35:34 PM

Usage

The public holidays stored in the system are considered when year models are created. Subsequent modifications in the public holiday table do not affect year models that have already been created.

Public holidays for which absence payment is stored have the same effect as absence planning. In order for an absence to be generated, target time must be planned for the corresponding days in the working time models.

Field descriptions

Type

This option determines whether it is a *Holiday*, a *Religious holiday* or an *Other day off*. In week and period models, different day types can be planned for the particular types.

Absence payment

Payment day type which should be used to create an absence. If this field is left empty, then no absence is planned for this day.

Company

Restriction of the holiday to a particular company. This field can be used if a particular holiday is not valid in all companies or if different absences should be created for different companies. Otherwise it should be left empty.

Personnel selection


This field enables planning of public holidays for groups of persons or individual persons. This is mainly required if employees also work on public holidays due to a continuous shift model. Consequently, a public holiday defined for the entire company can be disabled for a specific group of persons by enabling the option "no public holiday".

13 Absence Control

Summary

Menu	Master data → Time and Labor Data → Absence Control
Transaction code	abse
Function authorization	abse

The "absence control" module enables you to make default settings as well as to plan the employees' planned absences.



Control of absence times

Main page Profile

Request data Cancel Print Print all Insert Copy Edit Delete Save Help on operation Help on application Help on detail application Help

Control of absence times

Drag a column here to group by that column

Absence payment		Abbreviation	
Day type	Designation	Full-day absence	Partly absent
400	Illness	Ill	Ill
420	School (full day)	Sch	Sch
450	Leave	Lea	Lea
451	Half day leave	HLD	HLD
455	Special Leave	FCI	FCI
600	Holiday	PubH	PubH
610	Half day (Publ.H.)	F12	F12
901	Flextime minus	FLX	FLX

Absence Settings Last editing

Absence payment

Day type 400 ... Illness

Abbreviation

Full-day absence Ill

Partly absent Ill

Settings

Priority 60

Percentage 100

Category Illness with continued pay

Color 255, 21, 21

Context menu 2

Duration

Target time

Normal time

Average working time

Absence

Set target time as absence time

Minimum duration

Maximum duration

Field Descriptions

Field descriptions for the “absence” tab

Abbreviation: Full-day absence

The comment entered here is taken over to the “abbreviation” field of the absence planning and, as a result, it is displayed in the graphic absence planning. When it comes to unplanned absences that are allocated with a specific payment type using evaluation parameters, this field allows for another abbreviation instead of the “UNG” abbreviation to be defined for the annual absence overview.

Abbreviation: Partly absent

This comment is entered instead of the “full-day absence” comment for days when people are only partly absent. This makes it possible to distinguish between full-day absences and part-time absences within the graphic absence planning.

Priority

Priority of absence payment; potential values range between 0 and 99, whereas a higher value stands for a higher priority. If two absences are planned for one person at the same day, the planning assigned to the higher priority will be used.

Percentage

Percentage by which the planned duration is to be multiplied (e.g. 80% continued pay in case of illness or 50% for half a public holiday).

Category

Assignment of the absence to a specific group of absences. This allows for different absence categories to be displayed in the work day statistics.

Color

Color to indicate the absence time in the dialogs for graphic absence planning, annual overview and personnel scheduling.

Context menu

Absences that are entered in this field are displayed within the context menu of the graphic absence planning and the personnel scheduling module and, as a result, may be assigned without starting the graphical user interface. The value entered here allows for sorting of absences in the context menu. The authorization for the responsibility area of the absence payment is taken into account in this context. Within the context menu the user may only view those entries for which they are authorized. Values ranging between 1 and 9 may be entered. If a value is used several times the value is displayed according to the number of the payment day type.

Duration

Target time

The absence is made up of the target working time planned for this day in the working time frame.

Normal time

The absence is made up of the normal working time planned for this day in the working time frame.

Average working time

The absence is made up of the average working time entered in the HR master.

Absence

The absence is made up of the specified duration.

Set target time to absence time

If this field is activated the target time is set to the specified absence duration for the day when the absence is planned. This is especially interesting if absence time is made up of e.g. the normal time or average working time from the HR master. Overtime or undertime is avoided by setting the target time to the absence time.

Minimum Duration

This field specifies as of which minimum duration absences are to be generated. Consequently, it is possible to create an absence for reduced working hours as of a specific (minimum) duration.

Maximum duration

If the absence duration exceeds the value that is entered here it will be reduced to the maximum duration. This option allows for a doctor's visit to be reduced to two hours, for example.

Field description for the “settings” tab**Authorization required**

Absence planning is subject to authorization.

Generate complete absence despite attendance

If this field is active the entire absence time is allocated even if the employee is present. This button has to be set e.g. for half public holidays.

Partly absent, fill up target time to

The entries made in this field are percentage rates. Values ranging between 1 and 100 result in absence records to be generated even if the employee is present. In this case, attendance time is filled with absence time up to the specified percentage rate of the previously selected duration.

This field is used, for example, if an employee gets ill while being at work or if reduced hours are worked.

Modification enabled

If this option is not checked the input fields referring to the values specified here are blocked in the absence planning dialog. Consequently, default values entered in the corresponding fields cannot be changed.

Display as planned absent

This field determines whether or not the absence leads to the overview dialog of the personnel scheduling module to display the employee as being available or not. Consequently, employees who are defined as being absent in the personnel scheduling module may anyway be included in the number of available employees. This might be reasonable for absences, like part-time school or reduced working hours. Provided that this button is disabled, the graphic absence planning and personnel scheduling functions show the comment for part-time absences if absences are planned.

Days on which two absence times that altogether result in the target time or normal working time are planned at one day are displayed as “planned absent”, irrespective of this option. As it is the case, e.g. for half a leave day or half a public holiday.

Compensation**Allocate actual time**

Default setting. The absence duration is added to the actual working time.

Allocate as undertime

The absence duration is not added to the actual working time. The undertime resulting from it is deduced from the account using the overtime type and the time sheet does not show any actual time.

Allocate leave day, allocate half a leave day

One leave day or half a leave day is deducted from the leave account for absences where one of these two options is checked (the leave account is assigned to number 4 when accounts are defined).

Absence time may be requested

This option defines whether or not this absence may be chosen from the Web user interface when requesting an absence.

Request needs to be approved

This parameter specifies whether or not the absence time requested via the absence workflow has to be approved by the superior or whether it is automatically considered as being approved.

Continued pay

The period after which it is automatically switched to the absence payment entered in the “subsequent payment” field may be entered in the “period of continued pay” field. The period of time refers to calendar days and does not depend on the number of actually planned working days and weekends. In Germany the period of continued pay normally takes six weeks. This corresponds to the value 42 that is entered in the “period of continued pay” field.

Upload to payroll accounting

These fields are only processed in a few customer-specific interfaces. The flag “upload to payroll accounting” defines whether or not the absence time is transferred to the absence interface. A number or designation that differs from that of the absence payment may be entered in the “absence reason” field. Moreover, a “control indicator” may be transferred.

14 Absence Planning

Summary

Menu	Human Resources Management --> Planning --> Absence Planning
Transaction code	pabp
Function authorization	pabp

Using the absence planning function absences can be planned and displayed for people and employee groups.

Usage

Planned absences are listed in descending order and sorted by date within the list, i.e. current and future absences are displayed on top. Absences applied for are shown in blue and italics and rejected absence requests are displayed in red and italics.

In general, absences as well as attendance times are managed in clocking records. The “type” field within the clocking records allows for a distinction to be made between absences and attendance times. The “absence” clocking type is used for absences.

Absence records are generated automatically for the [computation of labor times](#) if no clockings are found for people, although working time is planned. When it comes to absences, the normal breaks from the working time model are allocated. Absences may be created manually and absence records that are generated automatically may be edited.

The system differentiates between planned and unplanned absences. If an employee is absent, though working time is planned for that day and there is no absence planning, then it is an unplanned absence. The generation of unplanned absences is defined in the [Control of labor time calculation](#). Unplanned absences are automatically deleted when [labor time is calculated](#), provided that attendance time exists for the corresponding day.

The below priorities apply when absences are planned:

1st priority from [Control of absences](#)



and within the same priority:

1st person, 2nd cost center, 3rd area, 4th company

This means that within the same priority personal planning overwrites planning on cost center level. Absences for an area take priority over absences relating to companies.

Field descriptions in the “Absence” tab

Company, personnel selection

Selection criteria for the employee or group of employees for whom the absence is planned. An additional company restriction is only necessary if several companies are managed in the system and the allocation by company is not clear and unambiguous.

Valid from, valid to

Start and end time of the planned absence.

Payment

The payment day type with which the absence is to be allocated. If specifications are defined for the selected payment day type in the [Control of absences](#) the specifications are automatically entered within the absence planning when entering the payment day type. If the “modification enabled” option is not checked in the “control of absences” the corresponding fields are blocked in the graphical user interface, which prevents the entries from being changed.

Comment

Comment on the absence that can be entered by the employee when applying for the absence and that is shown in the [Attendance overview](#) during the relevant period. In [Personnel scheduling](#) the comment is displayed within the tooltip of the relevant days.

Internal comment

The internal comment is only visible when planning absences and editing absences in [Personnel scheduling](#).

Number of calendar days

The “number of calendar days” column indicates the duration of absences in calendar days, when it comes to absences of the categories “Continued pay – illness with continued pay”, “w/o continued pay – illness without continued pay”, “accident – work accident”, “maternity leave”, “cure – health cure”, and “unpaid illness”.

Duration**Planned target time**

If this field is selected, then an absence with the duration of the planned target time is created.

Planned normal time

If this field is selected, then an absence with the duration of the planned normal time is created. This can deviate from the target time for people with flextime or flexible shifts.

Average working time

If this option is set, then the absence is set off against the average working time as defined in the HR master data.

Absence time

If this field is selected the entered duration is used for the absence time.

Time from, time until

Time period for the planned absence. The period entered here is taken into account when it comes to the [Workplace assignment](#), provided it is at the beginning or end of the shift. If only one of the two fields is filled out, the planned absence starts or ends automatically at the beginning or end of the shift. This period is also considered when [labor time is calculated](#), provided it is **not** a partial absence (see the field “partly absent”) or a half day off.

Authorization required

Determines whether the absence and its associated wage type postings must be authorized/signed.

Partially absent, Fill up target time to

A percentage figure is input in this field. Values between 1 and 100 cause an absence record to be created even when the employee was present. The attendance time is filled up with absence time up to the specified percentage of the previously selected duration.

This field is used, for example, if an employee gets ill during the workday or when reduced hours are worked.

Field descriptions in the “Settings” tab

Validity

These options are used to specify on which weekdays the absence planning is valid. This is used, for example, for trainees who are always in vocational school on the same week day.

Previous illness


The fields "period of continued pay", "duration" and "start date" appear in this dialog when planning absences for which the monitoring of continued pay is enabled in the [control of absences](#).

Absence request

Shows the date and time of the absence request.

Monitoring of continued pay - previous illness

The fields "period of continued pay", "duration" and "start date" appear in this dialog when planning absences for which the monitoring of continued pay is enabled in the [control of absences](#):



Previous illness	
Period of continued pay	42
Duration	...
Start date	

A dialog where the previous illness can be selected opens if the selection list of the “duration” field is used:

When the illness is selected, its duration and the start date are transferred automatically to the relevant fields. Alternatively, it is possible to enter the duration and start date manually.

Toolbar



Approve request

Function authorization: pabp.sign

This icon approves a requested absence. Processing is identical to approving requests in the Escalation Management module.



Reject request

Function authorization: pabp.reject

This icon rejects a requested absence. Processing is identical to rejecting requests in the Escalation Management module.



Personnel scheduling

Calls up the [Personnel Scheduling](#)



Labor time maintenance

Calls up the [Labor time maintenance](#)



Reset labor time calculation

Calls up the [Reset labor time calculation](#)

15 Personnel Scheduling

Summary

Menu	Human resources management → Planning → Personnel scheduling
Transaction code	ptpl
Function authorization	ptpl

Personnel scheduling can be used to gain an overview of employee shift sequences and working times. The annual overview shows an employee's shift and absence planning for the entire year.

Request data

Cancel

Print preview

Print all

Labor time maintenance

Absence planning

Year overview

Save

Settings

Help on operation

Help on application

Help on detail application

Help

Year

2011

Person

40789

☒ Show absence reason

Year overview

Overview of periods

Leave account: Current

41.0

End of the year

25.0

Data to be displayed

Shift plan

Absence 2

2011	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31	
> January			F	F	F	PubH	F			Lea	Lea	Lea	Lea	Lea			Lea	Lea	Lea	Lea	Lea			F	F	F	F	F			S	
February	S	S	S	S				N	FLX	FLX	N	N		F	F	F	F	F				S	S	S	S				F			
March	N	N	N	N				III	III	III	III	III		S	S	S	S	S			N	N	N	N	N				F	F	F	F
April	F			S	S	S	S	S			N	N	N	N				F	F	F	F	PubH			PubH		S	S	S			
May		N	N	N	N	FLX				FLX	FLX	F	F	F		S	S	S	S	S			N	N	N	N	N			F	F	
June	F	PubH	F			S	S	S	S	S			PubH	N	N	N	N			F	F	F	F	F			S	S	S	S		
July	S			N	N	N	N	N			F	F	F	F	F		S	S	S	S	S				Lea	Lea	Lea	Lea	Lea			
August	Lea	Lea	Lea	Lea	Lea				Lea	Lea	Lea	Lea	Lea		N	N	N	N	N			F	F	F	F	F			S	S	S	
September	S	S			N	N	N	N	N			F	F	F	F	F			S	S	S	S	S			N	N	N	N	N		
October			PubH	F	F	F	F			S	S	S	S	S			N	N	N	N				F	F	F	F	F			S	
November	S	S	S	S			N	N	N	N	N			Sch	Sch	Sch	Sch	Sch			S	S	S	S	S			N	N	N		
December	N	N			F	F	F	F	F			S	S	S	S	S			N	N	N	N	HLD			PubH	F	F	F	HLD		

As an alternative to the year overview, in the overview of periods the corresponding information can be displayed for a group of employees.

Personnel scheduling

Main page Profile

Request data Cancel Print preview Print all Labor time maintenance Absence planning Labor time schedule Save Settings Help on operation Help on application Help on detail application Help

Person from ... to ...

Company ... Area ... Cost center ...

Date from 1/1/2011 to 2/28/2011 Show absence reason

Year overview Overview of periods

Data to be displayed Absence Absence 2

Drag a column here to group by that column

People	Com...	Person	Name	Activity	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21
BSP	667	Smith, Christian	Apprentice							Pub H	III						FLX	Lea			Lea				
BSP	40256	Pernikova, Lisa	Final Assembly							Pub H															
BSP	40563	Green, Mary	Final Assembly							Pub H															
BSP	40789	Sheen, Edward	Fitter							Pub H				Lea	Lea	Lea	Lea	Lea			Lea	Lea	Lea	Lea	Lea
BSP	50014	Albert, Claudia	Foreman			Soh	Soh	Soh		Pub H	Soh														
BSP	50201	Mayer, Hugo Egon	Mechanic							Pub H															
BSP	59881	Brown, Albert	Turner							Pub H															
BSP	85741	Meyers, Joseph	Temp. personnel							Pub H															III
F - Available						4	4	4			4			2	2	2	2	2			3	3	3	3	2
S - Available						3	3	3			3			3	3	3	3	3			2	2	2	2	2
N - Available						1	1	1			1			2	2	2	2	2			2	2	2	2	2
Without shift - Available						5	5	5			4			5	5	5	4	4			4	5	5	5	5
Total - Available						13	13	13			12			12	12	12	11	11			11	12	12	12	11

Usage

Below the selection criteria in the year overview, the current account balance and the account balance for the end of the year for the leave account (account with the number 4 in the definition of accounts) are displayed.

The absences are displayed with the comment from [controlling absences](#) or absence planning for the respective day. For days with multiple planned absences, the absence reason with the greatest priority is shown in the upper part and the absence that is of lower priority is shown below it. Absences that have been requested via the absence workflow but not yet approved are displayed in italics.

For the staff displayed, additional columns can be activated in the grid. This includes the person's current account balances, the account balances at the start and end of the selected period and at the end of the year.

By right-clicking it is possible to plan an absence, a personal shift type or a personal working time for the selected period. The absences shown in the context menu and their colors can be defined in the [controlling absences](#) application. The shift types of the working time day types are shown as shift types in the "personal day type" sub-menu.

In addition, [personal models](#) and comments can be planned using the context menu. If a comment is defined for a day, it will be shown as tooltip in the calendar when going with the mouse over this day. Days for which a tooltip is available are highlighted by a small, red triangle in the top right margin of the relevant day.

In the overview of periods, it is possible to plan absences and personal shift types for several employees simultaneously, by selecting in each case the relevant period for these employees. The planning of absences and/or personal shift types for several employees simultaneously is only possible with the absences and/or the shift type shown in the context menu.

In the table in the lower area of the window is a list of the persons planned to be present and absent per shift type. Using this display, a check can be made to determine if enough employees are present for the shift. A distinction is made between employees that are available, not available or off work.

If the **planned** working time does not respect the rest period, the affected days will be highlighted in pink:

	S	S	S
N	N	S	
F			S

Integration

The employees can view the resulting shift plan on the PZE terminal. The configuration is described in the documentation dealing with [shift plans on terminal](#).

Selection criteria

The application provides the following selection criteria:

Data to be displayed

Three information items can be displayed per day. The three selection fields can be used to specify which data are visible for the day.

Shift plan

Displays any possible planned absences and the planned shift type on work days. For the days evaluated, actual data is output and for days that are not evaluated, planning is output.

Absence

Displays any possibly planned absences.

Absence 2

Displays any possibly planned second absence for the day.

Attendance time

Displays the working time completed.

Target time

Displays the planned target time.

Normal time

Displays the planned normal time.

Planned start time

Displays the planned start time.

Planned end time

Displays the planned end time.

Working time day type

Displays the planned working time day type.

Shift type

Worked shift type for the previous days and planned shift type for the current and future days. When the planned shift type is determined, both personal day types and personal working time are considered. The shift type is only output for the planned work days.

Planned shift type

Displays the planned shift type from a personal shift rhythm model or a model stored in the HR master data. The planned shift type is only output for the planned work days.

Different shift type

This field always contains the worked shift type if it differs from the planned shift type of the shift rhythm model defined in the HR master and/or a personal model.

Payment day type

Displays the planned payment day type.

Working time model

Shows the planned working time model

Shift rhythm model

Displays the planned shift rhythm model

Payment model

Shows the planned payment model

Overtime type

Displays the planned overtime type.

Personal working time

Displays any possibly planned personal working time. The personal working time is represented by an X.

Personal working time day type

Displays any possibly planned personal working time day type.

Personal shift type

Displays any possibly planned personal shift type.

Personal payment day type

Displays any possibly planned personal payment day type.

Personal working time model

Displays any possibly planned personal working time year model.

Personal shift rhythm

Displays any possibly planned personal shift rhythm model.

Personal payment model

Displays any possibly planned personal payment year model.

Personal overtime type

Displays any possibly planned personal overtime type.

On-call duty 1

Start time of the first interval of [on-call duty](#).

On-call duty 2

Start time of the second on-call duty interval.

Show absence reason

If this option is disabled, all of the absence planning is displayed in “red” and the text “N/A” for “Not present (Nicht Anwesend)” is shown.



If no abbreviation is displayed in the graphic absence planning on the corresponding days after absence planning has been created, it might be that there is no target time stored for these days. The planned working time for the corresponding days can be checked in the [working time information](#).

For absence planning for a period in the past, in some cases the absence can only be displayed

after the [labor time computation](#) has been carried out.

If only the period of the absence planning was modified when changing an absence, only the respective period is reset and recalculated in the next labor time calculation.

Field descriptions in the *Overview of periods* tab

Attendance rate

The attendance rate is calculated from the sum of the target time and/or normal time of employees planned to be present divided by the sum of the target time and/or normal time of all employees. Only the duration of the planned attendance time is taken into account when half days are off.

The result is displayed as a percentage and rounded (without decimal places) before totaling the first shift.

Available

Staff who is planned to be *present*, i.e. the target and/or normal time for the day is greater than 0 hours.

Not available

Staff who is planned to be *absent*, i.e. an absence is planned for that day.

Off work

Staff for whom no target and/or normal time has been planned, i.e. the employee is not required to be present on this day.

On-call duty

The number of staff with on-call duty is displayed in the lower section of the overview of periods per shift and as a grand total.



The specification as to whether the target time or normal time is compensated for the above-described fields depends on the [setting](#) *Identification of available staff on the basis of target time/ normal time*.

Toolbar



Labor time maintenance

Starts the [labor time maintenance](#) dialog.



Labor time calculation

Calls up the [labor time calculation](#)



Reset labor time calculation

Calls up the [resetting of labor time calculation](#)



Absence planning

Calls up [absence planning](#).



Year overview

Calls up the [year overview](#). This icon is only available if the "year overview" tab is enabled.



Current account balances

Calls up the application [current account balances](#)



Labor time schedule


Calls up the [labor time schedule](#).

Settings for personnel scheduling



Settings

Calls up the settings for personnel scheduling



MOC Settings

Identification of available staff on the basis of

☒ Target time

☐ Normal time

Selection for planning

☐ of the shift types included in the plan

☒ of all shift types

Shift type

☐ Case sensitive

Attendance rate

☐ Display

☒ ☐

Field description

Identification of available staff on the basis of target time/ normal time

If additional shifts on the weekend or on days off are to be planned, it may be required that the available staff be identified based on the normal time because on such days there is usually no planned target time. For flextime and flexible shift day types, the duration of the normal time is defined using the normal start and end time. Note here that the representation of the planned absences also depends on this setting. For example, leave is also displayed on weekends although it is not compensated in the day evaluation based on missing target time. The display is updated only after data have been refreshed.

Selection for planning

This option can be used in the planning of a shift type to specify if only those shift types contained in the current planning are to be displayed using the context menu or if a selection can be made from all of the shift types present in the working time day types. The number of shift types to be displayed is limited to 10.

Shift type - case sensitive

In totaling the employees, depending on the setting, the shift types are not case sensitive. For example, the number of shifts identified by "F" and "f" is displayed as a common total.

Attendance rate

Here a setting regarding whether or not the attendance rate is to be displayed is saved for the logged on user. The specification regarding whether the target time or normal time is compensated is based on the setting *Identification of available staff on the basis of target time/ normal time*.



The settings for the display in the personnel scheduling are stored per user.

16 Labor Time Schedule

Summary

Menu	Human Resources Management → Planning → Labor Time Schedule
Transaction code	ptpn
Function authorization	ptpn

The personnel plan shows the availability and the employee shift plan in table form. One row is displayed in the list per person and date. The grouping options allow sums to be calculated, e.g. for shifts, days or activities.

Integration

The employees can view the resulting shift plan on the PZE terminal. The configuration is described in the [Shift plan on the terminal](#) documentation.

Selection criteria

The following selection criteria are available in the application:

Shift type

By entering '*' in the selection criterion *shift type* all employees can be displayed. If this field is empty, only those employees are displayed for whom no shift model and no flexible shift model are planned.

On-call duty only

If the selection parameter "On-call duty only" is activated, only employees with on-call duty are displayed.

Show absence reason

If this option is deactivated, all of the absence planning is displayed in "red" and the text "N/A" for *Not present (Nicht Anwesend)* is shown.

Field descriptions**Shift plan**

Displays any possible planned absences or the planned shift type on work days.

Availability category

If the *Labor time schedule* is grouped based on one column, the number of employees and the planned availability is shown in the columns *Available*, *Not available*, *Day off*.

Absence category

The columns for the absence can be shown using the *Absence* category.

Absence category 2

The columns for the second planned absence can be shown using the *Absence 2* category.

On-call duty category

In the *Labor time schedule* the columns for on-call duty times can be activated using the *On-call duty* category. If the *Labor time schedule* is grouped based on one column, in the *On-call duty* column, the number of employees with planned [on-call duty](#) is shown.

Working time category

The category *Working time* contains information regarding target time, normal time, breaks and start and end of the working time.

Day types category

The category *Day types* can be used to show the columns for the planned working time day type, payment day type and overtime type.

Personal day types category

The category *Personal day types* includes information regarding the planned personal day types for working time, shift type and payment.

Personal models category

The category *Personal models* includes information regarding the planned personal models for working time, shift rhythm, payment and overtime.

Additional info category

The category *Additional info* can be used to show additional information from HR master data.



The settings for *Shift type* and *Finding available people* in the [Personnel scheduling](#) are also considered in the labor time schedule.

17 Workforce Requirements of Workplaces

Summary

Menu	Master data → Workplaces/machines → Workforce requirements of workplaces
Transaction code	Wpqual
Function authorization	Wpqual

Utilization

This application allows for the personnel requirements of workplaces to be defined. The requirements for multiple qualifications may be defined for each workplace.



In case the license "determination of workforce requirements depending on the order" (PEP-AEP) has been purchased, the personnel requirements can be defined subject to the scheduled operations as an alternative to the workplaces.

Prerequisites

The corresponding workplace/machine and the corresponding qualification have to be created.

Field descriptions

Valid from, valid to

Validity period of workforce requirements.

without date specification => unlimited validity

Valid from - until => restricted to a date range

Valid from => Workforce requirements apply as of the specified date

Valid until => Workforce requirements apply until the specified date

Workforce requirements

Workforce requirements can be indicated with 2 decimal places.

Assign automatically

It can be controlled whether or not the workplace is to be assigned automatically. Workplaces for which this option is not enabled are not taken into account by the automatic assignment function.



In addition to the personnel requirements, a shift model also has to be defined at the workplace in order for the plan to be displayed correctly.

18 Personnel Schedule on the Terminal

Overview

Menu	System administration → Terminals → Terminal Configuration
Transaction code	tc
Function authorization	tc

Employees can use the key Absence Reason at the PZE terminal to view their Personnel Schedule for the next couple of days. The Personnel Schedule is displayed at the terminal through the dynamic dialog P_PEP.

Personnel schedule
[#0015]

Badge No.

Name

Date from **to**

	Date	from	to	Shift	Workplace	Function
↑	12.07.2012	06:00	14:00	F	33021	Maschine operator
	13.07.2012	06:00	14:00	F	33022	Maschine operator
	14.07.2012					
	15.07.2012					
↶	16.07.2012	14:00	22:00	Lea		
	17.07.2012	14:00	22:00	Lea		
	18.07.2012	14:00	22:00	S	33021	Maschine operator
↓	19.07.2012	14:00	22:00	S	33021	Maschine operator
	20.07.2012	14:00	22:00	S	33022	Maschine operator
	21.07.2012					

Page 1 • Page 2 • Page 3

Cancel
Update display

The Absence Reason "_PEP" must be specified and additionally the legend to be displayed on the key must be entered:

Edit

Main page

General Status MF functions Disposition HR functions QM functions

Parameters Show info

General

Operation mode AST

Cyclic loading 1:00:00 h

Relay time 2 s

Return time 5 s

Display duration of info 8 s

☐ Show date of latest evaluation

☒ Show recent docking records

Default status

Plausibility check

Autom. status

In

Out

Break

Information

None

Status sequence

Texts for key setting

Key In In

Key Out Out

Key Break Break

Key Information Info

Message key Nachricht

Text for default status Break

Texts for absence reasons

Absence reason 1 300

Absence reason 2 KST

Absence reason 3 KSL

Absence reason 4 _PEP

Absence reason text 1

Absence reason text 2

Absence reason text 3

Absence reason text 4



The dialog must be activated through the Dynamic Dialog Configuration before it can be displayed at the terminal.