

Manual

Flexible Working Time PZW-FAZ 8.2

Version 1.0.15655

Last changed on: 19.06.2020

Copyright

©Copyright 2020 All rights reserved.

SAP® and R/3® are registered trademarks of SAP AG.

WINDOWS® is a registered trademark of Microsoft Corporation.

MPDV® and HYDRA® are registered trademarks of MPDV Mikrolab GmbH.

ORACLE® is a registered trademark of ORACLE Corporation, California, USA.

Copying and distribution of this documentation or any part thereof, for any purpose or in any form, is prohibited without prior written permission from MPDV Mikrolab GmbH.

The information contained in this documentation is subject to change without prior notice.

Contents

1	Flexible Working Time - Overview	4
2	Personal Models	5
3	Personal Day Types	8
4	Personal Working Time	12
5	Breaks Depending on Working Time	14

1 Flexible Working Time - Overview

Purpose

This function package contains functions to flexibly re-plan working time and payment.

Implementation Considerations

Use this function package to:

- flexibly re-plan employee working time and shift rhythm model;
- define breaks depending on the actual working time.

Integration

This personnel scheduling function package requires *Time and Labor Data Evaluation* to define working time and payment models.

The *Personal Day Types* and *Personal Working Time* can be called up in Personnel Scheduling through the context menu.

Features

- Personal models
 - Re-plan original working time and payment models for employees or employee groups for the corresponding periods
- Personal day types
 - Re-plan the day types for employees and employee groups within the original working time and payment models for the corresponding periods
- Personal working time
 - Re-plan the planned working time on a temporary basis without the need to define working time day types
- Breaks depending on working time
 - Compensate breaks depending on the actual working time and the clocked breaks

2 Personal Models

Summary

Menu	Human Resources Management --> Planning --> Personal Models
Transaction Code	pmod
Function authorization	pmod

With “Personal models”, an employee, a cost center, an area or an entire company can be allocated a working time model, a shift rhythm model or a remuneration model or an overtime type for a certain period, which overrides any corresponding models allocated in the HR master data.

With this function, short term switches between individual models are possible without having to change allocations in the HR master data.

Utilization

The display of planned personal models is sorted in descending order by date, i.e., the current and future plans are at the top.



The following priorities apply to the definition of personal models:

1. Employee
2. Cost center

3. Section

4. Company

That means that personnel related plans override cost center related plans. Personal models for an area override company related plans.

Selection Criteria

The application provides the following selection criteria:

Valid from, valid to

Restricts the personal models that may be selected to those applying in this period.

Field Descriptions

Company, Employee, Cost center, Section

Selection criteria for the employee or employee group, for which the personal model is to be planned. An additional company restriction is necessary if several companies are managed in the system and the allocation by company is not clear and unambiguous.

Valid from, to

Start and end dates for the planning of the personal model. If the end date field is left empty, a plan without time limit will be created.

Working time model

[Working time model](#), according to which the selected employee or group of employees is to be evaluated.

Shift rhythm model

[Shift rhythm model](#) used for the determination of the shift type.

Payment model

[Payment model](#) to which working time is to be allocated.

Overtime type

[Overtime type](#) which overrides the period entered in the HR master data sheet. For [periods of overtime calculation](#) that are longer than one day, the planning of an overtime type for one or more days during that period always affects the whole period.

It is not necessary to fill in all fields when planning personal models. For empty fields, the models from the HR master data will be processed.



When it comes to plans that are to be rescheduled for longer periods, we recommend making the changes using the HR master that may be kept in different versions.

Toolbar



Reset labor time calculation

In the [reset labor time calculation](#) dialog the results of labor time calculation have to be reset for the selected range of people and dates when it comes to plans relating to the past, in order for the changes to become effective.

3 Personal Day Types

Overview

Menu	Human resources management → Planning → Personal day types
Transaction code	pdat
Function authorization	pdat

You can use the application *Personal day types* to assign a working time day type or payment day type to a person, a cost center, an area or an entire company for a specified period. This entry then overrides the specification in the relevant working time or payment model.

Using this function, you can make short-term and individual changes of the working time and payment without having to change the relevant models.

The screenshot displays the SAP 'Personal day types' application. The main window is titled 'Personal day types' and has a 'Main page' tab. The 'Selection' area at the top includes fields for 'Person from' (96665), 'to', 'Company', 'Area', 'Valid from', and 'Valid until'. Below this is a table titled 'Personal day types' with columns: 'Personnel selection', 'Person', 'Valid from', 'Valid until', and 'Day type'. The table contains four rows of data for 'Hanson, Betty' with different valid periods and day types. On the right side, there is a detailed view of the selected entry, showing fields for 'Company' (BSP), 'Personnel selection' (Person), 'Person' (96665), 'Valid from' (5/20/2013), 'Valid until' (5/24/2013), 'Working time day type', 'Shift type' (S), and 'Payment day type'.

Personnel selection	Person	Valid from	Valid until	Day type		
BSP	Person	96665	Hanson, Betty	5/20/2013	5/24/2013	
BSP	Person	96665	Hanson, Betty	4/27/2013	4/27/2013	
BSP	Person	96665	Hanson, Betty	4/1/2013	4/5/2013	
BSP	Person	96665	Hanson, Betty	3/18/2013	3/19/2013	

Purpose

The display of planned personal models is sorted in descending order by date, i.e., the current and future plans are on top.

When you define personal day types, the following priorities apply:



1. Person
2. Cost center
3. Area
4. Company

That means that person-related plans override cost center related plans. Personal day types for an area override company-related plans.

Selection criteria

The application provides the following selection criteria:

Valid from, valid until

Only the personal day types included in this period are available for selection.

Field descriptions

Company, Person, Cost center, Area

Selection criteria for the person or group of persons for which you want to plan a personal day type. You must additionally select the company if several companies are managed in the system and the allocation by company is not clear and unambiguous.

Valid from, to

Start and end date of the planning of the personal day type. If you leave the end date field empty, a plan without time limit is created.

Working time day type

[Working time day type](#) that is used to evaluate the selected person or group of persons.

Shift type

Shift type of the working time day type.

Payment day type

The [Payment day type](#) used to settle the working time.



Using the function *Personal day types*, you can plan the working time, the payment or both. Information that is missing during planning is completed with values from the models of the relevant person. Example: To plan a different shift type, you do not need to enter the shift day type.

If you want to use a personal day type to store a different working time day type for a longer period, then you usually have to create a separate planning for each week. Otherwise the target time is also stored for the weekends.

Comment

You can enter a comment in this field. You can enter the reason why a personal day type is created, for example.

Color

You can use this field to specify a color that identifies the days for which a personal day type is stored. Using different colors you can identify the changes of different users. In this case, each user highlights the personal day types with a different color.

Working time before beginning of skeleton time

If the field *Working time before beginning of skeleton time* is set to *Rejected*, then the working time before start of skeleton time is rounded up to the start of the skeleton time. These fields therefore override the rounding settings specified in the [Control of labor time calculation](#).

If the field *Working time before beginning of skeleton time* is set to *Approved*, then the working time before start of skeleton time is rounded using the rounding settings *Working time before beginning of skeleton time* specified in the [Control of labor time calculation](#). If these rounding settings are empty, the time is rounded using the normal rounding settings for flexitime or shift. Times that are blocked in the [Control of labor time calculation](#) are not processed if the working time before start of skeleton time is approved (it does not matter if the blocked times are included in the skeleton, core or normal time because in all 3 cases the working time before start of skeleton time can be subject to blocking).

If the field *Working time before beginning of skeleton time* is set to *Approved* and if a payment rule is set for the *Working time before beginning of skeleton time* that requires authorization, then this authorization requirement is reset.

Working time after end of skeleton time

If the field *Working time after end of skeleton time* is set to *Rejected*, then the working time after end of skeleton time is rounded down to the end of the skeleton time. These fields therefore override the rounding settings specified in the [Control of labor time calculation](#).

If the field *Working time after end of skeleton time* is set to *Approved*, then the working time after end of skeleton time is rounded using the rounding settings *Working time beforeafter end of skeleton time* specified in the [Control of labor time calculation](#). If these rounding settings are empty, the time is rounded using the normal rounding settings for flexitime or shift. Times that are blocked in the [Control of labor time calculation](#) are not processed if the working time after end of skeleton time is approved (it does not matter if the blocked times are included in the skeleton, core or normal time because in all 3 cases the working time after end of skeleton time can be subject to blocking).

If the field *Working time after end of skeleton time* is set to *Approved* and if a payment rule is set for the *Working time after end of skeleton time* that requires authorization, then this authorization requirement is reset.

Breaks not taken

The options in the group *Breaks not taken* hide the respective breaks. The options also have an effect when you plan a personal working time. The personal working time therefore takes priority over the working time day types and the shift type in the personal day type. But the personal working time has a lower priority than the options of group *Breaks not taken*. If a *Break depending on working time* is stored, this break is processed and the setting of the options in group *Breaks not taken* has no effect. This can have the effect that the break of the working time day type is not processed, but the break depending on working time is processed.

Toolbar



Reset labor time calculation

In the dialog [Reset labor time calculation](#), you must reset the results of the labor time calculation for plannings of the past for the persons and dates selected. Only then the changes can become effective.

4 Personal Working Time

Summary

Menu	Human resource management → Planning → Personal working time
Transaction code	pwot
Function authorization	pwot

The function *Personal working time* enables the working time of an employee to be planned individually for one or more days. In contrast to [Personal day types](#) with which only the existing day types can be stored, with *Personal working time* there is an option to modify the planned working time day type in a targeted manner. Application examples include breaks that are not taken, which can be deleted for a person by planning a *personal working time*.

Personal working time

Main page Profile

Request data Cancel Print preview Print all Insert Copy Edit Delete Save Help on operation Help on application Help on detail application Help

Selection

Person from to

Company Area Cost center

Date to

Personal working time

Drag a column here to group by that column

Person	Com...	Person	Name	Valid from	Valid until
BSP	40256	Pernikova, Lisa	3/3/2011	3/9/2011	
BSP	40789	Sheen, Edward	2/28/2011	2/28/2011	
0001	10002854	Baker, Jake	1/10/2011	1/14/2011	
BSP	40789	Sheen, Edward	1/5/2011	1/5/2011	
BSP	50201	Meyers, Harald	1/3/2011	1/7/2011	
BSP	96665	Hanson, Betty	12/31/2010	12/31/2010	

Personal working time

Personal working time Breaks On-call duty Payment Options Last

Person

Person 40256 Pernikova, Lisa

Validity

Valid from 3/3/2011

Valid until 3/9/2011

Personal working time

Day type 300

Designation 2-Shift fix

Shift type 5

Working time

Target time 8:00

Max. working time 10:00

Beginning of skeleton time 14:00

End of skeleton time 23:00

Beginning of core time 14:00

End of core time 22:00

Beginning of normal time 14:00

Field descriptions

The field descriptions correspond with the descriptions of the [working time day types](#)




When a personal working time is created, the person's respective clockings are automatically reset. In this case, the rounded times, the working time day type and payment day type from these clockings are deleted. Manually edited and authorized clockings are not automatically reset so that the editor's desired modifications are not overwritten.

5 Breaks Depending on Working Time

Summary

Menu	Human resources management→ Models→ Breaks depending on working time
Transaction code	wtdb
Function authorization	wtdb

Depending on the executed working time, this configuration allows to offset unpaid breaks from the working time:



Usage

The following rules apply for processing breaks depending on working time:

- The entries from the list are applied in ascending working time order. Only the difference between the entered break and the already offset break will be deducted for an entry.
- The compensation of a break depending on working time is made **after** that point in time, at which the specified working time has been achieved.

- Those breaks will be accounted for, for which a clocking was made and/or that were automatically compensated at the corresponding working day. Also those paid breaks will be accounted for that are stored to the working time day type .



Only the breaks depending on working time with the same combination of company, area and working time day type will be active for one person. If for example a break depending on working time is defined for a company and for an area, entries applying to the complete company will not be processed. Configurations applying to a working time day type will have the strongest priority here.

Field descriptions

Company

Specification of that company to which the configuration shall apply.

Area

Criterion to restrict the area. This can be used to restrict to certain areas the compensation of breaks depending on working time.

Working time day type

Working time day type, to which the break depending on working time shall apply.

Valid from, to

Validity period for the break depending on working time.

Working time

Time that must be achieved in order to compensate the break depending on working time.

Break

Time that will be deducted as break from the executed working time. The break will no longer be shown once the specified working time has been achieved.

Allocate only if no break is planned

If this option is enabled, the break depending on working time will only be applied in those instances, in which no break is stored to the working time scheduling of a day. A modification of the setting will apply to all breaks depending on working time for the selected combination of company and area.

Consider interruptions of work outside of break frame

If this option is inactive, only the existing breaks within the break frame and no interruptions of work outside of the break frame will be accounted for in the compensation of the breaks depending on working time.

Allocate break completely when working time is exceeded

This option causes the break depending on working time to be deducted completely, once the specified working time has been achieved (e.g.: working time: 6 hours, break: 30 minutes; 6.05 --> 5.35). If this option is not enabled the break depending on working time will be hidden **after** the specified working time has been achieved (e.g.: working time: 6 hours, break: 30 minutes, 6.05 --> 6.00).