

Manual

Time Sheets and Archiving PZE-ZNW 8.2

Version 1.0.14876

Last changed on: 19.06.2020

Copyright

©Copyright 2020 All rights reserved.

SAP® and R/3® are registered trademarks of SAP AG.

WINDOWS® is a registered trademark of Microsoft Corporation.

MPDV® and HYDRA® are registered trademarks of MPDV Mikrolab GmbH.

ORACLE® is a registered trademark of ORACLE Corporation, California, USA.

Copying and distribution of this documentation or any part thereof, for any purpose or in any form, is prohibited without prior written permission from MPDV Mikrolab GmbH.

The information contained in this documentation is subject to change without prior notices.

Contents

1	Time Sheets and Archiving - Overview	4
2	Time Sheet	5
3	Sending Time Sheet via E-mail	9
4	Time Sheet Archive	14
5	Time Sheet Configuration	16
6	Time Sheet Columns	18
7	Configuration of Time Sheet Layouts	20

1 Time Sheets and Archiving - Overview

Purpose

Daily and monthly time sheets including individual layout options and archiving functions for long term data storage.

Implementation Considerations

Use this function package to:

- adapt the format and contents of time sheets to your requirements;
- use multiple different layouts for time sheets;
- archive time sheet data on the server to keep the time sheet available even when the data is no longer available in the database.

Integration

This function package can only be used if HYDRA is used for Personnel Time Management (function package *Time and Labor Data Evaluation*).

Features

- Time sheet
 - Definition of multiple time sheets, graphical definition of their layout and recording of the information to be displayed
 - Access to time sheets for a single day or any time period
- Time sheet archive
 - Long term archiving of time sheets and functions to access archived data

2 Time Sheet

Summary

Menu	Human resources management → Month-end closing → Time sheet
Transaction code	ptsh
Function authorization	ptsh

The time sheet contains the clock events and the related compensation for a settlement period.

Time sheet

Person 9665
Name Hanson, Betty

Month 1 / 2011
Date 7/5/2011

Account balances at beginning of month

Flextime	16:45	Overtime	02:00
Flexible time	00:00	Leave account	0.00
Monthly account	00:00		

Date	Beginning	End	Break	Type	Remuneration	Target Time	Actual Time	+/-	Flex Time	Overtime
03.01. Mon	7:43	15:38	0:30	Present	100 FLEX MF	8:00	7:15			
04.01. Tue	7:14	15:00	0:45	Present	100 FLEX MF	8:00	11:00			
	15:00	19:00		Busin.trip	150 Dienst					
05.01. Wed	10:14	17:12	0:30	Present	100 FLEX MF	8:00	6:30			
06.01. Thu	8:00	16:30	0:30	Absence	600 Pub.Hol.	8:00	14:30			6:30
07.01. Fri	7:34	12:04	0:30	Present	100 FLEX MF	8:00	8:30			0:30
	12:26	16:23		Present	100 FLEX MF					
08.01. Sat										
09.01. Sun										
				Sum of week		40:00	47:45	7:45		7:00
10.01. Mon	8:00	16:30	0:00	Absence	450 Leave	8:00	8:00			
11.01. Tue	8:00	16:30	0:00	Absence	450 Leave	8:00	8:00			
12.01. Wed	8:00	16:30	0:00	Absence	450 Leave	8:00	8:00			
13.01. Thu	8:00	16:30	0:00	Absence	450 Leave	8:00	8:00			
14.01. Fri	8:00	16:30	0:00	Absence	450 Leave	8:00	8:00			
15.01. Sat										
16.01. Sun										

Usage



If multiple versions of a person exist within the settlement period, the status at the end of the settlement period is decisive for the selection of the person and the inspection of the responsibility area. Users that are authorized for the respective person on this day may view the time sheet for the entire period. The display of the HR master data in the list corresponds with the date.

Selection criteria

The following selection criteria are available in the application:

Time sheet

Selection of various time sheets. Users may only select the time sheets for which they are authorized.

Sorting

These two fields affect the field order for the time sheet printouts.

Field descriptions

Header

In the list header for each person the following is displayed: the name of the employee, the employee's personnel number, the month evaluated and the balances of the existing accounts at the beginning of the month.

Date

Evaluation day with designation of the weekday

Mo	Monday
Tu	Tuesday
We	Wednesday
Th	Thursday
Fr	Friday
Sa	Saturday
Su	Sunday

All of the days of the evaluation period appear without a gap in the list, even if there were no clockings or compensation on a particular day.

Beginning

Clocked start time of the clocking;
in case of an absence record the planned start time is output here.

End

Clocked end time of the clocking;
in case of an absence record the planned end time is output here.

Break

The duration of the break is determined from the sum of the interruptions within the break frame, breaks depending on working time and the free break based on the working-day type).

Type

The status of a clocking record can be "K" for present or "F" for an absence record. If the clocking has been manually edited or created, then an asterisk (*) is output before the status.

Payment

The number and the short designation of the payment day type according to which the clocking time was evaluated are displayed here.

Target time

The planned target working time for the evaluation day is indicated in hours and minutes.

Actual time

The actual time achieved on the evaluation day is indicated in hours and minutes. The actual working time is calculated from the rounded clocking times and consists of the attendance time and absences.

+/-

In this column, the difference between the actual working time and the planned target time is displayed. The difference is displayed in hours and minutes. If the value displayed here has a negative sign, this means that the employee did not achieve the target working time for this day.

Flexible time

The modification of the flexible time account (third account in the [configuration of the accounts](#)) on the evaluation day is displayed here.

Overtime

Displayed here is the time posted for an employee for the evaluation day to a wage type with the identifier for overtime. Wage types entered as undertime are displayed as negative. The definition of such wage types is stored in the configuration of [wage types](#). For this reason, users can determine the display in this last column themselves.

Totals

At the end of the list, for each person the following totals are included: the target and actual working time and the difference between them, the sum of the daily flexible time changes and the sum of the overtime in the evaluation period.

Balances

In addition, the balances of the accounts at the end of the month are displayed. If an account is limited, then at the end of the list the carryforward to the following month for the respective account is shown.

Toolbar



Time sheet configuration

Function authorization: ptsc

Calls up the [Time sheet configuration](#).



Report designer

Function authorization: ptsc

How to [design time sheets](#) is described separately.



Send e-mail

Function authorization: ptsh or ptsh.sendemail

Sending [time sheets by e-mail](#) to employees as PDF files.



This option can be disabled by deleting the function authorization ptsh and adding the function authorization ptsh.view.



The functions *Time sheet configuration*, *Report designer* and *Send e-mails*-are only available if the license PZW-ZNW is enabled.

3 Sending Time Sheet via E-mail

Overview

You can use this function to send the time sheet to employees via e-mail. You call the function in the application [Time sheet](#) using the button *Send e-mail*.

Requirements

The e-mail address of persons that send/receive e-mails must be stored in the [HR master data](#) in field *Company e-mail*. You can find two methods to send e-mails in the following. We recommend the method SMTP.



If the persons have an e-mail address, the name is displayed in blue font and underlined on the right hand side of the detail application.

Method SMTP

The e-mails are sent via HYDRA server. To activate the e-mail dispatch using the SMTP protocol, you must make the following entry in the [INI configuration](#):

INI configuration:	PERSONALTIMESHEET
Section:	SENDEMAIL
Key:	PROTOCOL
Value:	SMTP

To send the time sheet using the SMTP protocol, you must carefully update the fields *SMTP Server* and *Sender* in tab *ESK* of the [Basic settings](#).

Time sheet

Person from 96665 to ... Name Hanson, Betty

Company ... Area ... Cost center ...

Time sheet 10 HYDRA Timesheet Sorting Personnel no. ...

Year 2015 Settlement period 1 From 01/01/2015 To 31/01/2015

Time sheet

Person 96665 Month 1 / 2015

Name Hanson, Betty Date 27/11/2018

Account balances at begin. of month

Flextime	16:45	Overtime	2:00	Flexible time	0:00
Leave account	33,0	Monthly account	0:00		

Date	Beginning	End	Break	Payment	Target time	Actual time	Flextime
1/1 Th	08:00	16:30	0:00	600 Holiday	8:00	8:00	0:00
1/2 Fr	07:12	16:25	0:30	100 Flextime Mo-Fr	8:00	8:00	0:00
1/3 Sa							
1/4 Su							
1/5 Mo	07:43	15:38	0:30	100 Flextime Mo-Fr	8:00	7:15	0:00
1/6 Tu	08:00	16:30	0:00	600 Holiday	8:00	8:00	0:00
1/7 We	07:14	15:00	0:45	100 Flextime Mo-Fr	8:00	11:01	0:00
	15:00	19:00		150 Prof. Absence			
1/8 Th	09:06	16:48	0:30	100 Flextime Mo-Fr	8:00	6:54	0:00
1/9 Fr	07:34	12:04	0:30	100 Flextime Mo-Fr	8:00	8:30	0:00
	12:26	16:23		100 Flextime Mo-Fr			
1/10 Sa							
1/11 Su							
1/12 Mo	08:00	16:30	0:00	450 Leave	8:00	8:00	0:00
1/13 Tu	08:00	16:30	0:00	450 Leave	8:00	8:00	0:00
1/14 We	08:00	16:30	0:00	450 Leave	8:00	8:00	0:00
1/15 Th	08:00	16:30	0:00	450 Leave	8:00	8:00	0:00
1/16 Fr	08:00	16:30	0:00	450 Leave	8:00	8:00	0:00
1/17 Sa							

If you want to receive a send confirmation with this sending method (SMTP), you can activate the confirmation via an additional [INI configuration](#):

INI configuration: FORWARD_MAIL_CONFIG
Section: FORWARD_MAIL_CONFIG
Key: BCCMAILADDRESS
Value: @user or a central mail address (e.g. timesheet.confirmsending@ex.com)



If you enter the value @user in the INI configuration, the confirmation mail is always sent to the e-mail address of the person that is stored for the [MOC user](#). If you enter a central e-mail address as value, e.g. timesheet.confirmsending@ex.com in the INI configuration, the confirmation mail is always sent to this central e-mail address.

With this dispatch mode (SMTP), you can be informed if mail delivery failed (e.g. recipient address does not exist). To activate this notification, make this additional INI configuration:

INI configuration: FORWARD_MAIL_CONFIG
Section: FORWARD_MAIL_CONFIG
Key: BOUNCEMAILADDRESS
Value: @user **or** a central mail address (e.g. timesheet.error@ex.com)



If you enter the value @user in the INI configuration, the error message is always sent to the e-mail address of the person that is stored for the [MOC user](#). If you enter a central e-mail address as value, e.g. timesheet.error@ex.com in the INI configuration, the error message is always sent to this central e-mail address.

Method XMAPI


Instead of using the SMTP protocol (Simple Mail Transfer Protocol), you can also use the XMAPI protocol (eXtended Messaging Application Program Interface) to send the time sheet via e-mail. In this case, you must install an e-mail program that supports the XMAPI protocol on the PC where you send the mails. E-mails are sent using the account of the registered user.



The dispatch of time sheets via the XMAPI interface has been tested and released for Microsoft Outlook. If other mail systems are used, the customer must test these.

Processing

When the e-mails are sent, the system informs the user about the number of time sheets sent to employees. The system also identifies the number of persons where no e-mail address is stored in the HR master data:



With dispatch mode XMAPI, the mails are stored in the outbox of the e-mail client.

Configuration


You can change the file name of the PDF file sent and the e-mail texts using the [INI configuration PERSONALTIMESHEET](#) with section *SENDEMAIL*:

Key	Description
FILENAME	File name without extension "pdf"
SUBJECT	E-mail subject
MESSAGE_1	Message text (body) of the e-mail
MESSAGE_2	Message text (body) of the e-mail (2nd part)
MESSAGE_3	Message text (body) of the e-mail (3rd part)
MESSAGE_4	Message text (body) of the e-mail (4th part)
MESSAGE_5	Message text (body) of the e-mail (5th part) (the 5 message texts are each linked with a line break.)
SENDEMAIL	FALSE: The e-mail is created but not sent. Otherwise (default): The e-mail is created and sent immediately.

The system processes the following placeholders in these configured texts:

Placeholders	Data field
<year>	Year
<period>	Period
<from_date>	Date from
<to_date>	Date to
<person>	Personnel number
<name>	Name
<firstname>	First name
<lastname>	Last name
<newline>	Line break

The screenshot below shows an example of the INI configuration PERSONALTIMESHEET:



The screenshot shows the 'INI data configuration' window. The 'Main page' tab is selected. The 'Selection' section contains the following fields:

- Name: PERSONALTIMESHEET
- MOC user:
- Section:
- Key:
- Responsibility area: ...

The 'INI data configuration' table is displayed with the following data:

Name	Section	Key	Value
PERSONALTIMESHEET	SENDEMAIL	FILENAME	Timesheet_<year>_<period>_<from_date>_<to_date>
PERSONALTIMESHEET	SENDEMAIL	MESSAGE_1	Dear Mr./Mrs. <name>,
PERSONALTIMESHEET	SENDEMAIL	MESSAGE_2	<newline>With this mail you will receive the Timesheet <period>/<year>
PERSONALTIMESHEET	SENDEMAIL	SUBJECT	Timesheet <period>/<year>

The 'INI configuration' panel on the right shows the following details for the selected configuration:

- Section: SENDEMAIL
- Key: SUBJECT
- Value: Timesheet <period>/<year>
- Active: ☒
- Commentary:

4 Time Sheet Archive

Summary

Menu	Human resource management → Month-end closing → Time sheet archive
Transaction code	ptsa
Function authorization	ptsa

The time sheet archive can be used to store the time sheets for people for long periods on the HYDRA host computer. In this way, the working time of the people remains traceable and can be established even after the required data have already been deleted. Because the data for the time sheets are archived in files on the HYDRA server, the HYDRA database is not unnecessarily burdened with old data.

Time sheet archive

Main page Profile

Request data Cancel Print preview Print all Save Help on operation Help on application Help on detail application Help

Selection

Company BSP Person 96665

Year 2011 Settlement period 1 From To

Time sheet 10 HYDRA time sheet

Time sheet archive

Suche im Web Yahoo!

Seiten

Anlagen

Kommentare

Time sheet

Person 96665 Month 1 / 2011

Name Hanson, Betty Date 7/5/2011

Account balances at beginning of month

Flextime	16:45	Overtime	02:00
Flexible time	00:00	Leave account	0.00
Monthly account	00:00		

Date	Beginning	End	Break	Type	Remuneration	Target Time	Actual Time	+/-	Flex Time	Overtime
03.01. Mon	7:43	15:38	0:30	Present	100 FLEX MF	8:00	7:15			
04.01. Tue	7:14	15:00	0:45	Present	100 FLEX MF	8:00	11:00			
	15:00	19:00		Busin.trip	150 Dienst					
05.01. Wed	10:14	17:12	0:30	Present	100 FLEX MF	8:00	6:30			
06.01. Thu	8:00	16:30	0:30	Absence	600 Pub.Hol.	8:00	14:30			6:30
07.01. Fri	7:34	12:04	0:30	Present	100 FLEX MF	8:00	8:30			0:30
	12:26	16:23		Present	100 FLEX MF					
08.01. Sat										
09.01. Sun										
					Sum of week	40:00	47:45	7:45		7:00
10.01. Mon	8:00	16:30	0:00	Absence	450 Leave	8:00	8:00			
11.01. Tue	8:00	16:30	0:00	Absence	450 Leave	8:00	8:00			
12.01. Wed	8:00	16:30	0:00	Absence	450 Leave	8:00	8:00			
13.01. Thu	8:00	16:30	0:00	Absence	450 Leave	8:00	8:00			
14.01. Fri	8:00	16:30	0:00	Absence	450 Leave	8:00	8:00			
15.01. Sat										
16.01. Sun										

Werkzeugleiste ausblenden

1 von 2

Usage

The data for the [time sheet](#) is archived during the monthly evaluation. For this reason, it can only be displayed from the archive if the monthly evaluation has already been carried out for the desired person in the respective period. During the monthly evaluation the archived data for the time sheet is also updated.

The [administration of time sheets](#) is described elsewhere.

Selection criteria

The following selection criteria are available in the application:

List

Optional selection of a time sheet in which the formatting is to be done. If the field is empty, the display is shown in the list used during archiving.

Company, personnel number

For time sheet archives that come from an older HYDRA system and were archived with a PZE version earlier than PZE 7.2, the *company* is also a key for filing the time sheet archive in addition to the personnel number. For this reason, the company specified must be the one in which the person was assigned at the time the time sheet archive was created.

In the current version of the PZE, the archives are stored exclusively by personnel number; the company is not significant.

Year, period

Selection of the settlement period.



After the data are requested, the corresponding time sheet is displayed.


Multiple people or multiple settlement periods cannot be called.

5 Time Sheet Configuration

Summary

Menu	Master data → Labor time → Time sheet configuration
Transaction code	ptsc
Function authorization	ptsc

After this menu item is called, all existing [time sheets](#) are displayed:



Time sheet configuration

Main page Profile

Request data Cancel Print preview Print all Copy Edit Delete Columns of time sheets Save Help on operation Help on application Help on detail application Help

Time sheet configuration

Drag a column here to group by that column

Time sheet	Designation	Period	Responsibility area
10	HYDRA time sheet	Settlement period	
20	Time sheet shift	Settlement period	
30	Time sheet (daily)	Daily	
40	Time sheet (timeframe)	Daily	
50	HYDRA time sheet	Settlement period	

Time sheet configuration

Time sheet

Time sheet 10 HYDRA time sheet

Period ☒ Settlement period ☐ Daily

Responsibility area

Monthly wage types

Wage type group

Last editing

Modified by Miller

Modified on 2/10/2003 12:12:03 PM

Field descriptions

Period

This option can be used to specify whether or not the time sheet is a *daily* time sheet. In contrast to a time sheet for a *settlement period*, with a daily list, the period to be displayed can be chosen freely. However, account balances are not displayed at the beginning and end of the settlement period.

Responsibility area

The responsibility area can be used to control which users can edit the time sheet. When the time sheet is displayed, a check is also made regarding whether or not the user is authorized for the *display* of the responsibility area.

Wage type group

This field can store a wage group that contains all of the wage types that are to be displayed at the end of the time sheet as monthly wage types. If the field is empty, all of the wage types present are displayed as long as the presentation of the monthly wage types is activated in the time sheet.



Creating a new time sheet is not possible. Instead, existing lists can be copied and modified.

Toolbar



Time sheet columns


Calls the [time sheet columns](#). The 20 fields of the time sheet may be assigned to wage types or wage type groups. Consequently, this information will also be available when printing the daily data.

6 Time Sheet Columns

Overview

Menu	Master data → Labor time → Time sheet configuration
Transaction code	ptsc
Function authorization	ptsc

The "Columns of time sheets" is called up from the editing function  in the "Time sheet configuration". Here, you can fill in 20 of the time sheet's information fields by entering separate wage types or wage type groups so that they are available on the printout of the daily data.



Field descriptions

Column

Number of the information field that should be filled in.

Type

You can choose to assign either a single [wage type](#) or a [wage type group](#).

Parameters

The wage type or the wage type group is defined here.



A total of 20 information fields are available.

7 Configuration of Time Sheet Layouts

Summary

The configurable time sheet allows users to create their own time sheets. In HYDRA, you can configure as many time sheets as you like, so time sheets can be created for various employee subgroups.

Time sheet								
Person	96665	Month	1 / 2015					
Name	Hanson, Betty	Date	12.07.2016					
Account balances at begin. of month								
Flextime	16:45	Overtime	2:00	Flexible time	0:00			
Leave account	33,0	Monthly account	0:00					
Date	Beginning	End	Break	Payment	Target time	Actual time	Flextime	
01.01 Do	08:00	16:30	0:00	600 Holiday	8:00	8:00	0:00	
02.01 Fr	07:12	16:25	0:30	100 Flextime Mo-Fr	8:00	8:00	0:00	
03.01 Sa								
04.01 So								
05.01 Mo	07:43	15:38	0:30	100 Flextime Mo-Fr	8:00	7:15	0:00	
06.01 Di	08:00	16:30	0:00	600 Holiday	8:00	8:00	0:00	
07.01 Mi	07:14	15:00	0:45	100 Flextime Mo-Fr	8:00	11:01	0:00	
	15:00	19:00		150 Prof. Absence				
08.01 Do	09:06	16:48	0:30	100 Flextime Mo-Fr	8:00	6:54	0:00	
09.01 Fr	07:34	12:04	0:30	100 Flextime Mo-Fr	8:00	8:30	0:00	

Prerequisite

The layout of the time sheets can only be modified if the license PZW-ZNW is available.



Configuration of time sheets

If a new time sheet is to be created it first has to be created in the [configuration of time sheets](#).



Report Designer

An existing report can be changed by calling the Report Designer function.

Filing time sheets on the HYDRA server

Time sheets are saved within the report path of the HYDRA server. The "MOCREP" [path](#) is required for this purpose. The path always has to refer to <instance>/custom/reports. It is not allowed to change this.

The current scope of MOC is taken into account when **saving** on the server:


- If the scope is "User" or "Local", the report file will be saved as "<reportname>_local.lul".
- If the scope is "Custom", the report file will be saved as "<reportname>_custom.lul".
- If the scope is "Standard", the report file will be saved as "<reportname>.lul".

The current MOC scope is considered for the **load order**:


- Scope "User" or "Local"
File from the report directory of the server "<reportname>_local.lul" prior to "<reportname>_custom.lul" prior to "<reportname>.lul". If none of these three files is available, it is searched on the client (user=>local=>custom=>standard).
- Scope "Custom"
File from the report directory of the server "<reportname>_custom.lul" prior to "<reportname>.lul". If none of these two is available, it is searched on the client (custom=>standard).
- Scope "Standard"
File from the report directory of the server "<reportname>.lul". If this file is not available, it is searched on the client (standard).

Starting the Report Designer

The currently selected and displayed time sheet can be modified by using the "Report Designer" button. To do so, the entry "PersonalTimeSheet_10" is selected and the "edit" button is clicked.




The report to be changed is shown in the "TemplateFile" field of the ReportConfiguration. The List&Label Designer is started by clicking the "Report Designer" button.



These settings must not be changed.

Editing functions

The report can be edited by clicking the "Report Designer" button. Data should have been requested beforehand. The external Report Designer is used for designing.



The following special features are available:

mpdvTranslate("language key")

"Language key" is an entry from the translation file in the form "lkXXX". Depending on the configured language, translations are performed in MOC.

mpdvTimeFromSeconds(<SekundenSeitMitternacht>)

A numeric value in seconds since midnight is converted to a time and formatted. Format: hh:ss

mpdvDuration(<SekundenSeitMitternacht>)

A numeric value in seconds since midnight is converted to a duration and formatted. Format: h:ss


mpdvScript("PzeReportingScriptBalance",<Kontostand>)

The entered account balance is formatted based on the [configuration of the account](#).



By clicking the **F1** key the manual about the integrated Designer opens.

Report structure:



The report container includes the **PersonalData** table including the data about the selected persons. For every person there is the **DailyData** table including the daily data of the evaluation period as well as the **WageTypes** table including the monthly results.

- The PersonalData table includes the page header that is displayed as header on every page of the list and that includes personal data.
- Daily data including weekly and monthly totals are shown in the sub-element **DailyData**. It also shows the account balances at the beginning and end of the month as well as the carry forward of accounts for the subsequent month.
- The monthly wage types are shown in the **WageTypes** sub-report.
- The footer is displayed on each page of the list.

Field descriptions

List of variables/fields: Fields → **PersonalData**

Data about the person is provided:

Data field	Meaning
personaltimesheet.personaldata.accountingperiod.year	Year
personaltimesheet.personaldata.errorcode	Error code
personaltimesheet.personaldata.evaluation_begin	Start of the settlement period.
personaltimesheet.personaldata.evaluation_end	End of the settlement period.
personaltimesheet.personaldata.key_person	Key for linking the data sources
personaltimesheet.personaldata.period	Settlement period
personaltimesheet.personaldata.person.area	Area
personaltimesheet.personaldata.person.card_id	Badge
personaltimesheet.personaldata.person.company	Company
personaltimesheet.personaldata.person.costcenter	Cost center
personaltimesheet.personaldata.person.department	Department
personaltimesheet.personaldata.person.employee_subgroup	Employee subgroup
personaltimesheet.personaldata.person.firstname	First name
personaltimesheet.personaldata.person.id	Personnel number
personaltimesheet.personaldata.person.lastname	Last name
personaltimesheet.personaldata.person.name	Name
personaltimesheet.personaldata.personalaccounts.designation1	Designation, account 1-8
personaltimesheet.personaldata.personalaccounts.id1 - 8	Account 1-8

personaltimesheet.personaldata.personalaccounts_carryforward.balance1-8	Account carryforward, account 1-8
personaltimesheet.personaldata.personalaccounts_carryforward.designation1 - 8	Des. account carry forward, account 1-8
personaltimesheet.personaldata.personalaccounts_carryforward.id1 - 8	Number, account carry forward, account 1-8
personaltimesheet.personaldata.personalaccounts_endbalance1 - 8	Account balance, end of month, account 1-8
personaltimesheet.personaldata.personalaccounts_startbalance1 - 8	Account balance, beginning of month, account 1-8
personaltimesheet.personaldata.personalremainingleave	Remaining leave
personaltimesheet.personaldata.personaltimesheetconfiguration.id	Number of the time sheet
personaltimesheet.personaldata.shifttype	Shift type
personaltimesheet.personaldata.timesheet_identification	Identification, time sheet

List of variables/fields: Fields → DailyData

The person's daily data is provided:

Data field	Meaning
personaltimesheet.dailydata.absence.color	Absence color
personaltimesheet.dailydata.absencetime	Absence time
personaltimesheet.dailydata.absencetime.personalperformance	Workday result: absence
personaltimesheet.dailydata.balance.account1 - 8	Account balance 1-8
personaltimesheet.dailydata.accountbalancechange1 - 8	Account modifications 1-8
personaltimesheet.dailydata.accountingperiod.begin_date	Start of the settlement period.
personaltimesheet.dailydata.accountingperiod.end_date	End of the settlement period
personaltimesheet.dailydata.accountingperiod.period	Settlement period
personaltimesheet.dailydata.accountingperiod.year	Year
personaltimesheet.dailydata.actualattendancetime	Attendance time
personaltimesheet.dailydata.actualtargettime	Difference attendance/ target time
personaltimesheet.dailydata.actualtime	Actual time
personaltimesheet.dailydata.actualtime.personalperformance	Workday result: actual time
personaltimesheet.dailydata.actualtime.without_paidbreak	Actual time without paid breaks
personaltimesheet.dailydata.attendancetime	Attendance time
personaltimesheet.dailydata.attendancetime.personalperformance	Workday result: attendance time
personaltimesheet.dailydata.authorization.color	Authorization color
personaltimesheet.dailydata.authorized	Authorized
personaltimesheet.dailydata.begin_date	Start date
personaltimesheet.dailydata.break	Break
personaltimesheet.dailydata.certify	Authorization comment
personaltimesheet.dailydata.clocking.status	Clocking status
personaltimesheet.dailydata.clocking.type	Status
personaltimesheet.dailydata.clocking_begin	Start of the clocking
personaltimesheet.dailydata.clocking_end	End of the clocking
personaltimesheet.dailydata.comment	Comment from clocking
personaltimesheet.dailydata.commentary	Abbreviation from clocking
personaltimesheet.dailydata.costcenter.executing	Executing cost center
personaltimesheet.dailydata.date	Date
personaltimesheet.dailydata.duration	Duration
personaltimesheet.dailydata.edited	Edited
personaltimesheet.dailydata.evaluation_date	Settlement date
personaltimesheet.dailydata.evaluation_date_clocking	Evaluation date
personaltimesheet.dailydata.indicator_summerwintertime_in	CEST
personaltimesheet.dailydata.indicator_summerwintertime_out	CEST
personaltimesheet.dailydata.infofield01 - 20	Information field 1-20
personaltimesheet.dailydata.key_person	Key field
personaltimesheet.dailydata.modified_by	Editor
personaltimesheet.dailydata.modified_ts	Processing time
personaltimesheet.dailydata.oncallduty	On-call duty
personaltimesheet.dailydata.overtime	Overtime
personaltimesheet.dailydata.overtimeperiod_begin	Start of the period for overtime

	calculation
personaltimesheet.dailydata.overtimeperiod_end	End of the period for overtime calculation
personaltimesheet.dailydata.overtimeperiod_evaluation_begin	Start of the evaluation date
personaltimesheet.dailydata.overtimeperiod_evaluation_end	End of the evaluation date
personaltimesheet.dailydata.paidbreak	Paid break
personaltimesheet.dailydata.paymentdaytype.designation	Designation of payment day type
personaltimesheet.dailydata.paymentdaytype.id	Payment day type
personaltimesheet.dailydata.person.company	Company
personaltimesheet.dailydata.person.costcenter	Cost center
personaltimesheet.dailydata.person.id	Personnel number
personaltimesheet.dailydata.person.name	Name
personaltimesheet.dailydata.personalworkingtimedaytype.designation	Designation of working time day type
personaltimesheet.dailydata.personalworkingtimedaytype.id	Working time day type
personaltimesheet.dailydata.roundedtime_begin	Beginning of rounded times
personaltimesheet.dailydata.roundedtime_end	End of rounded times
personaltimesheet.dailydata.shifttype	Shift type
personaltimesheet.dailydata.signcertify	Authorization
personaltimesheet.dailydata.signed	Authorized
personaltimesheet.dailydata.standbyduty	Stand-by duty
personaltimesheet.dailydata.status	Status
personaltimesheet.dailydata.targettime	Target time
personaltimesheet.dailydata.timesheet_identification	Number of the time sheet
personaltimesheet.dailydata.totalbreak	Total break
personaltimesheet.dailydata.wagetype.id	Wage type
personaltimesheet.dailydata.week	Week
personaltimesheet.dailydata.weekday	Weekday (0=Sunday, ..., 6=Saturday)
personaltimesheet.dailydata.weekend.color	Weekend color

List of variables/fields: Fields → WageTypes

The person's monthly report data is provided here:

Data field	Meaning
personaltimesheet.wagetypes.person.company	Company
Personaltimesheet.wagetypes.person.id	Personnel number
personaltimesheet.wagetypes.timesheet_identification	Number of the time sheet
personaltimesheet.wagetypes.wagetype.designation	Wage type designation
personaltimesheet.wagetypes.wagetype.duration	Wage type duration
personaltimesheet.wagetypes.wagetype.id	Wage type