

Manual

Reports about Complaint Costs

REK-ARK 8.1

Version 1.0.1374

Last changed on: 19.06.2020

Copyright

©Copyright 2020 All rights reserved.

SAP® and R/3® are registered trademarks of SAP AG.

WINDOWS® is a registered trademark of Microsoft Corporation.

MPDV® and HYDRA® are registered trademarks of MPDV Mikrolab GmbH.

ORACLE® is a registered trademark of ORACLE Corporation, California, USA.

Copying and distribution of this documentation or any part thereof, for any purpose or in any form, is prohibited without prior written permission from MPDV Mikrolab GmbH.

The information contained in this documentation is subject to change without prior notice.

Contents

1	Overview of Complaint Cost Reports	4
2	Cost Types	5
3	Analysis of Complaint Costs	9
4	Summary	12
4.1	General notes on the document	12
5	Groups	13
5.1	Starting the function	13
5.2	Default Application Layout.....	14
5.3	Toolbar	14
5.4	Selection parameters	16
5.5	"Groups" Detail Application	16

1 Overview of Complaint Cost Reports

Fields of application

This function allows for different cost types to be assigned to the complaint header and complaint detail as well as for them to be analyzed in graphics.

Implementation notes

This component is recommended if you wish to record and analyze the accrued costs in addition to the general recording/maintenance of complaints.

Cost types need to be defined in the master data of complaint management.

Integration

This component correlates basically with the component for the collection, editing and management of complaints.

Features

These functions are available.

- Definition of cost types within the master data of complaint management
- Assignment of different cost types indicating the corresponding amounts for the complaint header or complaint detail
- Graphic evaluation of recorded cost (types) including extensive filter criteria and presentation options

2 Cost Types

Overview

Menu	Master data → Quality management → Cost types
Transaction code	CO
Function authorization	CO

This master data catalog has been designed to define different cost types at a central place providing the option of pre-assigning cost rates and durations as well as to define and assign cost groups.

Utilization

The "cost type" field is the key field, i.e. while saving a new cost type, the system checks whether there is already a cost type with this key information.

When a new cost type is created or an existing cost type is changed, the selection lists "areas" and "valid for" define to which areas and modules the cost type applies. Selection lists allow for several entries to be selected. Consequently, it is possible to assign a cost type, e.g. to the areas "goods receipt" and "production" but not to the "goods issue". When costs are later assigned to a complaint, it is possible to restrict the cost types accordingly by filtering specific areas and modules in the selection list of costs.

The initialization of an amount may, for example, be enabled when selecting a cost type by entering a value in the "initialization amount" and "init duration" fields. This simplifies the collection of complaint costs considerably. This function should be applied, in particular for, potential lump sum costs, such as "delivery/shipment", "processing fee" or "rework". Provided that fixed lump sum costs or lump sum hourly rates (e.g. for rework) are to be defined, the field "initialization amount" is to be assigned to the cost rate and the field "init duration" is to be assigned the value 1, for example. If a cost type that is configured in such a way is assigned to a complaint, the "amount" field immediately shows the initial amount and the "duration" field shows the initial duration. Before saving this assignment, the duration may still be changed e.g. to 1:30 (1 hour and 30 minutes). Once saved, the value entered in the "amount" field is multiplied by the specified duration and saved as the new cost rate.

Cost type groups may optionally be defined beforehand and the relevant group can be assigned to the cost type. This option should not be missed out as it provides improved reports/evaluations. Groups can be assigned by opening the group tree using the magnifying glasses function. The requested group may be selected and taken over in the group tree by way of hierarchical tree entries. The assigned group including the hierarchical group structure can then be found in the "groups" field of the editing dialog for the cost types.

The columns "group 1" to "group 5" represent the group hierarchy if cost types are displayed in lists.

Groups are edited in the "cost type groups" application, which is described in the manual entitled [MOC Groups.pdf](#).

Under certain circumstances, it might be reasonable and recommendable to use a self-explanatory structure for cost type numbers as cost key.

By distinguishing between active and inactive cost types, it can be defined whether or not they are still to be available in selection lists for the costs in the data acquisition process. However, inactive cost types may still be evaluated at any time. Moreover, inactive cost types may also be reactivated at any time.

Integration

The cost type catalog is used in the complaint module to record complaint costs. In addition to this, it represents the basis for the analysis of complaint costs.

Prerequisite

Functional requirements from other applications do not have to be met to be able to use this function.

Selection criteria

Selection criteria are self-explanatory and not described separately. Cost types of a group can be filtered in the "groups" tab using the icon  and selecting a cost type group (in tree structure). The group tree list provides a function to cancel and accept the entries made.

The "inactive" filter field allows for the data set to be restricted to active or inactive cost types.

Field descriptions

The sections that follow describe the selection criteria that are not self-explanatory.

Cost type

ID number of the cost type

Cost designation

Designation of the cost type

Inactive

The "inactive" check box identifies cost types that are no longer to be used in the active data acquisition process.

Valid for

Modules/applications for which the cost type applies. A selection list is available.

Areas

Areas for which the cost type applies. A selection list is available, e.g. goods receipt, production, goods issue, complaint management.

Initialization amount

Definition of the initial amount that is, for example, to be pre-assigned when assigning a cost type to a complaint.

Init duration

Definition of the initial duration that is, for example, to be pre-assigned when assigning a cost type to a complaint.

Cost rate amount

Should be assigned to the same value as in "initialization amount", as this amount is also saved when assigning a cost type to a complaint. The "cost rate amount" field shows the original amount if the duration and, as a result, the cost rate (after saving) is changed when assigning costs or if the cost rate is changed directly.

Groups

In a tree structure the group field shows the assigned group or allows for groups to be assigned in form of the tree structure.


Toolbar

There are no other special function buttons in addition to the standard functions/features.

3 Analysis of Complaint Costs

Overview

Menu	Quality management → QM evaluation → Analysis of complaint costs Quality management → Complaints management → Analysis of complaint costs
Transaction code	cmcoop
Function authorization	cmcoop



Utilization

The analysis of complaint costs allows for the costs recorded in complaint management to be evaluated. In this context evaluations/reports are based on pivot functions. These functions provide different presentation options, e.g. the number of complaint costs is presented for each complaining party separated by the cost type and relating to a previously filtered period of time. These analyses help determine the core areas that might require action to be taken.

Integration

The analysis of complaint costs only evaluates data relating to the costs recorded in complaint management. In this context, it is distinguished between the costs in the complaint header and complaint detail including the corresponding detailed information.

Prerequisite

There are no special requirements to be met. Only complaint costs need to be recorded in complaint management including all corresponding detail data.

Selection criteria

Selection criteria are self-explanatory and not described separately.

Toolbar

There are no other special function buttons in addition to the standard functions/features.

Detail applications "Graphic analysis of complaint costs"


Data is displayed in a pivot table in combination with bar charts. Different application functions are provided for the presentation. The complaint costs that have been restricted beforehand by entering selection criteria represent the data basis.

The general pivot functions are not described in more detail in this document. The paragraphs that follow only describe the elementary functions of this evaluation/report.


Pivot evaluations/reports provide the following benefits.

- Large amounts of data may quickly be summarized and presented.
- Rows and columns can be exchanged to have the source data summarized differently.
- Simple filters by "drag and drop" with additional detail filters.
- Due to this interactive way of representation, data can be summarized and analyzed in different formats and using different calculation methods.

The below context menu can be opened by clicking the right mouse button.




The function "show field list" allows for the fields that are to be used in the pivot analysis to be selected. The below figure shows a possible list of fields.




The requested fields may be put into the evaluation area by drag & drop.

In addition to the selection criteria, the "show filter editor" function enables further flexible restrictions of the data basis.



The below dialog is opened to show the settings made.



Pivot table settings	
Top N	3
☐ Show others	
Totals location	Far
☒ Chart	☐ Totals
☒ Selection	☒ Legend
☐ Columns	☐ Labels

If the "selection" option is checked entire areas may be selected in the table view. In this case, the graphic representation is based on the selected rows. If the "label" option is checked it is possible to show the total number of each bar.

The row showing the total result may be displayed additionally in the bar chart if the "totals" option is checked. Provided that the "selection" function is checked and the corresponding cells of the "total result" row are selected, the total result is added to the corresponding column of the relevant bar.

It is switched between the graphic presentation of the corresponding number of columns or rows by checking/unchecking the "columns" option.

Detail application "list of the complaint costs analysis"

The list of the complaint costs analysis shows the complaint costs including referenced data that are filtered on the basis of the used selection criteria. Normally, the referenced data correspond to the field list for the pivot analysis.

4 Summary

4.1 General notes on the document

This document describes the "Groups", e.g. article groups, application of the Manufacturing Operation Center (MOC). For general information on how to use MOC, please refer to the "[moc_cc.pdf](#)" document.

5 Groups


The group catalogs have been designed to create and edit groups for the different applications. The created groups may be assigned to master data of the corresponding application. Consequently, article groups may be created, for example, and assigned to the articles. In this case, it is also possible to create inspection plans on the basis of article groups.

Basically, the creation of groups is also reasonable for failure mode analyses.

5.1 Starting the function

Menu	Master data → Quality management → Article groups Master data → Process data processing → Article groups Master data → Quality management → Measure groups Master data → Quality management → Failure type groups Master data → Quality management → Failure location groups Master data → Quality management → Failure cause groups Master data → Quality management → Causer groups Master data → Quality management → Cost type groups
Transaction code	atcgr → Article groups measgr → Measure groups ftypgr → Failure type groups flocgr → Failure location groups fcaus → Failure cause groups origr → Causer groups costgr → Cost type groups
Function authorization	atcgr -> Article groups measgr.* → Measure groups ftypgr.* → Failure type groups flocgr.* → Failure location groups fcaugr.* → Failure cause groups origr.* → Causer groups costgr.* → Cost type groups

5.2 Default Application Layout



This figure of the article group catalog is exemplary for all groups.

5.3 Toolbar

The toolbar contains the function calls that are available for this application and possibly links to other applications. The functions placed on the “general” tab of the toolbar refer to all detail applications. In addition to the standard functions such as “help”, “request data”, “save application settings” and “print preview”, the other tabs include specific functions that are tailored to the corresponding detail application. The individual functions of the application are listed in the paragraphs that follow.

"Data" category



Request data

The information to be displayed within the application is requested according to the entered selection criteria. This process might take some time depending on the data set from which the system filters data and on the selection result to be transferred and displayed.

**Cancel**

This function cancels the query sent by clicking the "request data" button.

**Print****preview**

The print preview is opened for the selected detail application. The print preview also includes further options to change the resulting printout and functions for exporting the displayed information into other formats, such as PDF, Excel, image files.

**Save**

The application design configured by the user, e.g. columns and categories displayed as well as their respective size and display locations, etc. are only saved if the user requests it. In this case, the user has to affirm the confirmation prompt by clicking "Yes".

"Functions" category

There are no special functions for this detail application. Groups are created, changed and deleted using the context menu of the right mouse button within the tree structure view.

"Help" category

**Help on operation**

Clicking this button opens the help file describing how to operate MOC. The basic document is entitled "moc-cc.pdf". It describes how to use MOC in general and applies for all applications.

**Help on application**

This function opens the manual that describes the application from which the help function was requested. The application manual integrates the application function into the MES context and explains the information to be displayed. The documentation also includes all detailed applications.

**Help on detail application**


This function opens the application manual at the section where the respective detailed application is described.

5.4 Selection parameters

There are no selection parameters. A specific group can be found by using the “fast selection” function. To use the “fast selection” function just open the group tree structure on the 1st level, select the first entry and enter the first letter of the group in question. Consequently, the first group starting with this letter that is found is selected. The “fast selection” function also integrates subordinate groups that are not opened. If the requested term is included in a group that is not opened, it will be opened automatically.

5.5 "Groups" Detail Application

A group may be created, changed or deleted by opening the context menu of the right mouse button within the display area of the tree structure.



It is altogether possible to define groups up to the fifth hierarchy level. The “add root group” function has to be selected in the context menu of the group tree to create a new main group (1st level). The menu entry “add group” generates a sub-group (level 2 to 5). A designation, which is directly entered in the list view, has to be assigned for this new group. To be able to save the new group, click above or below this new entry within the group tree. Then a confirmation prompt appears asking whether or not the new group is to be saved. Provided that this question is affirmed (“yes”), the entry is saved. The same applies for renaming of groups. Regardless of which hierarchy level is concerned, the entry has to be selected to be able to edit the group designation. Changes can directly be entered in the corresponding line of the tree view. Click above or below the entry to be changed to be able to save the modification. No confirmation prompt appears when it comes to renaming.

An entry is also deleted by selecting a group entry and executing the “delete group” function. Only the group that is at the bottom of the group tree can be deleted.

The “expand all” context menu entry opens all groups up to the lowest hierarchy level. The “collapse all” context menu option closes all entries up to the first level.

The "delete selection" function cannot be used in the maintenance of groups dialog. This function is enabled, for example, in the maintenance of articles application if an article group is selected and this selection is to be removed/deleted.