

# Manual

## Tool and Resource Packages WRM-WRP 8.1

Version 1.0.23049

Last changed on: 02.09.2020

## **Copyright**

©Copyright 2020 All rights reserved.

SAP® and R/3® are registered trademarks of SAP AG.

WINDOWS® is a registered trademark of Microsoft Corporation.

MPDV® and HYDRA® are registered trademarks of MPDV Mikrolab GmbH.

ORACLE® is a registered trademark of ORACLE Corporation, California, USA.

Copying and distribution of this documentation or any part thereof, for any purpose or in any form, is prohibited without prior written permission from MPDV Mikrolab GmbH.

The information contained in this documentation is subject to change without prior notice.

# Contents

|   |                                  |   |
|---|----------------------------------|---|
| 1 | Resource Packets - Overview..... | 4 |
| 2 | Resource List .....              | 6 |

# 1 Resource Packets - Overview

## Overview

### Purpose

Along with the "Tool and resource packets" function packet, HYDRA provides the ability to create so-called resource lists. Additional resources that are used as sub-resources can be added to every resource. The resource lists can be used in many application scenarios in the resource management environment. This package contains the functions for entering and administering the resource lists and also provides services for using the resource lists in other system areas, such as the ERP interface, for example.

### Integration

The packet requires the basic WRM MGM license, because if this license was not provided, no resources could exist in the system. The resource lists created are used in resource stock as well as in the functions for handling production resources and tools in Shop Floor Data Collection. HYDRA shop floor scheduling uses the resource list function to account for BOMs when checking the resource allocation. Functions are available at the terminal with which the resources can be displayed (including documents) attached via the resource list.

### Features

Illustration of dependencies between individual resources (resource list) and the ability to consolidate resources ("packet generation")

- Presentation of multi-level resource lists (up to five levels)
- Allocation of any type of resource (e.g. documents relating to a tool)
- Consideration at the ERP interface: with the operation, the ERP system only has to transfer the resource list and as a result, all the resources linked by it are automatically or implicitly allocated to the operation
- Consideration when checking resources and scheduling operations in HYDRA shop floor scheduling (prerequisite: use of HYDRA shop floor scheduling with additional HLS RBU function)
- Consideration of resource list when operation is logged on
- Capability to automatically post actual data entered (times, quantities etc.) to assigned resources



## 2 Resource List

### Summary

|                        |                                                                                     |
|------------------------|-------------------------------------------------------------------------------------|
| Menu                   | Production Facility Management → Production Facility Administration → Resource List |
| Transaction code       | resbom                                                                              |
| Function authorization | mdrbom                                                                              |

HYDRA offers the option to map so-called resource lists. Further resources that can be used as subresources can be added to every resource. The BOMs can be used in many applications with regard to resource management.

### Usage

In general, only one resource per resource type is stored in the production plan in the PPS system; it is transferred via the interface. However, because resources and, particularly in this case, *Tool* and *DNC* type resources, often have a more complex composition, the relationships between resources must be able to be mapped.

For this reason, HYDRA offers the option to map so-called resource lists. Further resources that can be used as subresources can be added to every resource. The superordinate resource, also called a "handle" or a "packet", is the overall term for other required resources that are needed in an operation. The number of the "handle" provides a unique specification for the entire resource (there is precisely one existing instance). It does not make any difference if a "handle" or a "packet" only has resources of the same resource type or the same resource family in the resource list.

Examples for resources with BOMs could include:

Base framework with exchangeable parts

Combination tool consisting of several components

NC packets with single programs and/ or with NC packets

### Please note

If the superordinate resource is not a real, existing resource, then it is called a virtual resource. Both the virtual resource and its components can be planned and/ or posted if they can be uniquely identified.

## Integration

Any resources can be connected with each other in hierarchical structure using the BOMs. In connection with the ERP interface and the production resources and tools stored for the operation, the resources can be managed automatically with the collection of the order data.

## Requirement

As a basis for the BOM function, the WRM-MGM basic packet must be present along with the license for the WRM-WRP resource packets

## Selection criteria

The following selection criteria are available in the application:

### Resource type

Type of resource.

### Resource family

Family to which the resource is assigned.

### Resource

Unique resource identification.

### Designation

Designation of the resource.

## Field descriptions

### Resource type

Resource type to which the resource is assigned.

### Resource

Superordinate or assigned resource.

### Number

This value describes the number of assigned resources. It is considered in the assignment of the resource and the assignment check in the HYDRA shop floor scheduling (only resources with resource types configured with *Assignment* = "G"; not with file-based resources).

### Position

In the assignment it is required that a BOM item is input. The position is used for the defined display sequence in lists and in the hierarchical display of the BOM. The position must be unique within a superordinate resource.



A maximum of 5 levels are supported in BOMs .

When copying is performed, the maintenance dialog is called in which the values of the currently selected entries are the default values. This makes it easier to create further assignments.

## Toolbar



### **Superordinate resource information**

Calls the superordinate resource information



### **Subordinate resource information**

Calls the subordinate resource information