

HYDRA Documentation

HYDRA MW4.0pe Installing SQuirreL SQL Client

Version 1.0.23049

Last changed on: 02.09.2020

Copyright

©Copyright 2020 All rights reserved.

SAP® and R/3® are registered trademarks of SAP AG.

WINDOWS® is a registered trademark of Microsoft Corporation.

MPDV® and HYDRA® are registered trademarks of MPDV Mikrolab GmbH.

ORACLE® is a registered trademark of Oracle Corporation, California, USA.

Copying and distribution of this documentation or any part thereof, for any purpose or in any form, is prohibited without prior written permission from MPDV Mikrolab GmbH.

The information contained in this documentation is subject to change without prior notice.

Contents

1	Prerequisites	4
2	Installation Steps	5
2.1	Copy Squirrel Directory	5
2.2	Creating a Shortcut	5
3	Configure Drivers	7
3.1	SQL Server Connection	7
3.2	Oracle Connection.....	12

1 Prerequisites

The Squirrel SQL Client is a Java application, and as such, it requires a Java runtime environment (JRE). It comes with its own JRE 8 “Corretto” from Amazon. So there is no separate JRE installation required.

2 Installation Steps

2.1 Copy SquirrelL Directory

The installation files for the “Squirrel SQL Client” can be found on the HYDRA Server in the following default directory:

d:\mip1\admtools\Squirrel_SQL_Client

Please copy the folder and all its contents to a destination directory of your choice, e.g.:


<local destination>\Squirrel_SQL_Client

2.2 Creating a Shortcut


Copy the following shortcut file to the **Public Desktop** directory of your PC (e.g.: “C:\Users\Public\Desktop”):

<local destination>\Squirrel_SQL_Client\Squirrel SQL Client.Ink

On a HYDRA server copy the shortcut file to the folder “MIP Administration” in the **Public Desktop** directory “C:\Users\Public\Desktop”.





You might want to change the path configurations for “Target”, “Start in” and the “icon file” of your shortcut file to match your local destination directory:



For use with HYDRA there are already two default aliases available which you could use to connect to a locally installed HYDRA database, either for a SQL Server or an Oracle database.

For different server configurations (e.g. separate application and database server) you might need to edit the alias settings first.

Note: For security reasons it is not recommended to enter the password when adding or changing alias settings (see below)!




Warning:

For security reasons it is not recommended to enter the password when adding or changing alias settings because passwords will be saved in clear text in the configuration file!

e.g.: d:\mip1\admttools\Squirrel_SQL_Client\squirrel-sql\SQLAliases23.xml

That might pose a security issue for your HYDRA system.




3 Configure Drivers

This configuration is pre-defined in the SquirrelL directory.


In case of creating a new driver or connection configuration, please follow these steps:



Folder with needed drivers:




3.1 SQL Server Connection

Please use the mssql-jdbc-7.2.2.jre8.jar driver in the “driver” folder in the SquirrelL directory:









The example URL should be replaced by the following string for a better match with our other tools:

jdbc:sqlserver://<server_name>;instanceName=<instance_name>;databaseName=<db_name>

If it is successful, the following green message should be shown and the driver gets a blue checked state.



Now a new connection/alias can be added:




Warning:

For security reasons it is not recommended to enter the password when adding or changing alias settings because passwords will be saved in clear text in the configuration file!

e.g.: d:\mip1\admtools\Squirrel_SQL_Client\squirrel-sql\SQLAliases23.xml


That might pose a security issue for your HYDRA system.

Now it is possible to connect to the database:



3.2 Oracle Connection

Please use the ojdbc7.jar driver in the “driver” folder in the SquirrelL directory.




Change Driver: Oracle Thin Driver

Change Driver: Oracle Thin Driver

Driver

Name:

Example URL:

Website URL:

Java Class Path

Extra Class Path

List Drivers

Up

Down


Add

Delete


Class Name:

OK

Close



Now a new connection/alias to an Oracle database can be added:



Warning:

For security reasons it is not recommended to enter the password when adding or changing alias settings because passwords will be saved in clear text in the configuration file!

e.g.: d:\mip1\admttools\Squirrel_SQL_Client\.squirrel-sql\SQLAliases23.xml

That might pose a security issue for your HYDRA system.

Now it is possible to connect to the database:

