

1 Operation-related Uploads HYDRA => ERP

Overview

	→→	
	→	

The system uses an individual IDOC with different interface record types (*SATZART* field in the interface record) to transfer the operation-related uploads recorded in HYDRA to the ERP system. There are two different interface record types:

- Uploads based on operations (*SATZART*/record type = "A")

All data records relating to operations are uploaded using the interface record type "A". HYDRA uses a separate entry record type to manage these data records (see e.g. the MOC application [Order-related postings](#)). This indicator allows for the records assigned to the interface record type "A" to be differentiated in more detail. The following entry record types are uploaded:

- Interruption of an operation (postings of the entry record type "U" (*STEUER* field in the interface record); is also performed at the end of the shift if the automatic shift function is active).
- Completion of an operation (postings of entry record type "E" (*STEUER_KZ* field in the interface record)).

A data record where quantities, processing duration and RPA are not filled out is transferred for each posting relating to orders (interruption, completion) when it comes to operations that are subject to batch management. These data records only transfer the labor utilization of this order. When finishing the order, the data record indicates that the order has actually been finished.

Quantities and times are uploaded in separate data records that are generated in HYDRA while the output batch is changed.

- Personal upload (*SATZART*/record type = "P")

If HYDRA is customized accordingly, you can also upload the "B" records that are managed in HYDRA for the single persons. To do so, use the interface record type "P".

Data is provided at regular intervals (by default approx. every 60 minutes) in the HYDRA subdirectory *./inf_int/interf* (standard system). This directory is located in the HYDRA directory or in the system directory in case of a multi-system environment.

Data relevant to operations, such as quantities or times, are posted in the ERP system. The ERP system manages and processes wrong postings separately.

The following specifications result for the IDOC:

Message type:	HY72ADRCK_TT
IDOC type:	HY72ADRCK_TT
File name:	HY72ADRCK_TIMETICKET
File extension	According to configuration in MLE communication (Logical systems > Outbound Configuration File Port) Usually: .dat



It might be the case that negative yield quantities are posted when finishing the operation, provided that part quantities are reported (requires customization services by MPDV) and data is collected at the same time via the total quantity counter on machines working with HYDRA-MDE. Remove the parameter /NEG_MENGE from the myerprck.scr script, provided that the ERP system does not intend to post negative quantities.



An "S" (cancellation) entered in the ERFART field indicates corrected postings. You can find this value in the *Input type* field of the maintenance of postings. Provided that corrections are uploaded, the system uploads the canceled values as absolute values (without algebraic signs), i.e. with an "S" in the ERFART field.

Data structure

Field	T	L	D	Description	From ¹	To ²
SART	CHAR	1		Interface record type "A" uploads based on operations "P" uploads based on persons	1	1

¹ The indicated number of characters (digits) is calculated based on the exported field length and can be used as reference for HYDRA application developers. It does not include the number of characters of the file itself but only of the field SDATA.

² See footnote of column "From"

Field	T	L	D	Description	From ¹	To ²
ERFART	CHAR	1		Origin " " Original data record as recorded "E" data record created manually in the <i>maintenance of postings</i> dialog (edited) "S" Cancellation for ERP	2	2
RMNR	CHAR	40		Upload/confirmation number (if available in HYDRA)	3	42
ANR	CHAR	40		Order number The exact length that is uploaded/confirmed depends on how the lengths are configured for the order or operation in the HYDRA basic parameter settings.	43	82
AUART	CHAR	5		Order type of the order; according to HYDRA configuration	83	87
STEUER_KZ	CHAR	1		Control indicator of the operation status when being recorded. The indicator depends on the record type of the ADE log record. "L" OP is running (record type "A") "E" OP is finished (record type "E") "U" OP is interrupted (record type "U", "T", "H") Please note: - If you use split OPs, the system uploads/confirms the status of the split master.- The value of this field is not defined for personal uploads.	88	88
AG_STATUS	CHAR	5		Operation status when the ERP upload is being performed, according to the HYDRA configuration.	89	93
SCHICHTNR	NUM	2		Shift according to the shift model assigned to the work center during which the BDE posting was made. The shift number is right-aligned.	94	95
PERSZEIT	DEC_O	10	2	Personal processing time (hours) For postings of the interface record type "A": If this posting record is a U record (interrupt order) or E record (log off order), this field includes the labor time recorded since this record is available. This field includes the logon times of all persons who have logged on to this operation. This field does not include a duration, if it is a T record (reporting part quantities/partial upload), H record (batch posting) or an operation logon. For postings of the interface record type "P": The field includes the length of time a person was logged on to an order. If a person is logged on to several orders/operations simultaneously, the field shows the proportionate labor time per order/operation. The distribution is made proportionally according to the number of operations to which the person is/was logged on at the same time (proportionate labor time).	96	106
				Resource Performance Accounts (RPA) Times are posted to "resource performance accounts". All times refer to the last confirmation/upload performed for the respective operation. The system returns order-related RPAs for postings based on orders (interface record type "A"). The system returns personal RPAs for personal postings (record type "P").		
RPA01	DEC_O	7	2	Resource Performance Account (RPA) 1 in hours	107	114
RPA02	DEC_O	7	2	Resource Performance Account (RPA) 2 in hours	115	122
RPA03	DEC_O	7	2	Resource Performance Account (RPA) 3 in hours	123	130
RPA04	DEC_O	7	2	Resource Performance Account (RPA) 4 in hours	131	138
RPA05	DEC_O	7	2	Resource Performance Account (RPA) 5 in hours	139	146
RPA06	DEC_O	7	2	Resource Performance Account (RPA) 6 in hours	147	154
RPA07	DEC_O	7	2	Resource Performance Account (RPA) 7 in hours	155	162
RPA08	DEC_O	7	2	Resource Performance Account (RPA) 8 in hours	163	170

Field	T	L	D	Description	From ¹	To ²
RPA09	DEC_O	7	2	Resource Performance Account (RPA) 9 in hours	171	178
RPA10	DEC_O	7	2	Resource Performance Account (RPA) 10 in hours	179	186
RPA11	DEC_O	7	2	Resource Performance Account (RPA) 11 in hours RPA 11 contains the production time (standard use/main utilization time).	187	194
RPA12	DEC_O	7	2	Resource Performance Account (RPA) 12 in hours. RPA 12 contains neutral times (breaks or similar)	195	202
BMK_SUM	DEC_O	7	2	Total of resource performance accounts without breaks (RPA 12) in hours	203	210
FIRMA	CHAR	4		reserved	211	214
GRUPPE	CHAR	8		Group where the workplace/machine is assigned to.	215	222
ARBPL	CHAR	8		Workplace/machine this posting refers to.	223	230
PERSNR	CHAR	10		Personnel number. This data field includes the personnel number of the employee who logged on/off or interrupted the operation. In case of personal postings, this field includes the personnel number of the person for whom data is uploaded/confirmed. The precise length depends on the length configuration of the personnel number in the basic parameter settings of HYDRA.	231	240
LOHNART	CHAR	4		Wage type if stored to the operation. Is directly taken over from the operation .	241	244
GUT_BAS	DEC_O	13	3	Basic quantity of yield, if entered or calculated according to conversion factors.	245	258
AUS_BAS	DEC_O	13	3	Basic quantity of scrap, if entered or calculated according to conversion factors.	259	272
MEINH_BAS	CHAR	3		Basic quantity of the quantity unit, if stored to the operation.	273	275
GUT_PRI	DEC_O	13	3	Collected yield in primary quantity unit Yield recorded in primary quantity unit since the last upload.	276	289
AUS_PRI	DEC_O	13	3	Scrap quantity collected in primary quantity unit since the last upload.	290	303
MEINH_PRI	CHAR	3		Primary unit of entry (primary quantity unit) from the operation.	304	306
	Reasons Reasons are only transferred if the option "confirmation of partial confirmations" is enabled for the order type and only in case of record type "T" postings. Otherwise the fields are empty.					
GUTGR	CHAR	4		Yield reason (deviation reason)	307	310
GUTGR_EXT	CHAR	5		Yield reason (deviation reason) – external reference	311	315
AUSGR	CHAR	4		Scrap reason	316	319
AUSGR_EXT	CHAR	5		Scrap reason – external reference	320	324
ASTATUS	CHAR	1		Order status (control indicator of the order header status) This data field shows the status of an order. When finishing the last recordable operation of an order, this field has the value "E" (end), otherwise "L" (running). The value of this field is not defined for personal confirmations/uploads.	325	325

Field	T	L	D	Description	From ¹	To ²
ANMELD_DAT	DATE	8		Date of the terminal posting (login) in the format YYYYMMDD	326	333
ANMELD_ZEIT	TIME	6		Time of the terminal posting (login) in the format HHMMSS	334	339
ABMELD_DAT	DATE	8		Date of the terminal posting (logoff) in the format YYYYMMDD	340	347
ABMELD_ZEIT	TIME	6		Time of the terminal posting (logoff) in the format HHMMSS	348	353
CHARGE	CHAR	20		Batch number only relevant in connection with ADE-CHV or MPL	354	373
BED_POS	CHAR	10		Entered operator position/function according to the HYDRA configuration, if entered	374	383
LPKZ	CHAR	10		Entered wage/premium indicator according to the HYDRA configuration, if entered	384	393
SOLL_TE	DEC_O	7	2	Target te from the log record (only filled if the LLE-BP license is available)	394	401
SOLL_TR	DEC_O	7	2	Target tr from the log record (only filled if the LLE-BP license is available)	402	409
SOLL_TEB	DEC_O	7	2	Target teb from the log record (only filled if the LLE-BP license is available)	410	417
SOLL_TRB	DEC_O	7	2	Target trb from the log record (only filled if the LLE-BP license is available)	418	425