

# 1 Material Supply ERP --> MES

## Overview

|  |   |  |
|--|---|--|
|  | → |  |
|--|---|--|

Certain material movements are transferred from the ERP system to the MES. IDocs are created cyclically (e.g. every 5 minutes) and transferred to HYDRA. IDocs are called ZMBEW03.

The MES material type must also be stored in the ERP system and transferred together with the provided data.

If batch movements are transferred including user-specific information, this information must also be transferred to HYDRA.

This leads to the following IDoc specification:

Message type/ file name: **ZMBEW**

File extension (for file transfer) **DAT**

IDoc type (for tRFC communication): **ZMBEW03**

|           |                                                                         |       |
|-----------|-------------------------------------------------------------------------|-------|
| Segments: | <b>Z2MBEW001X000</b> (goods movements)                                  | 1 - n |
|           | <b>Z2MBEW002X000</b> (goods movements continued) <sup>1</sup>           | 0 - 1 |
|           | <b>Z2CNRATT_C000X000</b> (alphanumeric batch attributes part 1)         | 0 - 1 |
|           | <b>Z2CNRATT_C001X000</b> (alphanumeric batch attributes part 2)         | 0 - 1 |
|           | <b>Z2CNRATT_N000X000</b> (numeric attributes) – (OBSOLETE) <sup>2</sup> | 0 – 1 |
|           | <b>Z2CNRATT_N001X000</b> (numeric attributes) <sup>3</sup>              | 0 - 1 |
|           | <b>Z2CNR_USRFLD000X000</b> (user fields) <sup>4</sup>                   | 0 - 1 |



Segments in SAP have to be created according to the pattern Z1<segment name> in order to generate the above-mentioned segment names in SAP. The version control function of SAP outbound processing generates segment names in the form Z2<segment name><version>.

Example: segment name **Z1MBEW001X** is converted to **Z2MBEW001X000**

This documentation uses the below-mentioned column headings with the meaning described here:

| Column    | Description                                                                                                                                                                                                                                    |
|-----------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| Field     | Field name                                                                                                                                                                                                                                     |
| V (usage) | <p>S Key field clearly identifying the data record. (Further key fields might be required). The field must be completed.</p> <p>M Mandatory field which must be filled with a valid value.</p> <p>K Field may stay empty (optional field).</p> |
| T(type)   | Data type according to definition                                                                                                                                                                                                              |
| L(ength)  | Field length                                                                                                                                                                                                                                   |

<sup>1</sup> The segment is available from MLE option ZMBEW\_012 on.

<sup>2</sup> We recommend to no longer use this segment for new implementations. Segment Z2CNRATT\_N001X000 should be used instead. Segment Z2CNRATT\_N000X000 is still available (backwards compatible) but will no longer be maintained. Both segments have different field lengths for their decimal fields.

<sup>3</sup> The segment is available from MLE option ZMBEW\_014 on.

<sup>4</sup> The segment is available from MLE option ZMBEW\_010 on.

| Column           | Description                                                                                        |
|------------------|----------------------------------------------------------------------------------------------------|
|                  | For fields of data type DEC: Overall number of digits without decimal separator and algebraic sign |
| D(ecimal places) | For fields of data type DEC: Number of decimal places; otherwise: not relevant                     |
| Description      | Description and/or comment of the field                                                            |

## Goods movements (Z2MBEW001X000)

Material supplies: Goods receipt, reposting to a different material buffer. If a batch is already known in HYDRA, the batch inventory will be updated.



The batch inventory can only be updated if the batch is currently not in use (not running), i.e. batch status <> "L"

| Field      | V | T    | L  | D | Description                                                                                                                                      |
|------------|---|------|----|---|--------------------------------------------------------------------------------------------------------------------------------------------------|
| WERK       | K | CHAR | 4  |   | Company/ plant                                                                                                                                   |
| MATNR      | M | CHAR | 40 |   | Material number                                                                                                                                  |
| MATTYP     | M | CHAR | 10 |   | Material type                                                                                                                                    |
| MATTXT     | K | CHAR | 40 |   | Material description                                                                                                                             |
| MATPUF     | M | CHAR | 12 |   | Target storage location: Material buffer including the material; in case the material is transferred, the new material buffer is indicated here. |
| LAGORT     | K | CHAR | 20 |   | PPS storage location                                                                                                                             |
| LAGPZ      | K | CHAR | 20 |   | PPS storage bin                                                                                                                                  |
| MNR        | K | CHAR | 10 |   | Workplace which incoming goods are explicitly provided for (reserved, should be left empty)                                                      |
| CHARGE     | K | CHAR | 10 |   | ERP batch number<br>For further information on the meaning of the fields CHARGE and CHARGE_LONG please see the description below.                |
| HY_LOSNR   | S | CHAR | 20 |   | HYDRA batch number (to find a batch created from HYDRA)                                                                                          |
| MENGE      | K | QUAN | 13 | 3 | Batch quantity                                                                                                                                   |
| MENGE_EINH | K | CHAR | 3  |   | Batch quantity unit                                                                                                                              |
| LST01      | K | QUAN | 13 | 3 | Activity 1                                                                                                                                       |
| LST01_EINH | K | CHAR | 3  |   | Unit of activity 1                                                                                                                               |

| Field      | V | T    | L  | D | Description                                                                                                                                                                                |
|------------|---|------|----|---|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| LST02      | K | QUAN | 13 | 3 | Activity 2                                                                                                                                                                                 |
| LST02_EINH | K | CHAR | 3  |   | Unit of activity 2                                                                                                                                                                         |
| LST03      | K | QUAN | 13 | 3 | Activity 3                                                                                                                                                                                 |
| LST03_EINH | K | CHAR | 3  |   | Unit of activity 3                                                                                                                                                                         |
| LST04      | K | QUAN | 13 | 3 | Activity 4                                                                                                                                                                                 |
| LST04_EINH | K | CHAR | 3  |   | Unit of activity 4                                                                                                                                                                         |
| LST05      | K | QUAN | 13 | 3 | Activity 5                                                                                                                                                                                 |
| LST05_EINH | K | CHAR | 3  |   | Unit of activity 5                                                                                                                                                                         |
| LST06      | K | QUAN | 13 | 3 | Activity 6                                                                                                                                                                                 |
| LST06_EINH | K | CHAR | 3  |   | Unit of activity 6                                                                                                                                                                         |
| LOSHINWEIS | K | CHAR | 20 |   | Entered info on batch                                                                                                                                                                      |
| KLASSE     | K | CHAR | 1  |   | Batch class<br>"G" Yield<br>"A" Scrap/ waste                                                                                                                                               |
| STATUS     | K | CHAR | 1  |   | Batch status to be set<br>"F" Free/available<br>"S" Blocked<br>"D" Deleted                                                                                                                 |
| MATST      | K | CHAR | 1  |   | Material status                                                                                                                                                                            |
| QST        | K | CHAR | 1  |   | Q status                                                                                                                                                                                   |
| QSTMANU    | K | CHAR | 1  |   | Manual Q status                                                                                                                                                                            |
| TST        | K | CHAR | 1  |   | Transport status<br>F - "normal" HYDRA batch<br>B - Ready for booking out<br>L - Cleared from stock<br>O - Booked out for third-parties<br>I - Sent to third-parties<br>T - Transport done |
| GRUND      | K | NUM  | 4  |   | Batch reason (e.g. blocking reason)                                                                                                                                                        |
| GRUNDTYP   | K | CHAR | 1  |   | Reason type (e.g. L - batch reason)<br>Please note: Currently not used.                                                                                                                    |

| Field      | V | T    | L   | D | Description                                                                                                   |
|------------|---|------|-----|---|---------------------------------------------------------------------------------------------------------------|
| VDAT       | K | DATE | 8   |   | Availability date (MPL-PUE)<br>If MPL-PUE is not used, the value should be set to the current point in time.  |
| VVZEI      | K | TIME | 6   |   | Availability time (MPL-PUE)<br>If MPL-PUE is not used, the value should be set to the current point in time.  |
| WDAT       | K | DATE | 8   |   | Warning date (MPL-PUE)<br>If MPL-PUE is not used, the value should be set to 31.12.9999.                      |
| WZEI       | K | TIME | 6   |   | Warning time (MPL-PUE)<br>If MPL-PUE is not used, the value should be set to 11.59.59 p.m.                    |
| VFDAT      | K | DATE | 8   |   | Expiry date (MPL-PUE)<br>If MPL-PUE is not used, the value should be set to 31.12.9999.                       |
| VFZEI      | K | TIME | 6   |   | Expiry time (MPL-PUE)<br>If MPL-PUE is not used, the value should be set to 11.59.59 p.m.                     |
| RFAGVFA    | K | DEC  | 13  | 3 | Mass per unit area, unit G/ M2<br>otherwise: 0<br>Please note: Quantities will not automatically be converted |
| RFBREITE   | K | DEC  | 13  | 3 | Width of the roll in the unit MM<br>otherwise: 0                                                              |
| CNR:RFSTKF | K | DEC  | 13  | 3 | Area per piece in the unit MM2/ PCE<br>otherwise: 0                                                           |
| RESART     | K | CHAR | 2   |   | Reservation type:<br>"AK" for order<br>"AG" for subsequent operation<br>"CC" for planning (comment)           |
| RESVAL     | K | CHAR | 40  |   | Reservation for order/ OP (only if RES:ART = "AK" or "AG")                                                    |
| RESBEM     | K | CHAR | 100 |   | Comment about reservation (only if RES:ART = "CC")                                                            |
| ALT1       | K | CHAR | 20  |   | Alternative batch number 1                                                                                    |
| ALT2       | K | CHAR | 20  |   | Alternative batch number 2                                                                                    |
| ALT3       | K | CHAR | 20  |   | Alternative batch number 3                                                                                    |
| ALT4       | K | CHAR | 20  |   | Alternative batch number 4                                                                                    |
| ALT5       | K | CHAR | 40  |   | Alternative batch number 5                                                                                    |
| EXTCNR     | K | CHAR | 20  |   | External batch number                                                                                         |
| TPE        | K | CHAR | 10  |   | Transport unit                                                                                                |
| TECHINFO   | K | CHAR | 20  |   | Technical info                                                                                                |
| MCNR       | K | CHAR | 20  |   | Merged batch number                                                                                           |
| SLOS       | K | CHAR | 1   |   | Y - Merged batch<br>Only relevant for merged batch processing                                                 |

| Field       | V | T    | L  | D | Description                                                                                                                                                                |
|-------------|---|------|----|---|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| SLOSTYP     | K | CHAR | 1  |   | Merged batch type 'J' – equal type<br>Only relevant for merged batch processing                                                                                            |
| ANZSLOS     | K | NUM  | 8  |   | Number of individual batches included in merged batch<br>Only relevant for merged batch processing                                                                         |
| TRANZ       | K | NUM  | 8  |   | Number of batches<br>Currently not used                                                                                                                                    |
| TRANZSUM    | K | NUM  | 8  |   | Currently not used                                                                                                                                                         |
| LOSINDEX    | K | NUM  | 8  |   | Batch index<br>Currently not used                                                                                                                                          |
| TRPOS       | K | NUM  | 8  |   | Currently not used                                                                                                                                                         |
| SCHNEIDNR   | K | NUM  | 8  |   | Currently not used                                                                                                                                                         |
| ATTR1       | K | NUM  | 8  |   | Direct batch attribute 1                                                                                                                                                   |
| ATTR2       | K | NUM  | 8  |   | Direct batch attribute 2                                                                                                                                                   |
| ATTR3       | K | NUM  | 8  |   | Direct batch attribute 3                                                                                                                                                   |
| ATTR4       | K | DEC  | 13 | 3 | Direct batch attribute 4                                                                                                                                                   |
| ATTR5       | K | DEC  | 13 | 3 | Direct batch attribute 5                                                                                                                                                   |
| ATTR6       | K | DEC  | 13 | 3 | Direct batch attribute 6                                                                                                                                                   |
| ATTR7       | K | CHAR | 4  |   | Direct batch attribute 7                                                                                                                                                   |
| ATTR8       | K | CHAR | 10 |   | Direct batch attribute 8                                                                                                                                                   |
| ATTR9       | K | CHAR | 10 |   | Direct batch attribute 9                                                                                                                                                   |
| ATTR10      | K | CHAR | 20 |   | Direct batch attribute 10                                                                                                                                                  |
| HSDAT       | K | DATE | 8  |   | Manufacturing date (available starting with MLE option ZMBEW_008)                                                                                                          |
| HSZEI       | K | TIME | 6  |   | Manufacturing time (available starting with MLE option ZMBEW_008)                                                                                                          |
| CSTWDAT     | K | DATE | 8  |   | Last change of status - date (available starting with MLE option ZMBEW_008)                                                                                                |
| CSTWZEI     | K | TIME | 6  |   | Last change of status - time (available starting with MLE option ZMBEW_008)                                                                                                |
| CHARGE_LONG | K | CHAR | 20 |   | ERP batch number (long)<br>For further information on the meaning of the fields CHARGE and CHARGE_LONG please see the description below.<br>(from MLE option ZMBEW_012 on) |



Please note that depending on the material type, individual OP-based user fields (transferred together with the operation from the PPS system) can be transferred to batch-related user fields (so called batch attributes) during the generation of batches in HYDRA. These are then transferred to the PPS system as ERP batch together with the batch at the goods receipt and will be returned when such an ERP batch is provided the next time.

### Information on the fields CHARGE and CHARGE\_LONG

The following logic/condition applies for providing the SAP batch:

Checking if the CHARGE (CHAR10) field is assigned a value:

- Yes:

This value is adopted.

- No:

Checking if the CHARGE\_LONG (CHAR20) field is completed:

- Yes:

This value is adopted as PPS batch number.

- No:

This value ("nothing") is adopted as PPS batch number.

### Goods movements continued (Z2MBEW002X000)<sup>5</sup>



The batch inventory can only be updated if the batch is currently not in use (not running), i.e. batch status <> "L"

| Field    | V | T    | L  | D | Description                                             |
|----------|---|------|----|---|---------------------------------------------------------|
| HY_LOSNR | M | CHAR | 20 |   | HYDRA batch number (to find a batch created from HYDRA) |
| HULEVEL  | K | NUMC | 8  |   | HU level                                                |
| DLL      | K | CHAR | 20 |   | External batch number (throughput batch number)         |
| BESTART  | K | CHAR | 1  |   | Stock type                                              |

<sup>5</sup> The segment is available from the MLE option ZMBEW\_012 on.

| Field      | V | T    | L  | D | Description                                    |
|------------|---|------|----|---|------------------------------------------------|
| MSL_VFDATE | K | DATE | 8  |   | MSL Expiry date (from MLE option ZMBEW_015 on) |
| MSL_VFTIME | K | TIME | 6  |   | MSL Expiry time (from MLE option ZMBEW_015 on) |
| MSL_PERIOD | K | NUMC | 13 |   | MSL term (from MLE option ZMBEW_015 on)        |

## Alphanumeric batch attributes part 1 (Z2CNRATT\_C000X000)

The following segment supports the (first 20) alphanumeric batch attributes for the transfer.

| Field    | V | T    | L  | D | Description            |
|----------|---|------|----|---|------------------------|
| CNR      | S | CHAR | 20 |   | HYDRA batch number     |
| ATTR:101 | K | CHAR | 40 |   | Alphanumeric attribute |
| ATTR:102 | K | CHAR | 40 |   | ...                    |
| ATTR:103 | K | CHAR | 40 |   | ...                    |
| ATTR:104 | K | CHAR | 40 |   | ...                    |
| ATTR:105 | K | CHAR | 40 |   | ...                    |
| ATTR:106 | K | CHAR | 40 |   | ...                    |
| ATTR:107 | K | CHAR | 40 |   | ...                    |
| ATTR:108 | K | CHAR | 40 |   | ...                    |
| ATTR:109 | K | CHAR | 40 |   | ...                    |
| ATTR:110 | K | CHAR | 40 |   | ...                    |
| ATTR:111 | K | CHAR | 40 |   | ...                    |
| ATTR:112 | K | CHAR | 40 |   | ...                    |
| ATTR:113 | K | CHAR | 40 |   | ...                    |
| ATTR:114 | K | CHAR | 40 |   | ...                    |
| ATTR:115 | K | CHAR | 40 |   | ...                    |
| ATTR:116 | K | CHAR | 40 |   | ...                    |
| ATTR:117 | K | CHAR | 40 |   | ...                    |
| ATTR:118 | K | CHAR | 40 |   | ...                    |
| ATTR:119 | K | CHAR | 40 |   | ...                    |
| ATTR:120 | K | CHAR | 40 |   | ...                    |

## Alphanumeric batch attributes part 2 (Z2CNRATT\_C001X000)

The following segment supports the (last 20) alphanumeric batch attributes for the transfer.

| Field    | V | T    | L  | D | Description            |
|----------|---|------|----|---|------------------------|
| CNR      | S | CHAR | 20 |   | HYDRA batch number     |
| ATTR:121 | K | CHAR | 40 |   | Alphanumeric attribute |
| ATTR:122 | K | CHAR | 40 |   | ...                    |
| ATTR:123 | K | CHAR | 40 |   | ...                    |
| ATTR:124 | K | CHAR | 40 |   | ...                    |
| ATTR:125 | K | CHAR | 40 |   | ...                    |
| ATTR:126 | K | CHAR | 40 |   | ...                    |
| ATTR:127 | K | CHAR | 40 |   | ...                    |
| ATTR:128 | K | CHAR | 40 |   | ...                    |
| ATTR:129 | K | CHAR | 40 |   | ...                    |
| ATTR:130 | K | CHAR | 40 |   | ...                    |
| ATTR:131 | K | CHAR | 40 |   | ...                    |
| ATTR:132 | K | CHAR | 40 |   | ...                    |
| ATTR:133 | K | CHAR | 40 |   | ...                    |
| ATTR:134 | K | CHAR | 40 |   | ...                    |
| ATTR:135 | K | CHAR | 40 |   | ...                    |
| ATTR:136 | K | CHAR | 40 |   | ...                    |
| ATTR:137 | K | CHAR | 40 |   | ...                    |
| ATTR:138 | K | CHAR | 40 |   | ...                    |
| ATTR:139 | K | CHAR | 40 |   | ...                    |
| ATTR:140 | K | CHAR | 40 |   | ...                    |

## Numeric batch attributes (Z2CNRATT\_N000X000) – (OBSOLETE)



We recommend to no longer use this segment for new implementations. Segment Z2CNRATT\_N001X000 should be used instead. Segment Z2CNRATT\_N000X000 is still available (backwards compatible) but will no longer be maintained. Both segments have different field lengths for their decimal fields.

The following segment supports numeric batch attributes for the transfer.

| Field    | L | T    | L  | D | Description                |
|----------|---|------|----|---|----------------------------|
| CNR      | S | CHAR | 20 |   | HYDRA batch number         |
| ATTR:201 | K | NUMC | 8  |   | Numeric attribute, integer |
| ATTR:202 | K | NUMC | 8  |   | ...                        |
| ATTR:203 | K | NUMC | 8  |   | ...                        |
| ATTR:204 | K | NUMC | 8  |   | ...                        |
| ATTR:205 | K | NUMC | 8  |   | ...                        |
| ATTR:206 | K | NUMC | 8  |   | ...                        |
| ATTR:207 | K | NUMC | 8  |   | ...                        |
| ATTR:208 | K | NUMC | 8  |   | ...                        |
| ATTR:209 | K | NUMC | 8  |   | ...                        |
| ATTR:210 | K | NUMC | 8  |   | ...                        |
| ATTR:211 | K | NUMC | 8  |   | ...                        |
| ATTR:212 | K | NUMC | 8  |   | ...                        |
| ATTR:213 | K | NUMC | 8  |   | ...                        |
| ATTR:214 | K | NUMC | 8  |   | ...                        |
| ATTR:215 | K | NUMC | 8  |   | ...                        |
| ATTR:216 | K | NUMC | 8  |   | ...                        |
| ATTR:217 | K | NUMC | 8  |   | ...                        |
| ATTR:218 | K | NUMC | 8  |   | ...                        |
| ATTR:219 | K | NUMC | 8  |   | ...                        |
| ATTR:220 | K | NUMC | 8  |   | ...                        |
| ATTR:301 | K | DEC  | 10 | 3 | Numeric attribute, decimal |
| ATTR:302 | K | DEC  | 10 | 3 | ...                        |
| ATTR:303 | K | DEC  | 10 | 3 | ...                        |
| ATTR:304 | K | DEC  | 10 | 3 | ...                        |
| ATTR:305 | K | DEC  | 10 | 3 | ...                        |
| ATTR:306 | K | DEC  | 10 | 3 | ...                        |
| ATTR:307 | K | DEC  | 10 | 3 | ...                        |
| ATTR:308 | K | DEC  | 10 | 3 | ...                        |
| ATTR:309 | K | DEC  | 10 | 3 | ...                        |
| ATTR:310 | K | DEC  | 10 | 3 | ...                        |
| ATTR:311 | K | DEC  | 10 | 3 | ...                        |
| ATTR:312 | K | DEC  | 10 | 3 | ...                        |
| ATTR:313 | K | DEC  | 10 | 3 | ...                        |
| ATTR:314 | K | DEC  | 10 | 3 | ...                        |
| ATTR:315 | K | DEC  | 10 | 3 | ...                        |
| ATTR:316 | K | DEC  | 10 | 3 | ...                        |
| ATTR:317 | K | DEC  | 10 | 3 | ...                        |
| ATTR:318 | K | DEC  | 10 | 3 | ...                        |
| ATTR:319 | K | DEC  | 10 | 3 | ...                        |
| ATTR:320 | K | DEC  | 10 | 3 | ...                        |

## Numeric batch attributes (Z2CNRATT\_N001X000)

The following segment supports numeric batch attributes for the transfer.

| Field    | L | T    | L  | D | Description                |
|----------|---|------|----|---|----------------------------|
| CNR      | S | CHAR | 20 |   | HYDRA batch number         |
| ATTR:201 | K | NUMC | 8  |   | Numeric attribute, integer |
| ATTR:202 | K | NUMC | 8  |   | ...                        |
| ATTR:203 | K | NUMC | 8  |   | ...                        |
| ATTR:204 | K | NUMC | 8  |   | ...                        |
| ATTR:205 | K | NUMC | 8  |   | ...                        |
| ATTR:206 | K | NUMC | 8  |   | ...                        |
| ATTR:207 | K | NUMC | 8  |   | ...                        |
| ATTR:208 | K | NUMC | 8  |   | ...                        |
| ATTR:209 | K | NUMC | 8  |   | ...                        |
| ATTR:210 | K | NUMC | 8  |   | ...                        |
| ATTR:211 | K | NUMC | 8  |   | ...                        |
| ATTR:212 | K | NUMC | 8  |   | ...                        |
| ATTR:213 | K | NUMC | 8  |   | ...                        |
| ATTR:214 | K | NUMC | 8  |   | ...                        |
| ATTR:215 | K | NUMC | 8  |   | ...                        |
| ATTR:216 | K | NUMC | 8  |   | ...                        |
| ATTR:217 | K | NUMC | 8  |   | ...                        |
| ATTR:218 | K | NUMC | 8  |   | ...                        |
| ATTR:219 | K | NUMC | 8  |   | ...                        |
| ATTR:220 | K | NUMC | 8  |   | ...                        |
| ATTR:301 | K | DEC  | 13 | 3 | Numeric attribute, decimal |
| ATTR:302 | K | DEC  | 13 | 3 | ...                        |
| ATTR:303 | K | DEC  | 13 | 3 | ...                        |
| ATTR:304 | K | DEC  | 13 | 3 | ...                        |
| ATTR:305 | K | DEC  | 13 | 3 | ...                        |
| ATTR:306 | K | DEC  | 13 | 3 | ...                        |
| ATTR:307 | K | DEC  | 13 | 3 | ...                        |
| ATTR:308 | K | DEC  | 13 | 3 | ...                        |
| ATTR:309 | K | DEC  | 13 | 3 | ...                        |
| ATTR:310 | K | DEC  | 13 | 3 | ...                        |
| ATTR:311 | K | DEC  | 13 | 3 | ...                        |
| ATTR:312 | K | DEC  | 13 | 3 | ...                        |
| ATTR:313 | K | DEC  | 13 | 3 | ...                        |
| ATTR:314 | K | DEC  | 13 | 3 | ...                        |
| ATTR:315 | K | DEC  | 13 | 3 | ...                        |
| ATTR:316 | K | DEC  | 13 | 3 | ...                        |
| ATTR:317 | K | DEC  | 13 | 3 | ...                        |
| ATTR:318 | K | DEC  | 13 | 3 | ...                        |
| ATTR:319 | K | DEC  | 13 | 3 | ...                        |
| ATTR:320 | K | DEC  | 13 | 3 | ...                        |

## User fields (Z2CNR\_USRFLD000X000)

Starting as of MLE option ZMBEW\_010, you can also transfer user fields relating to the batch from the ERP system.

| Field    | V | T    | L  | D | Description                  |
|----------|---|------|----|---|------------------------------|
| HY_LOSNR | S | CHAR | 20 |   | HYDRA batch number           |
| FILLER   | S | CHAR | 20 |   | Placeholder – internal usage |
| USRFLD   | S | CHAR | 8  |   | User field key               |
| FU:1     | K | DATE | 8  |   | User field 1                 |
| FU:2     | K | DATE | 8  |   | User field 2                 |
| FU:3     | K | DATE | 8  |   | User field 3                 |
| FU:4     | K | DATE | 8  |   | User field 4                 |
| FU:5     | K | DATE | 8  |   | User field 5                 |
| FU:6     | K | DATE | 8  |   | User field 6                 |
| FU:7     | K | NUM  | 8  |   | User field 7                 |
| FU:8     | K | NUM  | 8  |   | User field 8                 |
| FU:9     | K | NUM  | 8  |   | User field 9                 |
| FU:10    | K | NUM  | 8  |   | User field 10                |
| FU:11    | K | NUM  | 8  |   | User field 11                |
| FU:12    | K | NUM  | 8  |   | User field 12                |
| FU:13    | K | NUM  | 8  |   | User field 13                |
| FU:14    | K | NUM  | 8  |   | User field 14                |
| FU:15    | K | NUM  | 8  |   | User field 15                |
| FU:16    | K | NUM  | 8  |   | User field 16                |
| FU:17    | K | NUM  | 8  |   | User field 17                |
| FU:18    | K | NUM  | 8  |   | User field 18                |
| FU:19    | K | NUM  | 8  |   | User field 19                |
| FU:20    | K | NUM  | 8  |   | User field 20                |
| FU:21    | K | NUM  | 8  |   | User field 21                |
| FU:22    | K | NUM  | 8  |   | User field 22                |
| FU:23    | K | DEC  | 13 | 3 | User field 23                |
| FU:24    | K | DEC  | 13 | 3 | User field 24                |
| FU:25    | K | DEC  | 13 | 3 | User field 25                |
| FU:26    | K | DEC  | 13 | 3 | User field 26                |
| FU:27    | K | DEC  | 13 | 3 | User field 27                |
| FU:28    | K | DEC  | 13 | 3 | User field 28                |
| FU:29    | K | CHAR | 1  |   | User field 29                |
| FU:30    | K | CHAR | 1  |   | User field 30                |
| FU:31    | K | CHAR | 1  |   | User field 31                |
| FU:32    | K | CHAR | 1  |   | User field 32                |
| FU:33    | K | CHAR | 1  |   | User field 33                |
| FU:34    | K | CHAR | 1  |   | User field 34                |
| FU:35    | K | CHAR | 1  |   | User field 35                |
| FU:36    | K | CHAR | 1  |   | User field 36                |
| FU:37    | K | CHAR | 1  |   | User field 37                |
| FU:38    | K | CHAR | 1  |   | User field 38                |

| Field | V | T    | L  | D | Description   |
|-------|---|------|----|---|---------------|
| FU:39 | K | CHAR | 1  |   | User field 39 |
| FU:40 | K | CHAR | 1  |   | User field 40 |
| FU:41 | K | CHAR | 1  |   | User field 41 |
| FU:42 | K | CHAR | 1  |   | User field 42 |
| FU:43 | K | CHAR | 1  |   | User field 43 |
| FU:44 | K | CHAR | 1  |   | User field 44 |
| FU:45 | K | CHAR | 10 |   | User field 45 |
| FU:46 | K | CHAR | 10 |   | User field 46 |
| FU:47 | K | CHAR | 10 |   | User field 47 |
| FU:48 | K | CHAR | 10 |   | User field 48 |
| FU:49 | K | CHAR | 10 |   | User field 49 |
| FU:50 | K | CHAR | 10 |   | User field 50 |
| FU:51 | K | CHAR | 20 |   | User field 51 |
| FU:52 | K | CHAR | 20 |   | User field 52 |
| FU:53 | K | CHAR | 20 |   | User field 53 |
| FU:54 | K | CHAR | 20 |   | User field 54 |
| FU:55 | K | CHAR | 20 |   | User field 55 |
| FU:56 | K | CHAR | 20 |   | User field 56 |
| FU:57 | K | CHAR | 20 |   | User field 57 |
| FU:58 | K | CHAR | 20 |   | User field 58 |
| FU:59 | K | CHAR | 20 |   | User field 59 |
| FU:60 | K | CHAR | 20 |   | User field 60 |
| FU:61 | K | CHAR | 20 |   | User field 61 |
| FU:62 | K | CHAR | 20 |   | User field 62 |
| FU:63 | K | CHAR | 20 |   | User field 63 |
| FU:64 | K | CHAR | 20 |   | User field 64 |
| FU:65 | K | CHAR | 40 |   | User field 65 |
| FU:66 | K | CHAR | 40 |   | User field 66 |