

1 Passing on Document Links to Batches

Usage

You use the "Pass document links on" function if document links attached to input batches are also to be transferred to the generated output batch when changing the output batch.

Prerequisites /restrictions

- Mixing up the two methods of passing on (in the background on the server) and manual collection at the terminal is not excluded.
- The transfer is performed based on the currently registered input batches upon completion of the output batch. It is not possible to pass on several input batches changed while the output batch was running and/or only data of the last input batch is passed on.
- It is not possible to pass on document links from the level of subordinate batches to the level of merged batches.
- If several items exist in the component list of an OP for a material, the transfer/inheritance depends on the input batches logged on:
 - If different input batches are registered for the items/positions, the document links of all registered input batches of this material will be taken over.
 - If the same input batch is logged on to different items/positions, the document links will only be taken over once.


Procedure

Different initial scenarios have to be taken into account for passing on document links. There are the following options:

- Inheritance/transfer for simple batches
- Pass on simple batches/merged batches and their subordinate batches to merged batches and their subordinate batches when collecting serial numbers
- Pass on merged batches to merged batches when merging serial numbers

Inheritance/transfer for "simple" batches

For "simple" batches the document links of all input batches registered when completing the output batch are transferred to the output batch. It is not checked if there are duplicate documents. The following diagram illustrates how the system reacts:




Inheritance/transfer for simple batches/merged batches to merged batches

If merged batches including subordinate batches are generated as part of the collection process, document links will be passed on to the generated batches as described below:

- The documents of the source merged batch(es) are transferred to the generated merged batch.
- The documents of the incorporated batch(es) (that are neither merged batches nor their subordinate batches) are transferred to the generated merged batch and its subordinate batches.
- The documents of the incorporated subordinate batches are transferred to the generated subordinate batches of the generated merged batch.

The following diagram illustrates how the system reacts:



Inheritance/transfer for merged batches to merged batches when merging serial numbers

If merged batches including subordinate batches are generated as part of the collection process, document links will be passed on to the generated batches as described below:

- The documents of the source merged batch(es) are transferred to the generated merged batch.
- The documents of the incorporated batch(es) (that are neither merged batches nor their subordinate batches) are transferred to the generated merged batch and its subordinate batches.
- The documents of the incorporated subordinate batches are transferred to the generated subordinate batches of the generated merged batch.

The following diagram illustrates how the system reacts:

