

1 Upload of Goods Movements HYDRA --> SAP

1.1 Goods issues

Material withdrawals (consumption) recorded in HYDRA are transferred to SAP.

HYDRA provides the SAP system with the data in cyclic intervals. The SAP standard IDoc WMMBID02 of the message type WMMBXY is used for this purpose.

Message type:	WMMBXY	
IDOC type	WMMBID02	
Segments:	E2MBXYH (header record)	single
	└ E2MBXYI (detail record)	single

Transaction types

Transaction type	Description/usage
261	Goods issue for production order (consumption)
262	Cancellation of goods issue for production order (consumption)

Data structure (E2MBXYH)

Field	T	L	D	Designation	Usage in HYDRA
BLDAT	DATE	8		Document date in document	Date when consumption was entered
BUDAT	DATE	8		Posting date in document	Date of material movement
XBLNR	CHAR	16		Reference document number	Reference of material movement
BKTXT	CHAR	25		Document header text	Not used
FRBNR	CHAR	16		Number of the bill of lading at time of goods receipt	Not used
XABLN	CHAR	10		Goods receipt/issue slip number	Not used
TCODE	CHAR	4		Session: Current transaction code	Fixed "MB1A"
USNAM	CHAR	12		User name (release 4.0)	Not used
VBUND	CHAR	6		Society number (release 4.0)	Not used

Data structure (E2MBXYI)

Field	T	L	D	Designation	Usage in HYDRA
BEAKZ	CHAR	1		Indicator: line already edited	Not used
XSTOB	CHAR	1		Flag: Reverse posting	Not used
MATNR	CHAR	18		Material number	Material number of the component to be withdrawn
WERKS	CHAR	4		Plant	Factory of the production order
LGORT	CHAR	4		Storage location	Storage location from user field 46 of the component list
CHARG	CHAR	10		Batch number	Recorded batch number
BWART	CHAR	3		Movement type (inventory management)	"261" for goods issues "262" cancellation for goods issue
INSMK	CHAR	1		Stock type	Not used
SOBKZ	CHAR	1		Special stock indicator	Not used
KZVBR	CHAR	1		Indicator: consumption posting	Not used
LIFNR	CHAR	10		Vendor account number	Not used
KUNNR	CHAR	10		Customer number	Not used
KDAUF	CHAR	10		Sales order number	Not used
KDPOS	CHAR	6		Item number in customer order	Not used
KDEIN	CHAR	4		Scheduling of customer order	Not used
SHKZG	CHAR	1		Debit and credit indicator	Not used
WAERS	CHAR	5		Currency key	Not used
DMBTR	CHAR	15		Amount in local currency	Not used
BWTAR	CHAR	10		Valuation type	Not used
ERFMG	QUAN	13	3	Quantity in unit of entry	Quantity recorded as consumption
ERFME	CHAR	3		Unit of entry	Quantity unit for consumption quantity
BPMNG	QUAN	13	3	Quantity in order price quantity unit	Not used
BPRME	CHAR	3		Order price quantity unit	Not used
EBELN	CHAR	10		Purchasing document number	Not used
EBELP	CHAR	5		Item number of purchasing document	Not used
ELIKZ	CHAR	1		"Delivery completed" indicator	Not used
SGTXT	CHAR	50		Item text	Not used
WEMPF	CHAR	12		Recipient of the goods	Not used
ABLAD	CHAR	25		Place of unloading	Not used
KOSTL	CHAR	10		Cost center	Not used
AUFNR	CHAR	12		Order number	SAP order number for which material has been withdrawn
ANLN1	CHAR	12		Asset main number	Not used
ANLN2	CHAR	4		Asset sub-number	Not used
RSNUM	CHAR	10		Reservation number	Number of the reservation from user field 45 of the component

Field	T	L	D	Designation	Usage in HYDRA
RSPOS	CHAR	4		Item number of the reservation	Item number of the reservation from user field 47 of the component
KZEAR	CHAR	1		Indicator: final issue	Not used
UMMAT	CHAR	18		Receiving/issuing material	Not used
UMWRK	CHAR	4		Receiving/issuing plant	Not used
UMLGO	CHAR	4		Receiving/issuing storage location	Not used
UMCHA	CHAR	10		Receiving/issuing batch	Not used
KZBEW	CHAR	1		Movement indicator	Not used
WEUNB	CHAR	1		Indicator: goods receipt	Not used
LGNUM	CHAR	3		Warehouse number	Not used
LGTyp	CHAR	3		Storage type	Not used
LGPLA	CHAR	10		Storage bin	Not used
GRUND	CHAR	4		Indicator: transaction reason	Not used
EVERS	CHAR	2		Shipping instructions	Not used
EVERE	CHAR	2		Complying with shipping instructions	Not used
IMKEY	CHAR	8		Internal key for real estate property	Not used
KSTRG	CHAR	12		Cost object	Not used
PAOBJNR	CHAR	10		Number for business segment	Not used
PRCTR	CHAR	10		Profit center	Not used
PS_PSP_PNR	CHAR	8		Planning element of project structure	Not used
NPLNR	CHAR	12		Network number for account assignment	Not used
AUFPL	CHAR	10		Planning number for transactions in the order	Not used
APLZL	CHAR	8		Continuous counter	Not used
AUFPS	CHAR	4		Number of order item	Not used
VPTNR	CHAR	10		Partner account number	Not used
FIPOS	CHAR	14		Commitment item	Not used
GSBER	CHAR	4		Business area	Not used
BSTMG	QUAN	13	3	Goods receipt quantity in order unit	Not used
BSTME	CHAR	3		Order unit	Not used
EXBWR	QUAN	13	3	Posting amount in local currency entered externally	Not used
KONTO	CHAR	10		G/L account number	Not used
RSHKZ	CHAR	1		Debit and credit indicator	Fixed "H"
BDMNG	QUAN	13	3	Requirement quantity	Not used
ENMNG	QUAN	13	3	Issued quantity	Not used
QPLOS	CHAR	12		Inspection batch number	Not used
UMZST	CHAR	1		Status of receiving batch	Not used
UMZUS	CHAR	1		Status key of transfer batch	Not used
UMBAR	CHAR	10		Valuation type of transfer batch	Not used
UMSOK	CHAR	1		Special stock indicator	Not used
LFBJA	CHAR	4		Fiscal year of a reference document	Not used
LFBNR	CHAR	10		Document number of a reference document	Not used
LFPOS	CHAR	4		Item in a reference document	Not used
SJAHR	CHAR	4		Material document year	Not used

Field	T	L	D	Designation	Usage in HYDRA
SMBLN	CHAR	10		Number of a material document	Not used
SMBLP	CHAR	4		Item in the material document	Not used
EXVKW	CHAR	15		Sales value specified externally in local currency	Not used
QM_ZUSTD	CHAR	1		Batch status with status changed in QM (internal)	Not used
POSNR	CHAR	6		Delivery item for third-party system	Not used
VBELN	CHAR	10		Delivery	Not used
QM_UMZST	CHAR	1		Status of received batch when status changed in QM (intern.)	Not used
BWLVS	CHAR	3		Movement type for warehouse management system	Not used
UMREZ	CHAR	5		Numerator for converting to base unit of measure	Not used
UMREN	CHAR	5		Denominator for conversion to base unit of measure	Not used
VFDAT	CHAR	8		Expiration date or best-before date	Not used

1.2 Goods receipts

Goods receipts recorded in HYDRA (for produced material) are transferred to SAP.

HYDRA provides the SAP system with the data in cyclic intervals. The SAP standard IDoc WMMBID02 of the message type WMMBXY is used for this purpose.

Message type:	WMMBXY	
IDOC type	WMMBID02	
Segments:	E2MBXYH (header record)	single
	└ E2MBXYI (detail record)	single

Transaction types

Transaction type	Description/usage
101	Goods receipt for production order
102	Goods receipt cancellation for production order

Data structure (E2MBXYH)

Field	T	L	D	Designation	Usage in HYDRA
BLDAT	DATE	8		Document date in document	Date of the entry

Field	T	L	D	Designation	Usage in HYDRA
BUDAT	DATE	8		Posting date in document	Date of material movement
XBLNR	CHAR	16		Reference document number	Reference of material movement
BKTX	CHAR	25		Document header text	Not used
FRBNR	CHAR	16		Number of the bill of lading at time of goods receipt	Not used
XABLN	CHAR	10		Goods receipt/issue slip number	Not used
TCODE	CHAR	4		Session: Current transaction code	Fixed "MB31"
USNAM	CHAR	12		User name (release 4.0)	Not used
VBUND	CHAR	6		Society number (release 4.0)	Not used

Data structure (E2MBXYI)

Field	T	L	D	Designation	Usage in HYDRA
BEAKZ	CHAR	1		Indicator: line already edited	Not used
XSTOB	CHAR	1		Flag: Reverse posting	Not used
MATNR	CHAR	18		Material number	Material number of the produced material
WERKS	CHAR	4		Plant	Factory of the production order producing the material
LGORT	CHAR	4		Storage location	Storage location from user field 45 of the order header
CHARG	CHAR	10		Batch number	Recorded batch number
BWART	CHAR	3		Movement type (inventory management)	"101" for goods receipts "102" goods receipt cancellation
INSMK	CHAR	1		Stock type	Not used
SOBKZ	CHAR	1		Special stock indicator	Not used
KZVBR	CHAR	1		Indicator: consumption posting	Not used
LIFNR	CHAR	10		Vendor account number	Not used
KUNNR	CHAR	10		Customer number	Not used
KDAUF	CHAR	10		Sales order number	Not used
KDPOS	CHAR	6		Item number in customer order	Not used
KDEIN	CHAR	4		Scheduling of customer order	Not used
SHKZG	CHAR	1		Debit and credit indicator	Not used
WAERS	CHAR	5		Currency key	Not used
DMBTR	CHAR	15		Amount in local currency	Not used
BWTAR	CHAR	10		Valuation type	Not used
ERFMG	QUAN	13	3	Quantity in unit of entry	Recorded quantity
ERFME	CHAR	3		Unit of entry	Quantity unit

Field	T	L	D	Designation	Usage in HYDRA
BPMNG	QUAN	13	3	Quantity in order price quantity unit	Not used
BPRME	CHAR	3		Order price quantity unit	Not used
EBELN	CHAR	10		Purchasing document number	Not used
EBELP	CHAR	5		Item number of purchasing document	Not used
ELIKZ	CHAR	1		"Delivery completed" indicator	Not used
SGTXT	CHAR	50		Item text	Not used
WEMPF	CHAR	12		Recipient of the goods	Not used
ABLAD	CHAR	25		Place of unloading	Not used
KOSTL	CHAR	10		Cost center	Not used
AUFNR	CHAR	12		Order number	SAP order number for which material has been received / produced
ANLN1	CHAR	12		Asset main number	Not used
ANLN2	CHAR	4		Asset sub-number	Not used
RSNUM	CHAR	10		Reservation number	Not used
RSPOS	CHAR	4		Item number of the reservation	Not used
KZEAR	CHAR	1		Indicator: final issue	Not used
UMMAT	CHAR	18		Receiving/issuing material	Not used
UMWRK	CHAR	4		Receiving/issuing plant	Not used
UMLGO	CHAR	4		Receiving/issuing storage location	Not used
UMCHA	CHAR	10		Receiving/issuing batch	Not used
KZBEW	CHAR	1		Movement indicator	Fixed "F"
WEUNB	CHAR	1		Indicator: goods receipt	Not used
LGNUM	CHAR	3		Warehouse number	Not used
LGTyp	CHAR	3		Storage type	Not used
LGPLA	CHAR	10		Storage bin	Not used
GRUND	CHAR	4		Indicator: transaction reason	Not used
EVERS	CHAR	2		Shipping instructions	Not used
EVERE	CHAR	2		Complying with shipping instructions	Not used
IMKEY	CHAR	8		Internal key for real estate property	Not used
KSTRG	CHAR	12		Cost object	Not used
PAOBJNR	CHAR	10		Number for business segment	Not used
PRCTR	CHAR	10		Profit center	Not used
PS_PSP_PNR	CHAR	8		Planning element of project structure	Not used
NPLNR	CHAR	12		Network number for account assignment	Not used
AUFPL	CHAR	10		Planning number for transactions in the order	Not used
APLZL	CHAR	8		Continuous counter	Not used
AUFPS	CHAR	4		Number of order item	Not used
VPTNR	CHAR	10		Partner account number	Not used
FIPOS	CHAR	14		Commitment item	Not used
GSBER	CHAR	4		Business area	Not used
BSTMG	QUAN	13	3	Goods receipt quantity in order unit	Not used
BSTME	CHAR	3		Order unit	Not used
EXBWR	QUAN	13	3	Posting amount in local currency entered externally	Not used
KONTO	CHAR	10		G/L account number	Not used

Field	T	L	D	Designation	Usage in HYDRA
RSHKZ	CHAR	1		Debit and credit indicator	Fixed "S"
BDMNG	QUAN	13	3	Requirement quantity	Not used
ENMNG	QUAN	13	3	Issued quantity	Not used
QPLOS	CHAR	12		Inspection batch number	Not used
UMZST	CHAR	1		Status of receiving batch	Not used
UMZUS	CHAR	1		Status key of transfer batch	Not used
UMBAR	CHAR	10		Valuation type of transfer batch	Not used
UMSOK	CHAR	1		Special stock indicator	Not used
LFBJA	CHAR	4		Fiscal year of a reference document	Not used
LFBNR	CHAR	10		Document number of a reference document	Not used
LFPOS	CHAR	4		Item in a reference document	Not used
SJAHR	CHAR	4		Material document year	Not used
SMBLN	CHAR	10		Number of a material document	Not used
SMBLP	CHAR	4		Item in the material document	Not used
EXVKW	CHAR	15		Sales value specified externally in local currency	Not used
QM_ZUSTD	CHAR	1		Batch status with status changed in QM (internal)	Not used
POSNR	CHAR	6		Delivery item for third-party system	Not used
VBELN	CHAR	10		Delivery	Not used
QM_UMZST	CHAR	1		Status of received batch when status changed in QM (intern.)	Not used
BWLVS	CHAR	3		Movement type for warehouse management system	Not used
UMREZ	CHAR	5		Numerator for converting to base unit of measure	Not used
UMREN	CHAR	5		Denominator for conversion to base unit of measure	Not used
VFDAT	CHAR	8		Expiration date or best-before date	Not used