

1 Composition Recipe

Summary

Menu	Master data → Material → Composition recipe
Transaction code	core
Function authorization	core

Utilization

The composition recipe defines the expected chemical composition of input materials and output materials.

Integration

The composition recipe is the basic prerequisite for composition. Once the charging order has been released, the recipe is used for the determination of samples. An inspection request is generated as a part of the release process. The used inspection plan is referenced in the generated inspection request.

Prerequisite

The material for which the recipe is to be created needs to be defined within the material master to be able to create composition recipes. In addition, the chemical elements to be used in the composition recipe also need to be defined.

Selection criteria

The paragraph that follows shows some of the available selection criteria. Self-explanatory filter options are not listed.

Area

"Composition recipe" is set here by default.

Active

By checking this checkbox, the list of composition recipes can be restricted to active recipes. If this checkbox is not checked, the list only shows composition recipes in the status "in process" and "released". The third state of this checkbox (grayed out) shows all composition recipes. This is the initial state.

Recipe number

Filters the recipe numbers of composition recipes.

Recipe version

Filters the recipe version of composition recipes.

Field descriptions**Area, recipe number, recipe version**

The "area", "recipe number" and "recipe version" uniquely identify all existing composition recipes. The area is set to "composition recipe". The recipe number and recipe version may be entered using alphanumeric characters. All these fields are mandatory fields.

By assigning a structured recipe number, it is possible to provide specific information. This information might be useful later during sorting. If an existing recipe version is to be modified, yet it cannot just be changed because it has already been used for the generation of inspection orders, it is recommended to copy the original composition recipe and to modify the recipe version (e.g. incrementing it by 1). The recipe number should be kept as far as possible.

Material number

Shows the material number. If it is known it can be entered directly. Otherwise, the material dialog can be opened and the provided filter and sort criteria may be used to identify and take over the required material. Once a material has been chosen from the master data record, the material designation, customer article number and drawing issue number are taken over and displayed in the relevant fields.

Released/active

Shows whether the inspection recipe is "released" and/or "active". If the recipe is released or active the corresponding checkboxes are checked. A recipe is released and enabled, i.e. its status is changed, only by using the corresponding toolbar functions. A recipe has to be released before it can be activated.



Inspection orders are generated in the system to perform composition. Please note that the automatic generation of inspection orders only considers released composition recipes.

Released by / on

Shows the HYDRA user who has released the recipe. The release date is displayed additionally.

Valid from / until

If required, a validity period may be entered here, instead of the "unrestricted" activation (using the toolbar). This period is then taken into account when the inspection order is generated. Yet activation for a certain period means that the user has no clear overview of currently valid inspection plans, and it is therefore recommended to use the "global/unrestricted" activation option using the toolbar. If activated by toolbar functions, the system carefully monitors whether an active inspection plan already exists for the specified article and it also includes the same drawing issue number, customers and suppliers. If this is indeed the case, the previously active inspection plan will automatically be disabled.

Editing functions

The key fields "area", "recipe number" and "recipe version" cannot be changed in the editing mode.

Toolbar



Copy

A corresponding dialog opens for copying of a composition recipe.

The target area type and target area may be entered here. Normally, the user should choose an area that is identical to that of the source inspection plan. Then the new recipe number and recipe version need to be entered. In case a new version is generated from an existing recipe, normally the same recipe number is used and only the recipe version is changed.



Activate

Function authorization: core.activate

Makes the composition recipe status "active".



Deactivate

Function authorization: core.deactiv

Puts the composition recipe that is in the "active" status back to the "released" status.



Release

Function authorization: core.release

Puts a composition recipe that is in the "in process" status to the "released" status.



In process

Function authorization: core.unreal

Puts a composition recipe that is in the "active" or "released" status to the "in process" status.

Detail application "print form"

Function authorization	core.print
------------------------	------------

The print dialog opens a list of available reports. These are Word forms. The potential content of these forms is determined by the Web services that are available in the respective context. The form entries, i.e. the contents of the list of forms of the corresponding print dialog, are defined within the master data of quality management. The basis for new forms and the corresponding form properties are defined there as well. A corresponding license is required to be able to change the forms as regards content and design.

Detail application "characteristics"

The detail application for characteristics is nearly identical to the master data of characteristics application. For this reason, reference is made here only to modifications or additional features.

The relevant characteristics are assigned to the previously defined composition recipe on the level of characteristics. Characteristics are assigned by creating a new data record and by opening the characteristic catalog and accepting the characteristic selected there. All master data entries are copied into the characteristic, once the characteristic has been taken over. Each (copied) information can be changed and/or amended afterwards. Characteristic designations are often supplemented to define the characteristic in more detail.

It is also possible to create a characteristic that is not included in the characteristics catalog. However, this is recommended only in exceptional cases, since all analyses (e.g. failure mode analysis) are based on characteristics included in the catalog. It is therefore recommendable to maintain the characteristics catalog properly.

Different properties and settings can still be defined, before specific characteristic data is supplemented.

Field descriptions

Position

The position determines the order of subsequent inspections. The input must be unique. Ideally, the position number should be incremented in steps of ten when new data records are created. Consequently, a new characteristic may still be inserted between two existing characteristics at a later point in time.

Characteristics number

Number of the characteristic selected from master data.

Characteristic designation

Designation of the selected characteristic.

Detail application "inspection plan documents"

As many documents as required may be assigned to each composition recipe, provided that the "inspection plan documents" tab has been enabled in the master detail grid. By enabling these tabs, the toolbar provides corresponding buttons to edit documents.

All formats registered by Windows are available, when documents are assigned. Consequently, simple documents (e.g. written in Word), drawings of any format and videos may be assigned. However, the corresponding programs that are able to display the required formats have to be installed. In this context, the documents are opened by the program that has been linked in Windows.

The file types "FILE", "URL" and "Text" are provided. The file name including path may be entered manually with the "file" type. The "URL" file type allows access to the Internet or Intranet. The third file type "Text" allows for text to be entered directly.

A designation may be assigned to each defined document. Moreover, it may also be determined in which order the documents are to be listed. The "position" field is used for this purpose (numeric input). The specifications made within this list must be unique. In addition, the checkbox "display during inspection" specifies whether or not the document may be shown during the inspection process.