

1 Public holidays

Overview

Menu	Human resources management → Models → Public holidays
Transaction code	ptph
Function authorization	ptph

The following application opens for planning public holidays:

Purpose

The public holidays stored in the system are considered when year models are created. Subsequent modifications in the public holidays table do not affect already existing year models.

Public holidays for which you have defined an absence payment also have the same effect as if an absence was planned. In order for the system to generate an absence, you must have planned a target time for the corresponding days in the working time models.

Field descriptions

Type

Here you can specify whether it is a *Public holiday*, a *Religious holiday* or an *Other day off*. In week and period models, you can plan different day types for the particular types.

Absence payment

Payment day type which should be used to create an absence. If this field is left empty, then no absence is planned for this day.

Company

Use this option to restrict the public holiday to a particular company. Use this field if a particular holiday is not valid in all companies or if different absences should be created for different companies. Otherwise, you should leave this field empty.

Personnel selection

Use this field to plan public holidays for groups of persons or individual persons. This is mainly required if employees also work on public holidays due to a continuous shift model. For a specific group of persons, you can disable a public holiday that is planned for the entire company, if you select the option *No public holiday*. The following priorities apply, if several public holidays with different personnel selections are defined for an employee on one day:

- 1) person
- 2) employee subgroup
- 3) cost center
- 4) area
- 5) department
- 6) activity
- 7) employment relationship
- 8) person does not clock



The field *Personnel selection* and the option *No public holiday* are only available if the modification [PZW_FEIERT](#) is enabled.