
User Administration

Overview

HYDRA menu	System administration → User administration → Users
FEDRA menu	System administration → User administration → Users
Transaction code	user
Function authorization	user

On start of the client, the user name and password are requested. The system offers the possibility to assign individual authorizations to each client user for the separate sub-areas. All client programs offering the possibility to correct or change collected data, are equipped with authorization checks for functions and for areas of responsibility. The system does the same check for evaluations/reports and information dialogs that display "confidential" data.

Before a user can work on a client, the following activities must be performed.

- Create the user
- Assign function authorizations
- Assign responsibility areas

Purpose

The *User* application can be used to create individual users.

Selection criteria

User

Unique user name

Field descriptions

User

Enter a unique identification of the client user. We recommend to use the user names from mail programs or ERP programs that are already in use. This way, the respective person can use the same user name in all programs.

Name

The name describes the user more precisely. Enter first and last name here.

Password

The *Password* field is used to define the password that the user uses to log in to the system. The password is checked by the *Password confirmation* field. Both entries are hidden.

Locked

If you enable the field *locked*, you can define a period of time when this user cannot log in to the system. If only the start time for locking is defined here, the user account will stay locked from this time on and if only the end time is defined for locking, it will stay locked until this time. If no period is defined the user account will stay locked.

Please note:

The user account can automatically be locked according to the account lockout policies.

User has to change password when logging on the next time

The *User has to change password...* option will force the user to change the password when logging in the next time.

Company, Name, Person

These fields have been designed to assign the user to a person in the HR master.

SSO active, SSO user, SSO domain

These fields enable Single Sign On for the user. If Single Sign On is active, the Windows user's name and domain are used to identify and log in the relevant HYDRA user.

Note:

- In combination with the following INI entry, the fields for password entry / password change request are hidden.

INI configuration to hide the password entry for SSO users:

Name =	SYSTEM
Section =	ExclusiveSingleSignOn
Key =	ISACTIVE
Value =	TRUE
Active =	[CHECKED]

Please note:

Copy function: SSO configuration of the user to be copied will not be copied.

Toolbar



Password rules

Link to the application: Password rules



Function authorizations

Link to the application: Function authorizations



Responsibility areas

Link to the application: Responsibility areas



Synchronize users

Function authorization: wfusr

This function is used to synchronize the HYDRA users with the MES – workflow management server.

These attributes are taken over:

MOC field	→	MES workflow management
User	→	Login name
Name	→	Full name
Person (e-mail, company)	→	Attributes (InSign:ADDR_EMAIL)

Synchronization of users

If the Workflow Management is in use, the users of the system are synchronized with the users in the Workflow Management system (Inspire) using the manual function *Synchronize users* and a cyclic Scheduler process.

These users are required, for example, in order that the HYDRA users' tasks can be requested and displayed. The used language depends on the language ID assigned to the user in the Workflow Management system (Inspire). If you want to change the language, you must use the Workflow Management system.