

1 Workflow Events

Overview

Menu	System administration – Workflow management – Workflow events
Transaction code	wfev
Function authorization	wfev

Usage

The workflow events application shows instantiated workflows.

Prerequisite

Advanced object configuration

The workflow alias name must be defined in the "Advanced object configuration" application.

The screenshot shows a software window titled 'Edit' with a standard Windows-style title bar. Inside the window, there's a 'Main page' header. Below it, there are two tabs: 'Default' and 'Last change'. The 'Default' tab is active. The form contains several fields: 'Object type' is a dropdown menu with 'WFM_CONFIG' selected; 'Object ID 1' is a dropdown menu with 'HYDRA_complaint_customer' selected; 'Object ID 2' is a dropdown menu with '1' selected; 'Object ID 3' and 'Object ID 4' are empty dropdown menus; 'Parameter' is a text field with 'Complaint_ComplaintType_KUNDE' entered; 'Parameter value' is an empty text field; there is a checked checkbox labeled 'Active'; 'Description' is a text field with 'Reference of customer complaint workflow template' entered; and 'Responsibility area' is an empty dropdown menu.

Object type

The fixed value WFM_CONFIG is to be defined here.

Object ID 1

The real workflow name is to be indicated here.

Object ID 2

The workflow version is to be indicated here.

Parameter

The workflow alias name is indicated here.

Selection criteria

The following selection criteria are available in the application:

Status

Status. The following statuses are available for selection:

- DONE
- DONE RESEND
- ERROR
- ERROR RESEND

Workflow Events Detail Application (Table)

The tabular workflow events detail application shows the workflows which were instantiated by HYDRA. If a workflow could not be instantiated, it can be instantiated again through this application.

The data available in the table are described below. These data might not be shown by default. In this case, they can be added using the column selection.

Workflow tab**Process ID**

Process ID

Status

Possible statuses:

DONE → Workflow was instantiated

DONE RESEND → Workflow was resent and then instantiated correctly

ERROR → Workflow could not be instantiated

ERROR RESEND → Workflow could again not be instantiated in a repeated attempt

Status text

The error text of the workflow engine is shown here in the case of an error.

Module

Module which triggered the workflow.

Designation

Detailed designation of module

Process alias name

Process alias name

Process name

Process name

Process version

Process version

Workflow tab**ID 1-5**

ID 1-5 (references from HYDRA data base)

Key 1-5

Key 1-5 (text key from HYDRA data base)

Date key 1-5

Date key 1-5

Data

This shows the variables transferred, separated by pipe character.

Last editing tab**Editor**

Initially, this shows the editor who initiated the workflow. If the workflow is transferred again, the user is updated.

Last modification

Last modification

Trigger tab**Editor**

Editor who triggered the workflow.

Last modification

Time stamp of instantiation

Toolbar



Workflow History

Function authorization: wfhist

Link to function: Workflow history



Resend

Workflows in ERROR or ERROR RESEND status can be transferred once again.



Workflow Information

Function authorization: wfinfo