

1 Application-Relevant Settings in SAP

Customizing the order type

In SAP the CA-PDC interface (KK3) will only take those maintenance and service orders into account for which the order type has been marked as “BDE-active”. This is marked in Customizing (OIOE).

For each relevant combination of plant and order type the indicator “BDE-active” must be set.

Maintenance at the workplace

Once an order type is identified as “BDE-active” the CA-PDC interface (KK3) will only take those transactions into account for which at least one subsystem grouping is saved to the workplace.

The subsystem grouping at the workplace is maintained using the workplace maintenance (CR02/ IR02) → basic data → subsystems. There, the relevant subsystem can be selected from several saved subsystems.

Definition of new subsystem groupings

To the extent that the subsystem groupings included in the SAP delivery do not suffice, it is possible to define new ones using SAP Customizing - *SPRO* → *Personnel time management* → *Business data collection* → *General settings* → *Define grouping for subsystem connection*.

Setting of the posting times

Depending on the settings in SAP, the CA-PDC interface (KK3) supports two confirmation scenarios:

- Immediate posting

If the “Immediate posting” indicator is active in Customizing (CI31), HYDRA will immediately post time ticket confirmations transferred to SAP. If this posting cannot be made - if for example a maintenance or service order is being blocked - the confirmations will stay prebooked and will be posted during the next posting run.

- Posting using Job

If the “Immediate posting” indicator is not set in Customizing (CI31), the confirmations will be prebooked. They will then be posted later depending on the job, using Job CIP3.

Planning of relevant jobs

The following programs/ reports must be planned as job to ensure that the PP-PDC interface will operate automatically:

Program/ Report	Meaning	Please note:
CIBDOPDE	Download maintenance/ service orders	Planning with one variant
SAPCDUP3	Download of the upload request	Planning with one variant

Maintenance of the SAP partner agreement/profile – outbound processing

Name of the parameter	Value
To download PM/ CS orders	
Partner number	Created logical system
Partner type	LS
Message type	OPERA3
Message function	APP/ UPD/ DEL
Receiver port	Created port
Package size	1
Output mode	Transmit IDoc immediately
Basis type	OPERA3
To download the upload request	
Partner number	Created logical system
Partner type	LS
Message type	REQUI3

Name of the parameter	Value
Message function	REQ
Receiver port	Created port
Package size	1
Output mode	Transmit IDoc immediately
Basis type	REQUI3

Maintenance of the SAP partner agreement/profile – inbound processing

Maintain the following settings for inbound processing in the partner agreement/profile in SAP (WE20)

Name of the parameter	Value
Partner number	Created logical system
Partner type	LS
Message type	CONF32
Transaction code	CON5

Maintenance of the SAP distribution model - outbound processing

Name of the parameter	Value
To download PM/ CS orders	
Model view	Created model view
Sender/ Client	Logical system of the client
Recipient/ Server	Logical system for the recipient system
Message type	OPERA3
Filter	If necessary, maintain the BDE grouping as filter

Name of the parameter	Value
	criterion
To download the upload request	
Model view	Created model view
Sender/ Client	Logical system of the client
Recipient/ Server	Logical system for the recipient system
Message type	REQUI3

Maintenance of the SAP distribution model - inbound processing

Name of the parameter	Value
To upload time tickets	
Model view	Created model view
Sender/ Client	Logical system for the sender system
Recipient/ Server	Logical system of the client
Message type	CONF32

Relevant transactions

Transaction	Meaning	Please note:
CI32	Initial download	
CI34	Download maintenance/ service orders as delta download	-
CI35	Download of the upload request	-
IW46	Reworking of incorrect postings	-