

Manual

Alternative Capturing Methods BDE-AEV 8.1

Version 1.0.4716

Last changed on: 19.06.2020

Copyright

©Copyright 2020 All rights reserved.

SAP® and R/3® are registered trademarks of SAP AG.

WINDOWS® is a registered trademark of Microsoft Corporation.

MPDV® and HYDRA® are registered trademarks of MPDV Mikrolab GmbH.

ORACLE® is a registered trademark of ORACLE Corporation, California, USA.

Copying and distribution of this documentation or any part thereof, for any purpose or in any form, is prohibited without prior written permission from MPDV Mikrolab GmbH.

The information contained in this documentation is subject to change without prior notice.

Contents

1	Overview of Alternative Entry Variants	4
2	Activity Codes	6

1 Overview of Alternative Entry Variants

Purpose

The alternative entry variants component provides basic functions that allow you to execute posting rules that deviate from the ones provided in the standard delivery or that make it possible to enter and post other order-related performances other than quantities and times.

Examples of application scenarios

- The orders have very few units but a very long run time (e.g. 3 units, duration 4 weeks; estimated net time approx. 40 hrs).

The customer would like to log the OP on and off in order to find out what its status is. However, there are many active OPs in the workshop, yet that does not reveal which one is being actively processed.

For example, the time used is entered once a week by the foreman. In addition, it would also be a nice option if, regardless of the time used, it were possible to enter the remaining working time (this example can also be transferred very well to a maintenance solution).

- Furthermore, in many projects the task is to "simply" enter a specific value and upload it to the higher-level system without this involving any other processing operations in HYDRA.
- Sometimes what is required is that the relevant number of employees involved must be posted, rather than logging people on and off individually. Labor utilization is then the result of multiplying the duration recorded by this number of persons. (This often also involves the works council, which makes this requirement in these kinds of projects particularly important.)
- Often, what is required is that additional data is entered beyond the typical data entry variables such as quantities and times. Example: Power consumption

Implementation considerations

You use the function package if:

- You have activities (operations) or workplaces, where time use cannot be determined by calculating the difference between operation logon and logoff, but instead must be entered discretely.
- For a specific order, you want to enter and post other order/operation-related activities other than quantities produced and times used.

Integration

The basic functions included in this component are used to enter and post activities from the server. They do not provide any visual functions. The modifications needed for this at the entry client (e.g. terminal) must be considered separately.

If activities entered should also be uploaded to a leading system, then this must also be considered separately at the server. Additionally entered activities are not available for evaluation in MOC at this time.

Features

Basic functions for processing different entry variants in the BDE environment:

- Time event-related entry and based on it, the calculation of the time to be posted.
- Time-ticket-based entries
- Combination of the two entry types
- Automatic calculation from other variables, e.g. calculation of labor utilization from duration x explicitly entered numbers of persons
- Order-related posting of consumption data entered (e.g. consumption of power, water, energy, supplies ...)



Please note: Adding and coordinating the specific requirements and implementing them are considered a customized HYDRA service (a service subject to an added charge).

2 Activity Codes

Summary

Menu	Master data → Order → Activity codes
Transaction code	actc
Function authorization	mdactc

Usage

You use this application if you would like to configure activity codes.

Integration

The system manages different activities based on operations. In addition to special activities like "times" and "quantities", other activities can also be entered.

The activity code describes the meaning as well as the processing of the separate activities. It is defined at the operation.

Selection criteria

The application provides the following selection criteria:

Activity code

Designation of the activity code

Activity

Activity

Field descriptions

Activity code

A unique key that combines the configurations for several activities.

Activity

BMK01 ... BMK12	Time-based activities: resource performance accounts, workplace-related
DAUER	Time-based activities: sum of the resource performance accounts, workplace-related
PBMK01 ... PBMK12	Time-based activities: resource performance accounts, personnel-related

PDAUER	Time-based activities: sum of the resource performance accounts, personnel-related
LST01 ... LST10	Miscellaneous activities

Designation

Activity name.

Field type

Reference to a field type.

Formula for target activity

Formula for calculating the target activity (reserved, currently not processed)

Input type

ZE	Input based on time events (only for RPA time-based activities)
DR	Discrete input, relative
DA	Discrete input, absolute
XU	Calculated using formula for actual activity, per posting
XE	Calculated using formula for actual activity, when OP is logged off

Keep in mind that for input type <> ZE, BMK and PBMK time-based activities are no longer compared to the shift calendar, but instead are variables that are directly entered or calculated based on formulas.

Formula for actual activity

Actual activities can be calculated by using the defined formulas. Formulas are defined in [formula management](#).

The below-mentioned acronyms can be used in the formulas:

Identifiers	Designation/meaning	Additional selection	
Operation data			
ANR.FU:1-ANR.FU:66	The OP's user fields		The CHAR fields as well?
ANR.SGR:GUTB	Target quantity of the OP in base quantity unit		
ANR.SGR:GUTP	The OP's target quantity in primary quantity unit		
ANR.SGR:GUT	The OP's target quantity in primary quantity unit (old format)		
ANR.SGR:GUTS	The OP's target quantity in secondary quantity unit		
ANR.SGR:GUTT	The OP's target quantity in tertiary quantity unit		

Identifiers	Designation/meaning	Additional selection	
ANR.SGR:AUSB	The OP's scrap in base quantity unit		
ANR.SGR:AUSP	The OP's scrap in primary quantity unit		
ANR.SGR:AUS	The OP's scrap in primary quantity unit (old format)		
ANR.SGR:AUSS	The OP's scrap in secondary quantity unit		
ANR.SGR:AUST	The OP's scrap in tertiary quantity unit		
ANR.EINHMENGE	ddi_param->ab.einh menge		
ANR.SZY	The OP's target cycle		
ANR.TLG	The OP's partitioning		
ANR.IMPFAKT	The OP's pulse factor		
ANR.VGW01	Default value 01 of OP	J	auftrags_bestand.vgw_01
ANR.VGW02	Default value 02 of OP	J	auftrags_bestand.vgw_02
ANR.VGW03	Default value 03 of OP	J	auftrags_bestand.vgw_03
ANR.VGW04	Default value 04 of OP	J	auftrags_bestand.vgw_04
ANR.VGW05	Default value 05 of OP	J	auftrags_bestand.vgw_05
ANR.VGW06	Default value 06 of OP	J	auftrags_bestand.vgw_06
ANR.VGW07	Default value 07 of OP	J	auftrags_bestand.vgw_07
ANR.VGW08	Default value 08 of OP	J	auftrags_bestand.vgw_08
ANR.VGW09	Default value 09 of OP	J	auftrags_bestand.vgw_09
ANR.VGW010	Default value 10 of OP	J	auftrags_bestand.vgw_10
ANR.RUEZ	The OP's setup time		
ANR.RUEZ:ZUSCHL	The OP's additional setup time	J	ab.ruest_zeit_zu_schl
ANR.BEARBZ	The OP's processing time		
ANR.ABRZ	The OP's dismantling/retooling time	J	ab.abruest_zeit
ANR.LIEZ:MAX	The OP's maximum wait time	J	ab.liege_zeit_max
ANR.LIEZ	The OP's wait time	J	ab.liege_zeit
ANR.LIZ	The OP's delivery time	J	ab.lieferzeit
ANR.BMK01	Target value for RPA 01		
ANR.BMK02	Target value for RPA 02		
ANR.BMK03	Target value for RPA 03		
ANR.BMK04	Target value for RPA 04		

Identifiers	Designation/meaning	Additional selection	
ANR.BMK05	Target value for RPA 05		
ANR.BMK06	Target value for RPA 06		
ANR.BMK07	Target value for RPA 07		
ANR.BMK08	Target value for RPA 08		
ANR.BMK09	Target value for RPA 09		
ANR.BMK10	Target value for RPA 10		
ANR.BMK11	Target value for RPA 11		
ANR.BMK12	Target value for RPA 12		
ANR.ANZSPLIT	Maximum number of splits	J	ab.ls_split_anz
ANR.VLZ	The OP's lead time		ab.vorlaufzeit
ANR.WEIGMENGE	The OP's send-ahead quantity		
ANR.LST01	Target activity 01 of OP		
ANR.LST02	Target activity 02 of OP		
ANR.LST03	Target activity 03 of OP		
ANR.LST04	Target activity 04 of OP		
ANR.LST05	Target activity 05 of OP		
ANR.LST06	Target activity 06 of OP		
ANR.LST07	Target activity 07 of OP		
ANR.LST08	Target activity 08 of OP		
ANR.LST09	Target activity 09 of OP		
ANR.LST10	Target activity 10 of OP		
ANR.EGR:GUTB	Yield that has been recorded so far in base quantity unit	J	ast.gut_bas
ANR.EGR:GUTP	Yield that has been recorded so far in primary quantity unit	J	ast.gut_pri
ANR.EGR:GUT	Yield that has been recorded so far in primary quantity unit (old format)	J	ast.gut_pri
ANR.EGR:GUTS	Yield that has been recorded so far in secondary quantity unit	J	ast.gut_sek
ANR.EGR:GUTT	Yield that has been recorded so far in tertiary quantity unit	J	ast.gut_ter
ANR.EGR:AUSB	Scrap that has been recorded so far in base quantity unit	J	ast.aus_bas

Identifiers	Designation/meaning	Additional selection	
ANR.EGR:AUSP	Scrap that has been recorded so far in primary quantity unit	J	ast.aus_pri
ANR.EGR:AUS	Scrap that has been recorded so far in primary quantity unit (old format)	J	ast.aus_pri
ANR.EGR:AUSS	Scrap that has been recorded so far in secondary quantity unit	J	ast.aus_sek
ANR.EGR:AUST	Scrap that has been recorded so far in tertiary quantity unit	J	ast.aus_ter
ANR.EGR:NCHB	Rework quantity that has been recorded so far in base quantity unit	J	ast.nacharb_bas
ANR.EGR:NCHP	Rework quantity that has been recorded so far in primary quantity unit	J	ast.nacharb_pri
ANR.EGR:NCH	Rework quantity that has been recorded so far in primary quantity unit (old format)	J	ast.nacharb_pri
ANR.EGR:NCHS	Rework quantity that has been recorded so far in secondary quantity unit	J	ast.nacharb_sek
ANR.EGR:NCHT	Rework quantity that has been recorded so far in tertiary quantity unit	J	ast.nacharb_ter
ANR.EGR:PRBB	Problem quantity that has been recorded so far in base quantity unit	J	ast.problem_bas
ANR.EGR:PRBP	Problem quantity that has been recorded so far in primary quantity unit	J	ast.problem_pri
ANR.EGR:PRB	Problem quantity that has been recorded so far in primary quantity unit (old format)	J	ast.problem_pri
ANR.EGR:PRBS	Problem quantity that has been recorded so far in secondary quantity unit	J	ast.problem_sek
ANR.EGR:PRBT	Problem quantity that has been recorded so far in tertiary quantity unit	J	ast.problem_ter
ANR.EGR:BMK01	Duration recorded for RPA 01	J	ast.calc_bmk_01
ANR.EGR:BMK02	Duration recorded for RPA 02	J	ast.calc_bmk_02
ANR.EGR:BMK03	Duration recorded for RPA 03	J	ast.calc_bmk_03
ANR.EGR:BMK04	Duration recorded for RPA 04	J	ast.calc_bmk_04

Identifiers	Designation/meaning	Additional selection	
ANR.EGR:BMK05	Duration recorded for RPA 05	J	ast.calc_bmk_05
ANR.EGR:BMK06	Duration recorded for RPA 06	J	ast.calc_bmk_06
ANR.EGR:BMK07	Duration recorded for RPA 07	J	ast.calc_bmk_07
ANR.EGR:BMK08	Duration recorded for RPA 08	J	ast.calc_bmk_08
ANR.EGR:BMK09	Duration recorded for RPA 09	J	ast.calc_bmk_09
ANR.EGR:BMK10	Duration recorded for RPA 10	ADEPRO.EGR:N CHP	ast.calc_bmk_10
ANR.EGR:BMK11	Duration recorded for RPA 11	J	ast.calc_bmk_11
ANR.EGR:BMK12	Duration recorded for RPA 12	J	ast.calc_bmk_12
ANR.EGR:HUB	Total cycles/strokes recorded	J	ast.hub_gesamt
ANR.RGR:BMK01	Current remaining activity for RPA 01	J	ast.rest_bmk_01
ANR.RGR:BMK02	Current remaining activity for RPA 02	J	ast.rest_bmk_02
ANR.RGR:BMK03	Current remaining activity for RPA 03	J	ast.rest_bmk_03
ANR.RGR:BMK04	Current remaining activity for RPA 04	J	ast.rest_bmk_04
ANR.RGR:BMK05	Current remaining activity for RPA 05	J	ast.rest_bmk_05
ANR.RGR:BMK06	Current remaining activity for RPA 06	J	ast.rest_bmk_06
ANR.RGR:BMK07	Current remaining activity for RPA 07	J	ast.rest_bmk_07
ANR.RGR:BMK08	Current remaining activity for RPA 08	J	ast.rest_bmk_08
ANR.RGR:BMK09	Current remaining activity for RPA 09	J	ast.rest_bmk_09
ANR.RGR:BMK10	Current remaining activity for RPA 10	J	ast.rest_bmk_10
ANR.RGR:BMK11	Current remaining activity for RPA 11	J	ast.rest_bmk_11
ANR.RGR:BMK12	Current remaining activity for RPA 12	J	ast.rest_bmk_12

Identifiers	Designation/meaning	Additional selection	
ANR.RGR:LST01	Current actual activity for RPA 01	J	ast.rest_lst_01
ANR.RGR:LST02	Current actual activity for RPA 02	J	ast.rest_lst_02
ANR.RGR:LST03	Current actual activity for RPA 03	J	ast.rest_lst_03
ANR.RGR:LST04	Current actual activity for RPA 04	J	ast.rest_lst_04
ANR.RGR:LST05	Current actual activity for RPA 05	J	ast.rest_lst_05
ANR.RGR:LST06	Current actual activity for RPA 06	J	ast.rest_lst_06
ANR.RGR:LST07	Current actual activity for RPA 07	J	ast.rest_lst_07
ANR.RGR:LST08	Current actual activity for RPA 08	J	ast.rest_lst_08
ANR.RGR:LST09	Current actual activity for RPA 09	J	ast.rest_lst_09
ANR.RGR:LST10	Current actual activity for RPA 10	J	ast.rest_lst_10
ANR.UMRFAKTLI:N	Denominator of the OP's conversion factor		
ANR.UMRFAKTLI:Z	Numerator of the OP's conversion factor		
ANR.UMRFAKTP:N	Denominator of the OP's conversion factor in primary quantity unit		
ANR.UMRFAKTP:Z	Numerator of the OP's conversion factor in primary quantity unit		
ANR.UMRFAKTS:N	Denominator of the OP's conversion factor in secondary quantity unit		
ANR.UMRFAKTS:Z	Numerator of the OP's conversion factor in secondary quantity unit		
ANR.UMRFAKTT:N	Denominator of the OP's conversion factor in tertiary quantity unit		
ANR.UMRFAKTT:Z	Numerator of the OP's conversion factor in tertiary quantity unit		
Machine master data (table MASCHINEN)			
MNR.TLG	Machine partitioning		
Posting records pertaining to the OP (table ADE PROTOKOLL)			
ADEPRO.EGR:GUTB	Recorded yield in base quantity unit		

Identifiers	Designation/meaning	Additional selection	
ADEPRO.EGR:GUTP	Recorded yield in primary quantity unit		
ADEPRO.EGR:GUT	Recorded yield in primary quantity unit (old format)		
ADEPRO.EGR:GUTS	Recorded yield in secondary quantity unit		
ADEPRO.EGR:GUTT	Recorded yield in tertiary quantity unit		
ADEPRO.EGR:AUSB	Recorded scrap in base quantity unit		
ADEPRO.EGR:AUSP	Recorded scrap in primary quantity unit		
ADEPRO.EGR:AUS	Recorded scrap in primary quantity unit (old format)		
ADEPRO.EGR:AUSS	Recorded scrap in secondary quantity unit		
ADEPRO.EGR:AUST	Recorded scrap in tertiary quantity unit		
ADEPRO.EGR:NCHB	Recorded rework quantity in base quantity unit		
ADEPRO.EGR:NCHP	Recorded rework quantity in primary quantity unit		
ADEPRO.EGR:NCH	Recorded rework quantity in primary quantity unit (old format)		
ADEPRO.EGR:NCHS	Recorded rework quantity in secondary quantity unit		
ADEPRO.EGR:NCHT	Recorded rework quantity in tertiary quantity unit		
ADEPRO.EGR:PRBB	Recorded problem quantity in base quantity unit		
ADEPRO.EGR:PRBP	Recorded problem quantity in primary quantity unit		
ADEPRO.EGR:PRB	Recorded problem quantity in primary quantity unit (old format)		
ADEPRO.EGR:PRBS	Recorded problem quantity in secondary quantity unit		
ADEPRO.EGR:PRBT	Recorded problem quantity in tertiary quantity unit		
ADEPRO.EGR:BMK01	Duration recorded for RPA 01		
ADEPRO.EGR:BMK02	Duration recorded for RPA 02		
ADEPRO.EGR:BMK03	Duration recorded for RPA 03		
ADEPRO.EGR:BMK04	Duration recorded for RPA 04		

Identifiers	Designation/meaning	Additional selection	
ADEPRO.EGR:BMK05	Duration recorded for RPA 05		
ADEPRO.EGR:BMK06	Duration recorded for RPA 06		
ADEPRO.EGR:BMK07	Duration recorded for RPA 07		
ADEPRO.EGR:BMK08	Duration recorded for RPA 08		
ADEPRO.EGR:BMK09	Duration recorded for RPA 09		
ADEPRO.EGR:BMK10	Duration recorded for RPA 10		
ADEPRO.EGR:BMK11	Duration recorded for RPA 11		
ADEPRO.EGR:BMK12	Duration recorded for RPA 12		
ADEPRO.EGR:HUB	Recorded cycles/strokes		
ADEPRO.RGR:BMK01	Residual recorded for RPA 01		
ADEPRO.RGR:BMK02	Residual recorded for RPA 02		
ADEPRO.RGR:BMK03	Residual recorded for RPA 03		
ADEPRO.RGR:BMK04	Residual recorded for RPA 04		
ADEPRO.RGR:BMK05	Residual recorded for RPA 05		
ADEPRO.RGR:BMK06	Residual recorded for RPA 06		
ADEPRO.RGR:BMK07	Residual recorded for RPA 07		
ADEPRO.RGR:BMK08	Residual recorded for RPA 08		
ADEPRO.RGR:BMK09	Residual recorded for RPA 09		
ADEPRO.RGR:BMK10	Residual recorded for RPA 10		
ADEPRO.RGR:BMK11	Residual recorded for RPA 11		
ADEPRO.RGR:BMK12	Residual recorded for RPA 12		
ADEPRO.RGR:LST01	Recorded activity 01		
ADEPRO.RGR:LST02	Recorded activity 02		
ADEPRO.RGR:LST03	Recorded activity 03		
ADEPRO.RGR:LST04	Recorded activity 04		
ADEPRO.RGR:LST05	Recorded activity 05		
ADEPRO.RGR:LST06	Recorded activity 06		
ADEPRO.RGR:LST07	Recorded activity 07		
ADEPRO.RGR:LST08	Recorded activity 08		
ADEPRO.RGR:LST09	Recorded activity 09		
ADEPRO.RGR:LST10	Recorded activity 10		

Underdelivery

Permissible underdelivery (for this activity) in percent

Reaction in the event of underdelivery

empty	No test
W	Warning (reserved; currently not processed)
X	Error

Overdelivery

Permissible overdelivery (for this activity) in percent

Reaction in the event of overdelivery

empty	No test
W	Warning (reserved; currently not processed)
X	Error

Overriding in the event of under/ overdelivery: Currently, no reasons are planned for activities.