

Manual

Escalation Messages in Shop Floor Scheduling HLS-ESK 8.1

Version 1.1.23049

Last changed on: 01.09.2020

Copyright

©Copyright 2012 All rights reserved.

SAP® and R/3® are registered trademarks of SAP AG.

WINDOWS® is a registered trademark of Microsoft Corporation.

MPDV® and HYDRA® are registered trademarks of MPDV Mikrolab GmbH.

ORACLE® is a registered trademark of ORACLE Corporation, California, USA.

Copying and distribution of this documentation or any part thereof, for any purpose or in any form, is prohibited without prior written permission from MPDV Mikrolab GmbH.

The information contained in this documentation is subject to change without prior notice.

Contents

1	Escalation Messages in Shop Floor Scheduling	4
2	Available Escalations	5
2.1	Operation has been planned (ANR.SCHEDULE)	5
2.2	Operation has been rescheduled (ANR.RESCCHEDULE).....	6
2.3	Operation has been deallocated (ANR.DEALLOCATE).....	8

1 Escalation Messages in Shop Floor Scheduling

Purpose

HYDRA escalation management provides a framework of functions for real-time forwarding of recorded or live events in HYDRA to individual users or user groups. During the process, escalation management takes active steps to ensure users are notified.

After notification, escalation management monitors times until acknowledgment by the recipients and until the escalation is concluded. Escalations can be forwarded to other users or user groups during processing.

Implementation Notes

You use escalation management when you would like to have active, real-time notification of specific events from the scheduling in the HYDRA shop floor scheduling in order to prevent failures and to increase efficiency and productivity through rapid response.

Integration

The events/escalations are posted to central escalation management. This forms the framework for forwarding and following up on the events triggered.

For notification of people, escalation management accesses both [User administration](#) and the [HR master data](#) stored in the system. Notifications can be sent out as e-mails by integrating the local mail server into the system.

Features

- Provision of escalation postings from the scheduling, e.g. operation scheduled, operation deallocated, operation rescheduled.
- Configuration of the events
- Forwarding of the detected events to the escalation framework.

2 Available Escalations

The following escalations are triggered when saving a schedule/plan.

2.1 Operation has been planned (ANR.SCHEDULE)

The event is triggered for operations which have been planned for a workplace or replanned to another workplace in the graphic planning board.

Event	Identifiers	Description
ANR.SCHEDULE	ANR.ANR	Order + operation
	ANR.AUNR	Order
	ANR.AFOLG	Sequence
	ANR.AGNR	Operation
	ANR.SPLNR	Split number
	ANR.AART	Order type
	ANR.AUGRP	Order group (order header)
	ANR.DISP	MRP controller (order header)
	ANR.KDBEZ	Customer name (order header)
	ANR.ATK	Articles of the operation
	ANR.ATKBEZ	Article designation/name (transferred from the order header to the OP)
	ANR.DATFB	Earliest start (date) of the OP
	ANR.ZEIFB	Earliest start (time) of the OP in seconds since midnight
	ANR.DATSE	Latest end (date) of the OP
	ANR.ZEISE	Latest end (time) of the OP in seconds since midnight
	ANR.SGR:GUTP	Target quantity of the operation (primary quantity unit)
	ANR.RES:WNR	Operation tool
	ANR.RUEZ	Static setup time of the operation in seconds
	ANR.RUEZ:ZUSCHL	Dyn. setup time of the operation in seconds
	ANR.ABRZ	Retooling time of the operation in seconds
	ANR.VERARBCODE	Processing code
	ANR.SZY	Target cycle of the operation in seconds/1000 cycles
	ANR.TLG	Partitioning of the operation

Event	Identifiers	Description
	ANR.OPT:PKENN	Control indicator of the current operation status S: not planned/otherwise V: prepared/planned L: logged on U: interrupted
	ANR.DATB	Planned start date
	ANR.ZEIB	Planned start time in seconds since midnight
	ANR.DATE	Planned end date
	ANR.ZEIE	Planned end time in seconds since midnight
	ANR.OPT:PLAN	"Planned" flag M = planned for workplace G = deallocated (in the pool of groups)
	ANR.MGRP	Group of the workplace where the operation is planned
	ANR.MNR	Workplace where the operation is planned
	ANR.MNR:PREV	Workplace prior to replanning
	ANR.FIX	Operation fixed
	ANR.FIX:PREV	Operation fixed prior to replanning
	ANR.VERWEIS:FERT VAR	Production variant (reference)

2.2 Operation has been rescheduled (ANR.RESCCHEDULE)

The event is triggered for operations that have been rescheduled in the graphic planning board. The event is also triggered if the operation is fixed or unfixed without rescheduling.



Escalations are not triggered for operations that are logged on, even if the planned end date is updated automatically.

Event	Identifiers	Description
ANR.RESCCHEDULE	ANR.ANR	Order + operation
	ANR.AUNR	Order
	ANR.AFOLG	Sequence
	ANR.AGNR	Operation
	ANR.SPLNR	Split number

ANR.AART	Order type
ANR.AUGRP	Order group (order header)
ANR.DISP	MRP controller (order header)
ANR.KDBEZ	Customer name (transferred from the order header to the OP)
ANR.ATK	Articles of the operation
ANR.ATKBEZ	Article designation/name (transferred from the order header to the OP)
ANR.DATFB	Earliest start (date) of the OP
ANR.ZEIFB	Earliest start (time) of the OP in seconds since midnight
ANR.DATSE	Latest end (date) of the OP
ANR.ZEISE	Latest end (time) of the OP in seconds since midnight
ANR.SGR:GUTP	Target quantity of the operation (primary quantity unit)
ANR.RES:WNR	Operation tool
ANR.RUEZ	Static setup time of the operation in seconds
ANR.RUEZ:ZUSCHL	Dyn. setup time of the operation in seconds
ANR.ABRZ	Retooling time of the operation in seconds
ANR.VERARBCODE	Processing code
ANR.SZY	Target cycle of the operation in seconds/1000 cycles
ANR.TLG	Partitioning of the operation
ANR.OPT:PKENN	Control indicator of the current operation status S: not planned/otherwise V: prepared/planned L: logged on U: interrupted
ANR.DATB	Planned start date
ANR.ZEIB	Planned start time in seconds since midnight
ANR.DATE	Planned end date
ANR.ZEIE	Planned end time in seconds since midnight
ANR.OPT:PLAN	"Planned" flag M = planned for workplace G = deallocated (in the pool of groups)

ANR.MGRP	Group of the workplace where the operation is planned
ANR.MNR	Workplace where the operation is planned
ANR.MNR:PREV	Workplace prior to replanning
ANR.FIX	Operation fixed
ANR.FIX:PREV	Operation fixed prior to replanning
ANR.VERWEIS:FERTVAR	Production variant (reference)

2.3 Operation has been deallocated (ANR.DEALLOCATE)

The event is triggered for operations which have been deallocated in the graphic planning board.

Event	Identifiers	Description
ANR.DEALLOCATE	ANR.ANR	Order + operation
	ANR.AUNR	Order
	ANR.AFOLG	Sequence
	ANR.AGNR	Operation
	ANR.SPLNR	Split number
	ANR.AART	Order type
	ANR.AUGRP	Order group (order header)
	ANR.DISP	MRP controller (order header)
	ANR.KDBEZ	Customer name (transferred from the order header to the OP)
	ANR.ATK	Articles of the operation
	ANR.ATKBEZ	Article designation/name (transferred from the order header to the OP)
	ANR.DATFB	Earliest start (date) of the OP
	ANR.ZEIFB	Earliest start (time) of the OP in seconds since midnight
	ANR.DATSE	Latest end (date) of the OP
	ANR.ZEISE	Latest end (time) of the OP in seconds since midnight
	ANR.SGR:GUTP	Target quantity of the operation (primary quantity unit)
	ANR.RES:WNR	Operation tool
	ANR.RUEZ	Static setup time of the operation in seconds
	ANR.RUEZ:ZUSCHL	Dyn. setup time of the operation in seconds

Event	Identifiers	Description
	ANR.ABRZ	Retooling time of the operation in seconds
	ANR.VERARBCODE	Processing code
	ANR.SZY	Target cycle of the operation in seconds/1000 cycles
	ANR.TLG	Partitioning of the operation
	ANR.OPT:PKENN	Control indicator of the current operation status S: not planned/otherwise V: prepared/planned L: logged on U: interrupted
	ANR.DATB	Planned start date
	ANR.ZEIB	Planned start time in seconds since midnight
	ANR.DATE	Planned end date
	ANR.ZEIE	Planned end time in seconds since midnight
	ANR.OPT:PLAN	"Planned" flag M = planned for workplace G = deallocated (in the pool of groups)
	ANR.MGRP	Group of the workplace where the operation is planned
	ANR.MNR	Workplace where the operation is planned
	ANR.MNR:PREV	Workplace prior to replanning
	ANR.FIX	Operation fixed
	ANR.FIX:PREV	Operation fixed prior to replanning
	ANR.VERWEIS:FERT VAR	Production variant (reference)